

Wave IV Constructed Variables

Number of observations: 15,701

Cohen Perceived Stress Scale			C4VAR001	num 8
15,673		range 0 to 16		
28	98	answered don't know and/or refused to question(s) used in variable construction		

CESD Depression Scale			C4VAR002	num 8
15,691		range 0 to 15		
10	98	answered don't know and/or refused to question(s) used in variable construction		

Mastery Scale			C4VAR003	num 8
15,648		range 5 to 25		
52	98	answered don't know and/or refused to more than one question(s) used in variable construction		
1	.	missing		

Extraversion Personality Scale			C4VAR004	num 8
15,674		range 4 to 20		
26	98	answered don't know and/or refused to question(s) used in variable construction		
1	.	missing		

Neuroticism Personality Scale			C4VAR005	num 8
15,675		range 4 to 20		
25	98	answered don't know and/or refused to question(s) used in variable construction		
1	.	missing		

Agreeableness Personality Scale			C4VAR006	num 8
15,672		range 4 to 20		
28	98	answered don't know and/or refused to question(s) used in variable construction		
1	.	missing		

Conscientiousness Personality Scale			C4VAR007	num 8
15,673		range 4 to 20		
27	98	answered don't know and/or refused to question(s) used in variable construction		
1	.	missing		

Open to Experience/Intellect/Imagination Personality Scale			C4VAR008	num 8
15,595		range 4 to 20		
105	98	answered don't know and/or refused to question(s) used in variable construction		

1	.	missing
---	---	---------

Anxious Personality Scale		C4VAR009	num 8
15,675		range 4 to 20	
25	98	answered don't know and/or refused to question(s) used in variable construction	
1	.	missing	

Optimistic Personality Scale		C4VAR010	num 8
15,672		range 4 to 20	
28	98	answered don't know and/or refused to question(s) used in variable construction	
1	.	missing	

Angry Hostility Personality Scale		C4VAR011	num 8
15,677		range 4 to 20	
23	98	answered don't know and/or refused to question(s) used in variable construction	
1	.	missing	

Arrested Never, Once, More Than Once		C4VAR012	num 8
11,180	0	no arrests	
2,244	1	arrested once	
2,224	2	arrested more than once	
53	8	answered don't know and/or refused to question(s) used in variable construction	

Ever Arrested		C4VAR013	num 8
11,180	0	no arrests	
4,468	1	arrested once or more	
53	8	answered don't know and/or refused to question(s) used in variable construction	

Adolescent and Adult Sexual Activity		C4VAR014	num 8
15,653		range 0 to 16	
48	98	answered don't know and/or refused to question(s) used in variable construction	

Fagerstrom Test For Nicotine Dependence		C4VAR015	num 8
7,659		range 0 to 10	
7,789	97	legitimate skip	
253	98	answered don't know and/or refused to question(s) used in variable construction	

Heavy Smoking Index		C4VAR016	num 8
7,842		range 0 to 6	

7,789	7	legitimate skip
70	8	answered don't know and/or refused to question(s) used in variable construction

Nicotine Dependence Diagnosis From Fagerstrom Scale		C4VAR017	num 8
5,968	1	not nicotine dependent	
1,691	2	nicotine dependent	
7,789	7	legitimate skip	
253	8	answered don't know and/or refused to question(s) used in variable construction	

Nicotine Dependence Diagnosis From Heavy Smoking Index Scale		C4VAR018	num 8
6,038	1	not nicotine dependent	
1,804	2	nicotine dependent	
7,789	7	legitimate skip	
70	8	answered don't know and/or refused to question(s) used in variable construction	

Number of DSM4 Alcohol Abuse Symptoms		C4VAR019	num 8
6,367		range 0 to 4	
4	5	pretest case not asked	
9,330	7	legitimate skip	

Number of DSM4 Alcohol Dependence Symptoms		C4VAR020	num 8
6,366		range 0 to 7	
4	95	pretest case not asked	
9,330	97	legitimate skip	
1	98	answered don't know and/or refused to question(s) used in variable construction	

3+ Alcohol Dependence Symptoms Clustered in a Single Year		C4VAR021	num 8
671	0	met 3+ symptom criteria but no clustering	
1,392	1	met 3+ symptom criteria and clustering criterion met	
4	5	pretest case not asked	
9,330	7	legitimate skip	
6	8	answered don't know and/or refused to question(s) used in variable construction	
4,298	9	not applicable: did not meet 3+ symptom criteria	

Age of Onset of 3+ Alcohol Dependence Symptoms That Clustered in a Single Year		C4VAR022	num 8
1,384		range 5 to 32	
4	95	pretest case not asked	
9,330	97	legitimate skip	

8	98	answered don't know and/or refused to question(s) used in variable construction
4,975	99	not applicable: met 3+ symptom criteria but not clustering criterion or did not meet 3+ symptom criteria or answered dk/re to C4VAR021

DSM4 Lifetime Diagnosis of Alcohol Abuse or Dependence		C4VAR023	num 8
2,446	1	no abuse/dependence	
1,852	2	DSM4 abuse diagnosis	
83	3	DSM4 dependence with no physiological symptoms	
593	4	DSM4 dependence with physiological symptoms	
1,392	5	DSM4 dependence with clustering	
4	95	pretest case not asked	
9,330	97	legitimate skip	
1	98	answered don't know and/or refused to question(s) used in variable construction	

Number of DSM4 Cannabis Abuse Symptoms		C4VAR024	num 8
4,220		range 0 to 4	
11,480	7	legitimate skip	
1	8	answered don't know and/or refused to question(s) used in variable construction	

Number of DSM4 Cannabis Dependence Symptoms		C4VAR025	num 8
4,218		range 0 to 7	
11,480	97	legitimate skip	
3	98	answered don't know and/or refused to question(s) used in variable construction	

3+ Cannabis Dependence Symptoms Clustered in a Single Year		C4VAR026	num 8
436	0	met 3+ symptom criteria but no clustering	
867	1	met 3+ symptom criteria and clustering criterion met	
11,480	7	legitimate skip	
6	8	answered don't know and/or refused to question(s) used in variable construction	
2,912	9	not applicable: did not meet 3+ symptom criteria	

Age of Onset of 3+ Cannabis Dependence Symptoms That Clustered in a Single Year		C4VAR027	num 8
855		range 5 to 31	
11,480	97	legitimate skip	
12	98	answered don't know and/or refused to question(s) used in variable construction	
3,354	99	not applicable: met 3+ symptom criteria but not clustering criterion or did not meet 3+ symptom criteria or answered dk/re to C4VAR026	

DSM4 Lifetime Diagnosis of Cannabis Abuse or Dependence		C4VAR028	num 8
---	--	-----------------	-------

2,298	1	no abuse/dependence
614	2	DSM4 abuse diagnosis
35	3	DSM4 dependence with no physiological symptoms
404	4	DSM4 dependence with physiological symptoms
867	5	DSM4 dependence with clustering
11,480	97	legitimate skip
3	98	answered don't know and/or refused to question(s) used in variable construction

Number of DSM4 Other Drug Abuse Symptoms		C4VAR029	num 8
1,641		range 0 to 4	
1	5	pretest case not asked	
14,059	7	legitimate skip	

Number of DSM4 Other Drug Dependence Symptoms		C4VAR030	num 8
1,641		range 0 to 7	
1	95	pretest case not asked	
14,059	97	legitimate skip	

3+ Other Drug Dependence Symptoms Clustered in a Single Year		C4VAR031	num 8
245	0	met 3+ symptom criteria but no clustering	
750	1	met 3+ symptom criteria and clustering criterion met	
1	5	pretest case not asked	
14,059	7	legitimate skip	
646	9	not applicable: did not meet 3+ symptom criteria	

Age of Onset of 3+ Other Drug Dependence Symptoms That Clustered in a Single Year		C4VAR032	num 8
743		range 5 to 31	
1	95	pretest case not asked	
14,059	97	legitimate skip	
7	98	answered don't know and/or refused to question(s) used in variable construction	
891	99	not applicable: met 3+ symptom criteria but not clustering criterion or did not meet 3+ symptom criteria or answered dk/re to C4VAR031	

DSM4 Lifetime Diagnosis of Other Drug Abuse or Dependence		C4VAR033	num 8
491	1	no abuse/dependence	
155	2	DSM4 abuse diagnosis	
7	3	DSM4 dependence with no physiological symptoms	
238	4	DSM4 dependence with physiological symptoms	

750	5	DSM4 dependence with clustering
1	95	pretest case not asked
14,059	97	legitimate skip

Obese at Wave IV		C4VAR034	num 4
9,436	0	not obese	
5,491	1	obese	
774	8	answered don't know and/or refused to question(s) used in variable construction or currently pregnant or don't know if pregnant or missing BMI	

Daily Smoker at Wave IV		C4VAR035	num 4
12,225	0	not a daily smoker	
3,339	1	daily smoker	
137	8	answered don't know and/or refused to question(s) used in variable construction	

Physical Activity		C4VAR036	num 4
13,264	0	bouts of physical activity	
2,422	1	no bouts of physical activity	
14	8	answered don't know and/or refused to question(s) used in variable construction	
1	.	missing	

Ever Married		C4VAR037	num 4
7,885	0	never married	
7,797	1	married once or more	
19	8	answered don't know and/or refused to question(s) used in variable construction	

Some College		C4VAR038	num 4
5,366	0	has not attended college	
10,331	1	attended some college	
4	8	answered don't know and/or refused to question(s) used in variable construction	

College Degree		C4VAR039	num 4
10,744	0	no college degree	
4,953	1	college degree or higher	
4	8	answered don't know and/or refused to question(s) used in variable construction	

Midpoint Household Income		C4VAR040	num 8
430	2500	less than \$5,000	
348	7500	\$5,000 to \$9,999	

477	12500	\$10,000 to \$14,999
501	17500	\$15,000 to \$19,999
699	22500	\$20,000 to \$24,999
747	27500	\$25,000 to \$29,999
1,588	35000	\$30,000 to \$39,999
1,767	45000	\$40,000 to \$49,999
3,567	62500	\$50,000 to \$74,999
2,219	87500	\$75,000 to \$99,999
1,563	125000	\$100,000 to \$149,999
756	150000	\$150,000 or more
1,039	999998	answered don't know and/or refused to question(s) used in variable construction

Midpoint Personal Earnings		C4VAR041	num 8
239	0	no earnings	
391	2500	less than \$5,000	
452	7500	\$5,000 to \$9,999	
708	12500	\$10,000 to \$14,999	
792	17500	\$15,000 to \$19,999	
1,068	22500	\$20,000 to \$24,999	
1,238	27500	\$25,000 to \$29,999	
2,498	35000	\$30,000 to \$39,999	
1,820	45000	\$40,000 to \$49,999	
2,121	62500	\$50,000 to \$74,999	
582	87500	\$75,000 to \$99,999	
218	125000	\$100,000 to \$149,999	
148	150000	\$150,000 or more	
3,426	999998	answered don't know and/or refused to question(s) used in variable construction or currently not working	

Midpoint of Household Assets		C4VAR042	num 8
2,610	2500	less than \$5,000	
1,644	7500	\$5,000 to \$9,999	
2,514	17500	\$10,000 to \$24,999	
2,404	37500	\$25,000 to \$49,999	
2,187	75000	\$50,000 to \$99,999	
1,589	175000	\$100,000 to \$249,000	
686	375000	\$250,000 to \$499,999	

319	750000	\$500,000 to \$999,999
128	1000000	\$1,000,000 or more
1,620	9999998	answered don't know and/or refused to question(s) used in variable construction

Own House		C4VAR043	num 4
9,395	0	no	
6,278	1	yes	
28	8	answered don't know and/or refused to question(s) used in variable construction	

Depression		C4VAR044	num 4
12,774	0	no depression	
2,927	1	yes depression	

Hypertension Stage 1		C4VAR045	num 4
11,929	0	no hypertension stage 1	
3,771	1	has hypertension stage 1	
1	8	answered don't know and/or refused to question(s) used in variable construction	

Hypertension Stage 2		C4VAR046	num 4
13,741	0	no hypertension stage 2	
1,959	1	has hypertension stage 2	
1	8	answered don't know and/or refused to question(s) used in variable construction	

High Blood Cholesterol or Triglycerides or Lipids		C4VAR047	num 4
14,427	0	no high cholesterol	
1,271	1	has high cholesterol	
3	8	answered don't know and/or refused to question(s) used in variable construction	

Sleep Problems		C4VAR048	num 4
13,745	0	no sleep problem	
1,762	1	sleep problem	
193	5	pretest case not asked	
1	8	answered don't know and/or refused to question(s) used in variable construction	