

 Wave IV Constructed Variables

| | |
|----------------|-------------------------------|
| Title | Wave IV Constructed Variables |
| File Name | w4vars.sas7bdat |
| Case Quantity | 15701 |
| Variable Count | 48 |

 C4VAR001 - COHEN PERCEIVED STRESS SCALE-W4

| | |
|----------|------------------------------|
| Type | Numeric (Double) |
| C4VAR001 | Cohen Perceived Stress Scale |

| | | | Frequency | % of total | % of valid |
|---------|----|---|-----------|------------|------------|
| Missing | 98 | answered don't know and/or refused to question(s) used in variable construction | 28 | 0.18% | |
| | | Total | 28 | 0.18% | |

| Valid | Invalid | Minimum | Maximum | Mean | StdDev |
|-------|---------|---------|---------|--------------|--------------|
| 15673 | 28 | 0 | 16 | 4.8387035... | 2.9549778... |

 C4VAR002 - CESD DEPRESSION SCALE-W4

| | |
|----------|-----------------------|
| Type | Numeric (Double) |
| C4VAR002 | CESD Depression Scale |

| | | | Frequency | % of total | % of valid |
|---------|----|---|-----------|------------|------------|
| Missing | 98 | answered don't know and/or refused to question(s) used in variable construction | 10 | 0.06% | |
| | | Total | 10 | 0.06% | |

| Valid | Invalid | Minimum | Maximum | Mean | StdDev |
|-------|---------|---------|---------|--------------|--------------|
| 15691 | 10 | 0 | 15 | 2.6380090... | 2.5726646... |

 C4VAR003 - MASTERY SCALE-W4

| | |
|----------|------------------|
| Type | Numeric (Double) |
| C4VAR003 | Mastery Scale |

| | | | Frequency | % of total | % of valid |
|--|--|--|-----------|------------|------------|
|--|--|--|-----------|------------|------------|

| | | | | | |
|---------|----|---|----|-------|--|
| Missing | . | missing | 1 | 0.01% | |
| | 98 | answered don't know and/or refused to more than one question(s) used in variable construction | 52 | 0.33% | |
| | | Total | 53 | 0.34% | |

| Valid | Invalid | Minimum | Maximum | Mean | StdDev |
|-------|---------|---------|---------|--------------|--------------|
| 15648 | 53 | 5 | 25 | 19.483256... | 2.9185883... |

| | |
|----------|--------------------------------|
| Type | Numeric (Double) |
| C4VAR004 | Extraversion Personality Scale |

| | | | Frequency | % of total | % of valid |
|---------|----|---|-----------|------------|------------|
| Missing | . | missing | 1 | 0.01% | |
| | 98 | answered don't know and/or refused to question(s) used in variable construction | 26 | 0.17% | |
| | | Total | 27 | 0.17% | |

| Valid | Invalid | Minimum | Maximum | Mean | StdDev |
|-------|---------|---------|---------|--------------|--------------|
| 15674 | 27 | 4 | 20 | 13.218833... | 3.0579736... |

| | |
|----------|-------------------------------|
| Type | Numeric (Double) |
| C4VAR005 | Neuroticism Personality Scale |

| | | | Frequency | % of total | % of valid |
|---------|----|---|-----------|------------|------------|
| Missing | . | missing | 1 | 0.01% | |
| | 98 | answered don't know and/or refused to question(s) used in variable construction | 25 | 0.16% | |
| | | Total | 26 | 0.17% | |

| Valid | Invalid | Minimum | Maximum | Mean | StdDev |
|-------|---------|---------|---------|--------------|--------------|
| 15675 | 26 | 4 | 20 | 10.449824... | 2.7438528... |

| | |
|----------|---------------------------------|
| Type | Numeric (Double) |
| C4VAR006 | Agreeableness Personality Scale |

| | | | Frequency | % of total | % of valid |
|---------|----|---|-----------|------------|------------|
| Missing | . | missing | 1 | 0.01% | |
| | 98 | answered don't know and/or refused to question(s) used in variable construction | 28 | 0.18% | |
| Total | | | 29 | 0.18% | |

| Valid | Invalid | Minimum | Maximum | Mean | StdDev |
|-------|---------|---------|---------|--------------|--------------|
| 15672 | 29 | 4 | 20 | 15.236153... | 2.4160064... |

| | |
|----------|-------------------------------------|
| Type | Numeric (Double) |
| C4VAR007 | Conscientiousness Personality Scale |

| | | | Frequency | % of total | % of valid |
|---------|----|---|-----------|------------|------------|
| Missing | . | missing | 1 | 0.01% | |
| | 98 | answered don't know and/or refused to question(s) used in variable construction | 27 | 0.17% | |
| Total | | | 28 | 0.18% | |

| Valid | Invalid | Minimum | Maximum | Mean | StdDev |
|-------|---------|---------|---------|--------------|--------------|
| 15673 | 28 | 4 | 20 | 14.641676... | 2.6987327... |

| | |
|----------|--|
| Type | Numeric (Double) |
| C4VAR008 | Open to Experience/Intellect/Imagination Personality Scale |

| | | | Frequency | % of total | % of valid |
|---------|----|---|-----------|------------|------------|
| Missing | . | missing | 1 | 0.01% | |
| | 98 | answered don't know and/or refused to question(s) used in variable construction | 105 | 0.67% | |
| Total | | | 106 | 0.68% | |

| Valid | Invalid | Minimum | Maximum | Mean | StdDev |
|-------|---------|---------|---------|--------------|--------------|
| 15595 | 106 | 4 | 20 | 14.493940... | 2.4573595... |

| | |
|----------|---------------------------|
| Type | Numeric (Double) |
| C4VAR009 | Anxious Personality Scale |

| | | | Frequency | % of total | % of valid |
|---------|----|---|-----------|------------|------------|
| Missing | . | missing | 1 | 0.01% | |
| | 98 | answered don't know and/or refused to question(s) used in variable construction | 25 | 0.16% | |
| Total | | | 26 | 0.17% | |

| Valid | Invalid | Minimum | Maximum | Mean | StdDev |
|-------|---------|---------|---------|--------------|--------------|
| 15675 | 26 | 4 | 20 | 12.317511... | 2.9398584... |

C4VAR010 - OPTIMISTIC-W4

| | |
|----------|------------------------------|
| Type | Numeric (Double) |
| C4VAR010 | Optimistic Personality Scale |

| | | | Frequency | % of total | % of valid |
|---------|----|---|-----------|------------|------------|
| Missing | . | missing | 1 | 0.01% | |
| | 98 | answered don't know and/or refused to question(s) used in variable construction | 28 | 0.18% | |
| Total | | | 29 | 0.18% | |

| Valid | Invalid | Minimum | Maximum | Mean | StdDev |
|-------|---------|---------|---------|--------------|--------------|
| 15672 | 29 | 4 | 20 | 14.881955... | 2.4529471... |

C4VAR011 - ANGRY HOSTILITY-W4

| | |
|----------|-----------------------------------|
| Type | Numeric (Double) |
| C4VAR011 | Angry Hostility Personality Scale |

| | | | Frequency | % of total | % of valid |
|---------|----|---|-----------|------------|------------|
| Missing | . | missing | 1 | 0.01% | |
| | 98 | answered don't know and/or refused to question(s) used in variable construction | 23 | 0.15% | |
| Total | | | 24 | 0.15% | |

| Valid | Invalid | Minimum | Maximum | Mean | StdDev |
|-------|---------|---------|---------|--------------|--------------|
| 15677 | 24 | 4 | 20 | 10.197422... | 2.8817378... |

C4VAR012 - ARRESTED NEVER, ONCE, MORE THAN ONCE-W4

| | |
|------------------|---------|
| Type | Code |
| Measurement Unit | numeric |

| | |
|----------|--------------------------------------|
| C4VAR012 | Arrested Never, Once, More Than Once |
|----------|--------------------------------------|

| | | | Frequency | % of total | % of valid |
|---------|-------|---|-----------|------------|------------|
| Valid | 0 | no arrests | 11180 | 71.21% | 71.45% |
| | 1 | arrested once | 2244 | 14.29% | 14.34% |
| | 2 | arrested more than once | 2224 | 14.16% | 14.21% |
| Total | | | 15,648 | 99.66% | 100% |
| Missing | 8 | answered don't know and/or refused to question(s) used in variable construction | 53 | 0.34% | |
| | Total | | 53 | 0.34% | |

| Valid | Invalid | Minimum | Maximum |
|-------|---------|---------|---------|
| 15648 | 53 | 0 | 2 |

C4VAR013 - EVER ARRESTED-W4

| | |
|------------------|---------------|
| Type | Code |
| Measurement Unit | numeric |
| C4VAR013 | Ever Arrested |

| | | | Frequency | % of total | % of valid |
|---------|-------|---|-----------|------------|------------|
| Valid | 0 | no arrests | 11180 | 71.21% | 71.45% |
| | 1 | arrested once or more | 4468 | 28.46% | 28.55% |
| | Total | | 15,648 | 99.66% | 100% |
| Missing | 8 | answered don't know and/or refused to question(s) used in variable construction | 53 | 0.34% | |
| | Total | | 53 | 0.34% | |

| Valid | Invalid | Minimum | Maximum |
|-------|---------|---------|---------|
| 15648 | 53 | 0 | 1 |

C4VAR014 - ADOLESCENT AND ADULT SEXUAL ACTIVITY-W4

| | |
|----------|--------------------------------------|
| Type | Numeric (Double) |
| C4VAR014 | Adolescent and Adult Sexual Activity |

| | | | Frequency | % of total | % of valid |
|---------|----|---|-----------|------------|------------|
| Missing | 98 | answered don't know and/or refused to question(s) used in variable construction | 48 | 0.31% | |
| Total | | | 48 | 0.31% | |

| Valid | Invalid | Minimum | Maximum | Mean | StdDev |
|-------|---------|---------|---------|--------------|--------------|
| 15653 | 48 | 0 | 16 | 6.4523094... | 2.3140760... |

| | |
|----------|---|
| Type | Numeric (Double) |
| C4VAR015 | Fagerstrom Test For Nicotine Dependence |

| | | | Frequency | % of total | % of valid |
|---------|----|---|-----------|------------|------------|
| Missing | 97 | legitimate skip | 7789 | 49.61% | |
| | 98 | answered don't know and/or refused to question(s) used in variable construction | 253 | 1.61% | |
| Total | | | 8,042 | 51.22% | |

| Valid | Invalid | Minimum | Maximum | Mean | StdDev |
|-------|---------|---------|---------|--------------|--------------|
| 7659 | 8042 | 0 | 10 | 3.1733907... | 2.6549582... |

| | |
|----------|---------------------|
| Type | Numeric (Double) |
| C4VAR016 | Heavy Smoking Index |

| | | | Frequency | % of total | % of valid |
|---------|---|---|-----------|------------|------------|
| Missing | 7 | legitimate skip | 7789 | 49.61% | |
| | 8 | answered don't know and/or refused to question(s) used in variable construction | 70 | 0.45% | |
| Total | | | 7,859 | 50.05% | |

| Valid | Invalid | Minimum | Maximum | Mean | StdDev |
|-------|---------|---------|---------|--------------|--------------|
| 7842 | 7859 | 0 | 6 | 2.0277990... | 1.7731269... |

| | |
|------------------|---|
| Type | Code |
| Measurement Unit | numeric |
| C4VAR017 | Nicotine Dependence Diagnosis From Fagerstrom Scale |

| | | | Frequency | % of total | % of valid |
|-------|---|------------------------|-----------|------------|------------|
| Valid | 1 | not nicotine dependent | 5968 | 38.01% | 77.92% |
| | 2 | nicotine dependent | 1691 | 10.77% | 22.08% |
| Total | | | 7,659 | 48.78% | 100% |

| | | | | | |
|---------|---|---|-------|--------|--|
| Missing | 7 | legitimate skip | 7789 | 49.61% | |
| | 8 | answered don't know and/or refused to question(s) used in variable construction | 253 | 1.61% | |
| | | Total | 8,042 | 51.22% | |

| | | | |
|-------|---------|---------|---------|
| Valid | Invalid | Minimum | Maximum |
| 7659 | 8042 | 1 | 2 |

| | |
|------------------|--|
| Type | Code |
| Measurement Unit | numeric |
| C4VAR018 | Nicotine Dependence Diagnosis From Heavy Smoking Index Scale |

| | | | Frequency | % of total | % of valid |
|---------|---|---|-----------|------------|------------|
| Valid | 1 | not nicotine dependent | 6038 | 38.46% | 77% |
| | 2 | nicotine dependent | 1804 | 11.49% | 23% |
| | | Total | 7,842 | 49.95% | 100% |
| Missing | 7 | legitimate skip | 7789 | 49.61% | |
| | 8 | answered don't know and/or refused to question(s) used in variable construction | 70 | 0.45% | |
| | | Total | 7,859 | 50.05% | |

| | | | |
|-------|---------|---------|---------|
| Valid | Invalid | Minimum | Maximum |
| 7842 | 7859 | 1 | 2 |

| | |
|----------|---------------------------------------|
| Type | Numeric (Double) |
| C4VAR019 | Number of DSM4 Alcohol Abuse Symptoms |

| | | | Frequency | % of total | % of valid |
|---------|---|------------------------|-----------|------------|------------|
| Missing | 5 | pretest case not asked | 4 | 0.03% | |
| | 7 | legitimate skip | 9330 | 59.42% | |
| | | Total | 9,334 | 59.45% | |

| | | | | | |
|-------|---------|---------|---------|--------------|--------------|
| Valid | Invalid | Minimum | Maximum | Mean | StdDev |
| 6367 | 9334 | 0 | 4 | 0.9693733... | 1.1236069... |

###

| | |
|----------|--|
| Type | Numeric (Double) |
| C4VAR020 | Number of DSM4 Alcohol Dependence Symptoms |

| | | | Frequency | % of total | % of valid |
|---------|----|---|-----------|------------|------------|
| Missing | 95 | pretest case not asked | 4 | 0.03% | |
| | 97 | legitimate skip | 9330 | 59.42% | |
| | 98 | answered don't know and/or refused to question(s) used in variable construction | 1 | 0.01% | |
| Total | | | 9,335 | 59.45% | |

| Valid | Invalid | Minimum | Maximum | Mean | StdDev |
|-------|---------|---------|---------|--------------|--------------|
| 6366 | 9335 | 0 | 7 | 1.8912975... | 1.6198289... |

C4VAR021 - 3+ ALCOHOL SYMP CLUSTER SINGLE YEAR-W4

| | |
|------------------|---|
| Type | Code |
| Measurement Unit | numeric |
| C4VAR021 | 3+ Alcohol Dependence Symptoms Clustered in a Single Year |

| | | | Frequency | % of total | % of valid |
|---------|-------|---|-----------|------------|------------|
| Valid | 0 | met 3+ symptom criteria but no clustering | 671 | 4.27% | 32.53% |
| | 1 | met 3+ symptom criteria and clustering criterion met | 1392 | 8.87% | 67.47% |
| | Total | | | 2,063 | 13.14% |
| Missing | 5 | pretest case not asked | 4 | 0.03% | |
| | 7 | legitimate skip | 9330 | 59.42% | |
| | 8 | answered don't know and/or refused to question(s) used in variable construction | 6 | 0.04% | |
| | 9 | not applicable: did not meet 3+ symptom criteria | 4298 | 27.37% | |
| Total | | | 13,638 | 86.86% | |

| Valid | Invalid | Minimum | Maximum |
|-------|---------|---------|---------|
| 2063 | 13638 | 0 | 1 |

C4VAR022 - AGE ONSET ALCOHOL DEPEND W/CLUSTER-W4

| | |
|----------|--|
| Type | Numeric (Double) |
| C4VAR022 | Age of Onset of 3+ Alcohol Dependence Symptoms That Clustered in a Single Year |

| | | | Frequency | % of total | % of valid |
|---------|----|--|-----------|------------|------------|
| Missing | 95 | pretest case not asked | 4 | 0.03% | |
| | 97 | legitimate skip | 9330 | 59.42% | |
| | 98 | answered don't know and/or refused to question(s) used in variable construction | 8 | 0.05% | |
| | 99 | not applicable: met 3+ symptom criteria but not clustering criterion or did not meet 3+ symptom criteria or answered dk/re to C4VAR021 | 4975 | 31.69% | |
| Total | | | 14,317 | 91.19% | |

| Valid | Invalid | Minimum | Maximum | Mean | StdDev |
|-------|---------|---------|---------|--------------|--------------|
| 1384 | 14317 | 5 | 32 | 21.935693... | 3.7939782... |

C4VAR023 - DSM4 LIFETIME DX ALCOHL ABUSE/DEPEND-W4

| | |
|------------------|--|
| Type | Code |
| Measurement Unit | numeric |
| C4VAR023 | DSM4 Lifetime Diagnosis of Alcohol Abuse or Dependence |

| | | | Frequency | % of total | % of valid |
|---------|----|---|-----------|------------|------------|
| Valid | 1 | no abuse/dependence | 2446 | 15.58% | 38.42% |
| | 2 | DSM4 abuse diagnosis | 1852 | 11.8% | 29.09% |
| | 3 | DSM4 dependence with no physiological symptoms | 83 | 0.53% | 1.3% |
| | 4 | DSM4 dependence with physiological symptoms | 593 | 3.78% | 9.32% |
| | 5 | DSM4 dependence with clustering | 1392 | 8.87% | 21.87% |
| Total | | | 6,366 | 40.55% | 100% |
| Missing | 95 | pretest case not asked | 4 | 0.03% | |
| | 97 | legitimate skip | 9330 | 59.42% | |
| | 98 | answered don't know and/or refused to question(s) used in variable construction | 1 | 0.01% | |
| Total | | | 9,335 | 59.45% | |

| Valid | Invalid | Minimum | Maximum |
|-------|---------|---------|---------|
| 6366 | 9335 | 1 | 5 |



| | |
|----------|--|
| Type | Numeric (Double) |
| C4VAR024 | Number of DSM4 Cannabis Abuse Symptoms |

| | | | Frequency | % of total | % of valid |
|---------|---|---|-----------|------------|------------|
| Missing | 7 | legitimate skip | 11480 | 73.12% | |
| | 8 | answered don't know and/or refused to question(s) used in variable construction | 1 | 0.01% | |
| Total | | | 11,481 | 73.12% | |

| Valid | Invalid | Minimum | Maximum | Mean | StdDev |
|-------|---------|---------|---------|--------------|--------------|
| 4220 | 11481 | 0 | 4 | 0.5246445... | 0.9108699... |



| | |
|----------|---|
| Type | Numeric (Double) |
| C4VAR025 | Number of DSM4 Cannabis Dependence Symptoms |

| | | | Frequency | % of total | % of valid |
|---------|----|---|-----------|------------|------------|
| Missing | 97 | legitimate skip | 11480 | 73.12% | |
| | 98 | answered don't know and/or refused to question(s) used in variable construction | 3 | 0.02% | |
| Total | | | 11,483 | 73.14% | |

| Valid | Invalid | Minimum | Maximum | Mean | StdDev |
|-------|---------|---------|---------|--------------|--------------|
| 4218 | 11483 | 0 | 7 | 1.8039355... | 1.7891496... |



| | |
|------------------|--|
| Type | Code |
| Measurement Unit | numeric |
| C4VAR026 | 3+ Cannabis Dependence Symptoms Clustered in a Single Year |

| | | | Frequency | % of total | % of valid |
|-------|---|--|-----------|------------|------------|
| Valid | 0 | met 3+ symptom criteria but no clustering | 436 | 2.78% | 33.46% |
| | 1 | met 3+ symptom criteria and clustering criterion met | 867 | 5.52% | 66.54% |
| Total | | | 1,303 | 8.3% | 100% |

| | | | | | |
|---------|---|---|--------|--------|--|
| Missing | 7 | legitimate skip | 11480 | 73.12% | |
| | 8 | answered don't know and/or refused to question(s) used in variable construction | 6 | 0.04% | |
| | 9 | not applicable: did not meet 3+ symptom criteria | 2912 | 18.55% | |
| | | Total | 14,398 | 91.7% | |

| | | | |
|-------|---------|---------|---------|
| Valid | Invalid | Minimum | Maximum |
| 1303 | 14398 | 0 | 1 |



| | |
|----------|---|
| Type | Numeric (Double) |
| C4VAR027 | Age of Onset of 3+ Cannabis Dependence Symptoms That Clustered in a Single Year |

| | | | Frequency | % of total | % of valid |
|---------|----|--|-----------|------------|------------|
| Missing | 97 | legitimate skip | 11480 | 73.12% | |
| | 98 | answered don't know and/or refused to question(s) used in variable construction | 12 | 0.08% | |
| | 99 | not applicable: met 3+ symptom criteria but not clustering criterion or did not meet 3+ symptom criteria or answered dk/re to C4VAR026 | 3354 | 21.36% | |
| | | Total | 14,846 | 94.55% | |

| | | | | | |
|-------|---------|---------|---------|--------------|--------------|
| Valid | Invalid | Minimum | Maximum | Mean | StdDev |
| 855 | 14846 | 5 | 31 | 20.139181... | 4.3027192... |



| | |
|------------------|---|
| Type | Code |
| Measurement Unit | numeric |
| C4VAR028 | DSM4 Lifetime Diagnosis of Cannabis Abuse or Dependence |

| | | | Frequency | % of total | % of valid |
|--|--|--|-----------|------------|------------|
|--|--|--|-----------|------------|------------|

| | | | | | |
|---------|----|---|--------|--------|--------|
| Valid | 1 | no abuse/dependence | 2298 | 14.64% | 54.48% |
| | 2 | DSM4 abuse diagnosis | 614 | 3.91% | 14.56% |
| | 3 | DSM4 dependence with no physiological symptoms | 35 | 0.22% | 0.83% |
| | 4 | DSM4 dependence with physiological symptoms | 404 | 2.57% | 9.58% |
| | 5 | DSM4 dependence with clustering | 867 | 5.52% | 20.55% |
| | | Total | 4,218 | 26.86% | 100% |
| Missing | 97 | legitimate skip | 11480 | 73.12% | |
| | 98 | answered don't know and/or refused to question(s) used in variable construction | 3 | 0.02% | |
| | | Total | 11,483 | 73.14% | |

| Valid | Invalid | Minimum | Maximum |
|-------|---------|---------|---------|
| 4218 | 11483 | 1 | 5 |

C4VAR029 - NUM OF DSM4 OTHER DRUG ABUSE SYMPT-W4

| | |
|----------|--|
| Type | Numeric (Double) |
| C4VAR029 | Number of DSM4 Other Drug Abuse Symptoms |

| | | | Frequency | % of total | % of valid |
|---------|---|------------------------|-----------|------------|------------|
| Missing | 5 | pretest case not asked | 1 | 0.01% | |
| | 7 | legitimate skip | 14059 | 89.54% | |
| | | Total | 14,060 | 89.55% | |

| Valid | Invalid | Minimum | Maximum | Mean | StdDev |
|-------|---------|---------|---------|--------------|--------------|
| 1641 | 14060 | 0 | 4 | 1.1151736... | 1.2843410... |

C4VAR030 - NUM DSM4 OTHER DRUG DEPEND SYMPTOMS-W4

| | |
|----------|---|
| Type | Numeric (Double) |
| C4VAR030 | Number of DSM4 Other Drug Dependence Symptoms |

| | | | Frequency | % of total | % of valid |
|---------|----|------------------------|-----------|------------|------------|
| Missing | 95 | pretest case not asked | 1 | 0.01% | |
| | 97 | legitimate skip | 14059 | 89.54% | |
| | | Total | 14,060 | 89.55% | |

| Valid | Invalid | Minimum | Maximum | Mean | StdDev |
|-------|---------|---------|---------|--------------|--------------|
| 1641 | 14060 | 0 | 7 | 3.3296770... | 2.2015300... |

 C4VAR031 - 3+ OTHR DRUG SYMPT CLUSTER SINGLE YR-W4

| | |
|------------------|--|
| Type | Code |
| Measurement Unit | numeric |
| C4VAR031 | 3+ Other Drug Dependence Symptoms Clustered in a Single Year |

| | | | Frequency | % of total | % of valid |
|---------|---|--|-----------|------------|------------|
| Valid | 0 | met 3+ symptom criteria but no clustering | 245 | 1.56% | 24.62% |
| | 1 | met 3+ symptom criteria and clustering criterion met | 750 | 4.78% | 75.38% |
| Total | | | 995 | 6.34% | 100% |
| Missing | 5 | pretest case not asked | 1 | 0.01% | |
| | 7 | legitimate skip | 14059 | 89.54% | |
| | 9 | not applicable: did not meet 3+ symptom criteria | 646 | 4.11% | |
| Total | | | 14,706 | 93.66% | |

| Valid | Invalid | Minimum | Maximum |
|-------|---------|---------|---------|
| 995 | 14706 | 0 | 1 |

 C4VAR032 - AGE ONSET OTHER DEPEND W/CLUSTER-W4

| | |
|----------|---|
| Type | Numeric (Double) |
| C4VAR032 | Age of Onset of 3+ Other Drug Dependence Symptoms That Clustered in a Single Year |

| | | | Frequency | % of total | % of valid |
|---------|----|--|-----------|------------|------------|
| Missing | 95 | pretest case not asked | 1 | 0.01% | |
| | 97 | legitimate skip | 14059 | 89.54% | |
| | 98 | answered don't know and/or refused to question(s) used in variable construction | 7 | 0.04% | |
| | 99 | not applicable: met 3+ symptom criteria but not clustering criterion or did not meet 3+ symptom criteria or answered dk/re to C4VAR031 | 891 | 5.67% | |
| Total | | | 14,958 | 95.27% | |

| Valid | Invalid | Minimum | Maximum | Mean | StdDev |
|-------|---------|---------|---------|--------------|--------------|
| 743 | 14958 | 5 | 31 | 22.172274... | 4.1540336... |



| | |
|------------------|---|
| Type | Code |
| Measurement Unit | numeric |
| C4VAR033 | DSM4 Lifetime Diagnosis of Other Drug Abuse or Dependence |

| | | | Frequency | % of total | % of valid |
|---------|----|--|-----------|------------|------------|
| Valid | 1 | no abuse/dependence | 491 | 3.13% | 29.92% |
| | 2 | DSM4 abuse diagnosis | 155 | 0.99% | 9.45% |
| | 3 | DSM4 dependence with no physiological symptoms | 7 | 0.04% | 0.43% |
| | 4 | DSM4 dependence with physiological symptoms | 238 | 1.52% | 14.5% |
| | 5 | DSM4 dependence with clustering | 750 | 4.78% | 45.7% |
| | | Total | 1,641 | 10.45% | 100% |
| Missing | 95 | pretest case not asked | 1 | 0.01% | |
| | 97 | legitimate skip | 14059 | 89.54% | |
| | | Total | 14,060 | 89.55% | |

| Valid | Invalid | Minimum | Maximum |
|-------|---------|---------|---------|
| 1641 | 14060 | 1 | 5 |



| | |
|------------------|------------------|
| Type | Code |
| Measurement Unit | numeric |
| C4VAR034 | Obese at Wave IV |

| | | | Frequency | % of total | % of valid |
|---------|---|--|-----------|------------|------------|
| Valid | 0 | not obese | 9436 | 60.1% | 63.21% |
| | 1 | obese | 5491 | 34.97% | 36.79% |
| | | Total | 14,927 | 95.07% | 100% |
| Missing | 8 | answered don't know and/or refused to question(s) used in variable construction or currently pregnant or don't know if pregnant or missing BMI | 774 | 4.93% | |
| | | Total | 774 | 4.93% | |

| Valid | Invalid | Minimum | Maximum |
|-------|---------|---------|---------|
| 14927 | 774 | 0 | 1 |



| | |
|------------------|-------------------------|
| Type | Code |
| Measurement Unit | numeric |
| C4VAR035 | Daily Smoker at Wave IV |

| | | | Frequency | % of total | % of valid |
|---------|-------|---|-----------|------------|------------|
| Valid | 0 | not a daily smoker | 12225 | 77.86% | 78.55% |
| | 1 | daily smoker | 3339 | 21.27% | 21.45% |
| Total | | | 15,564 | 99.13% | 100% |
| Missing | 8 | answered don't know and/or refused to question(s) used in variable construction | 137 | 0.87% | |
| | Total | | 137 | 0.87% | |

| Valid | Invalid | Minimum | Maximum |
|-------|---------|---------|---------|
| 15564 | 137 | 0 | 1 |



| | |
|------------------|-------------------|
| Type | Code |
| Measurement Unit | numeric |
| C4VAR036 | Physical Activity |

| | | | Frequency | % of total | % of valid |
|---------|---|---|-----------|------------|------------|
| Valid | 0 | bouts of physical activity | 13264 | 84.48% | 84.56% |
| | 1 | no bouts of physical activity | 2422 | 15.43% | 15.44% |
| Total | | | 15,686 | 99.9% | 100% |
| Missing | . | missing | 1 | 0.01% | |
| | 8 | answered don't know and/or refused to question(s) used in variable construction | 14 | 0.09% | |
| Total | | | 15 | 0.1% | |

| Valid | Invalid | Minimum | Maximum |
|-------|---------|---------|---------|
| 15686 | 15 | 0 | 1 |



| | |
|------------------|---------|
| Type | Code |
| Measurement Unit | numeric |

| | |
|----------|--------------|
| C4VAR037 | Ever Married |
|----------|--------------|

| | | | Frequency | % of total | % of valid |
|---------|-------|---|-----------|------------|------------|
| Valid | 0 | never married | 7885 | 50.22% | 50.28% |
| | 1 | married once or more | 7797 | 49.66% | 49.72% |
| Total | | | 15,682 | 99.88% | 100% |
| Missing | 8 | answered don't know and/or refused to question(s) used in variable construction | 19 | 0.12% | |
| | Total | | | 19 | 0.12% |

| Valid | Invalid | Minimum | Maximum |
|-------|---------|---------|---------|
| 15682 | 19 | 0 | 1 |

C4VAR038 - SOME COLLEGE-W4

| | |
|------------------|--------------|
| Type | Code |
| Measurement Unit | numeric |
| C4VAR038 | Some College |

| | | | Frequency | % of total | % of valid |
|---------|-------|---|-----------|------------|------------|
| Valid | 0 | has not attended college | 5366 | 34.18% | 34.18% |
| | 1 | attended some college | 10331 | 65.8% | 65.82% |
| Total | | | 15,697 | 99.97% | 100% |
| Missing | 8 | answered don't know and/or refused to question(s) used in variable construction | 4 | 0.03% | |
| | Total | | | 4 | 0.03% |

| Valid | Invalid | Minimum | Maximum |
|-------|---------|---------|---------|
| 15697 | 4 | 0 | 1 |

C4VAR039 - COLLEGE DEGREE-W4

| | |
|------------------|----------------|
| Type | Code |
| Measurement Unit | numeric |
| C4VAR039 | College Degree |

| | | | Frequency | % of total | % of valid |
|-------|---|--------------------------|-----------|------------|------------|
| Valid | 0 | no college degree | 10744 | 68.43% | 68.45% |
| | 1 | college degree or higher | 4953 | 31.55% | 31.55% |
| Total | | | 15,697 | 99.97% | 100% |

| | | | | | |
|---------|---|---|---|-------|--|
| Missing | 8 | answered don't know and/or refused to question(s) used in variable construction | 4 | 0.03% | |
| | | Total | 4 | 0.03% | |

| | | | |
|-------|---------|---------|---------|
| Valid | Invalid | Minimum | Maximum |
| 15697 | 4 | 0 | 1 |

| | |
|------------------|---------------------------|
| Type | Code |
| Measurement Unit | numeric |
| C4VAR040 | Midpoint Household Income |

| | | | Frequency | % of total | % of valid |
|---------|--------|---|-----------|------------|------------|
| Valid | 2500 | less than \$5,000 | 430 | 2.74% | 2.93% |
| | 7500 | \$5,000 to \$9,999 | 348 | 2.22% | 2.37% |
| | 12500 | \$10,000 to \$14,999 | 477 | 3.04% | 3.25% |
| | 17500 | \$15,000 to \$19,999 | 501 | 3.19% | 3.42% |
| | 22500 | \$20,000 to \$24,999 | 699 | 4.45% | 4.77% |
| | 27500 | \$25,000 to \$29,999 | 747 | 4.76% | 5.09% |
| | 35000 | \$30,000 to \$39,999 | 1588 | 10.11% | 10.83% |
| | 45000 | \$40,000 to \$49,999 | 1767 | 11.25% | 12.05% |
| | 62500 | \$50,000 to \$74,999 | 3567 | 22.72% | 24.33% |
| | 87500 | \$75,000 to \$99,999 | 2219 | 14.13% | 15.13% |
| | 125000 | \$100,000 to \$149,999 | 1563 | 9.95% | 10.66% |
| | 150000 | \$150,000 or more | 756 | 4.81% | 5.16% |
| | Total | 14,662 | 93.38% | 100% | |
| Missing | 999998 | answered don't know and/or refused to question(s) used in variable construction | 1039 | 6.62% | |
| | | Total | 1,039 | 6.62% | |

| | | | |
|-------|---------|---------|---------|
| Valid | Invalid | Minimum | Maximum |
| 14662 | 1039 | 2500 | 150000 |

| | |
|------------------|----------------------------|
| Type | Code |
| Measurement Unit | numeric |
| C4VAR041 | Midpoint Personal Earnings |

| | | | Frequency | % of total | % of valid |
|--|--|--|-----------|------------|------------|
|--|--|--|-----------|------------|------------|

| | | | | | |
|---------|--------|--|--------|--------|--------|
| Valid | 0 | no earnings | 239 | 1.52% | 1.95% |
| | 2500 | less than \$5,000 | 391 | 2.49% | 3.19% |
| | 7500 | \$5,000 to \$9,999 | 452 | 2.88% | 3.68% |
| | 12500 | \$10,000 to \$14,999 | 708 | 4.51% | 5.77% |
| | 17500 | \$15,000 to \$19,999 | 792 | 5.04% | 6.45% |
| | 22500 | \$20,000 to \$24,999 | 1068 | 6.8% | 8.7% |
| | 27500 | \$25,000 to \$29,999 | 1238 | 7.88% | 10.09% |
| | 35000 | \$30,000 to \$39,999 | 2498 | 15.91% | 20.35% |
| | 45000 | \$40,000 to \$49,999 | 1820 | 11.59% | 14.83% |
| | 62500 | \$50,000 to \$74,999 | 2121 | 13.51% | 17.28% |
| | 87500 | \$75,000 to \$99,999 | 582 | 3.71% | 4.74% |
| | 125000 | \$100,000 to \$149,999 | 218 | 1.39% | 1.78% |
| | 150000 | \$150,000 or more | 148 | 0.94% | 1.21% |
| | Total | 12,275 | 78.18% | 100% | |
| Missing | 999998 | answered don't know and/or refused to question(s) used in variable construction or currently not working | 3426 | 21.82% | |
| | | Total | 3,426 | 21.82% | |

| Valid | Invalid | Minimum | Maximum |
|-------|---------|---------|---------|
| 12275 | 3426 | 0 | 150000 |

C4VAR042 - MIDPOINT OF HOUSEHOLD ASSETS-W4

| | |
|------------------|------------------------------|
| Type | Code |
| Measurement Unit | numeric |
| C4VAR042 | Midpoint of Household Assets |

| | | | Frequency | % of total | % of valid |
|-------|---------|------------------------|-----------|------------|------------|
| Valid | 2500 | less than \$5,000 | 2610 | 16.62% | 18.54% |
| | 7500 | \$5,000 to \$9,999 | 1644 | 10.47% | 11.68% |
| | 17500 | \$10,000 to \$24,999 | 2514 | 16.01% | 17.85% |
| | 37500 | \$25,000 to \$49,999 | 2404 | 15.31% | 17.07% |
| | 75000 | \$50,000 to \$99,999 | 2187 | 13.93% | 15.53% |
| | 175000 | \$100,000 to \$249,000 | 1589 | 10.12% | 11.28% |
| | 375000 | \$250,000 to \$499,999 | 686 | 4.37% | 4.87% |
| | 750000 | \$500,000 to \$999,999 | 319 | 2.03% | 2.27% |
| | 1000000 | \$1,000,000 or more | 128 | 0.82% | 0.91% |
| | Total | 14,081 | 89.68% | 100% | |

| | | | | | |
|---------|---------|---|-------|--------|--|
| Missing | 9999998 | answered don't know and/or refused to question(s) used in variable construction | 1620 | 10.32% | |
| | | Total | 1,620 | 10.32% | |

| | | | |
|-------|---------|---------|---------|
| Valid | Invalid | Minimum | Maximum |
| 14081 | 1620 | 2500 | 1000000 |

C4VAR043 - OWN HOUSE-W4

| | |
|------------------|-----------|
| Type | Code |
| Measurement Unit | numeric |
| C4VAR043 | Own House |

| | | | Frequency | % of total | % of valid |
|---------|---|---|-----------|------------|------------|
| Valid | 0 | no | 9395 | 59.84% | 59.94% |
| | 1 | yes | 6278 | 39.98% | 40.06% |
| | | Total | 15,673 | 99.82% | 100% |
| Missing | 8 | answered don't know and/or refused to question(s) used in variable construction | 28 | 0.18% | |
| | | Total | 28 | 0.18% | |

| | | | |
|-------|---------|---------|---------|
| Valid | Invalid | Minimum | Maximum |
| 15673 | 28 | 0 | 1 |

C4VAR044 - DEPRESSION-W4

| | |
|------------------|------------|
| Type | Code |
| Measurement Unit | numeric |
| C4VAR044 | Depression |

| | | | Frequency | % of total | % of valid |
|-------|---|----------------|-----------|------------|------------|
| Valid | 0 | no depression | 12774 | 81.36% | 81.36% |
| | 1 | yes depression | 2927 | 18.64% | 18.64% |
| | | Total | 15,701 | 100% | 100% |

| | | | |
|-------|---------|---------|---------|
| Valid | Invalid | Minimum | Maximum |
| 15701 | 0 | 0 | 1 |

C4VAR045 - HYPERTENSION STAGE 1-W4

| | |
|------|------|
| Type | Code |
|------|------|

| | |
|------------------|----------------------|
| Measurement Unit | numeric |
| C4VAR045 | Hypertension Stage 1 |

| | | | Frequency | % of total | % of valid |
|---------|-------|---|-----------|------------|------------|
| Valid | 0 | no hypertension stage 1 | 11929 | 75.98% | 75.98% |
| | 1 | has hypertension stage 1 | 3771 | 24.02% | 24.02% |
| Total | | | 15,700 | 99.99% | 100% |
| Missing | 8 | answered don't know and/or refused to question(s) used in variable construction | 1 | 0.01% | |
| | Total | | 1 | 0.01% | |

| Valid | Invalid | Minimum | Maximum |
|-------|---------|---------|---------|
| 15700 | 1 | 0 | 1 |

| | |
|------------------|----------------------|
| Type | Code |
| Measurement Unit | numeric |
| C4VAR046 | Hypertension Stage 2 |

| | | | Frequency | % of total | % of valid |
|---------|-------|---|-----------|------------|------------|
| Valid | 0 | no hypertension stage 2 | 13741 | 87.52% | 87.52% |
| | 1 | has hypertension stage 2 | 1959 | 12.48% | 12.48% |
| Total | | | 15,700 | 99.99% | 100% |
| Missing | 8 | answered don't know and/or refused to question(s) used in variable construction | 1 | 0.01% | |
| | Total | | 1 | 0.01% | |

| Valid | Invalid | Minimum | Maximum |
|-------|---------|---------|---------|
| 15700 | 1 | 0 | 1 |

| | |
|------------------|---|
| Type | Code |
| Measurement Unit | numeric |
| C4VAR047 | High Blood Cholesterol or Triglycerides or Lipids |

| | | | Frequency | % of total | % of valid |
|-------|---|----------------------|-----------|------------|------------|
| Valid | 0 | no high cholesterol | 14427 | 91.89% | 91.9% |
| | 1 | has high cholesterol | 1271 | 8.1% | 8.1% |

| | | | | | |
|---------|---|---|--------|--------|------|
| | | Total | 15,698 | 99.98% | 100% |
| Missing | 8 | answered don't know and/or refused to question(s) used in variable construction | 3 | 0.02% | |
| | | Total | 3 | 0.02% | |

| | | | |
|-------|---------|---------|---------|
| Valid | Invalid | Minimum | Maximum |
| 15698 | 3 | 0 | 1 |

| | |
|------------------|----------------|
| Type | Code |
| Measurement Unit | numeric |
| C4VAR048 | Sleep Problems |

| | | | Frequency | % of total | % of valid |
|---------|---|---|-----------|------------|------------|
| Valid | 0 | no sleep problem | 13745 | 87.54% | 88.64% |
| | 1 | sleep problem | 1762 | 11.22% | 11.36% |
| | | Total | 15,507 | 98.76% | 100% |
| Missing | 5 | pretest case not asked | 193 | 1.23% | |
| | 8 | answered don't know and/or refused to question(s) used in variable construction | 1 | 0.01% | |
| | | Total | 194 | 1.24% | |

| | | | |
|-------|---------|---------|---------|
| Valid | Invalid | Minimum | Maximum |
| 15507 | 194 | 0 | 1 |