

## All Coded Causes of Death File, Including Record-Axis Codes, 2019

Title	All Coded Causes of Death File, Including Record-Axis Codes, 2019
File Name	ndi19p2.sas7bdat
Case Quantity	540
Variable Count	82

### NDIVS19 - SAMPLE MEMBERS VITAL STATUS, 2019

Type	Code
Measurement Unit	numeric
NDIVS19	Sample members vital status, 2019

			Frequency	% of total	% of valid
Valid	0	Alive	0	0%	0%
	1	Deceased	540	100%	100%
Total			540	100%	100%

Valid	Invalid	Minimum	Maximum
540	0	1	1

### NDI00119 - A00-A28/A50-B19/B25-B99

Type	Code
Measurement Unit	numeric
NDI00119	A00-A28/A50-B19/B25-B99

			Frequency	% of total	% of valid
Valid	0	Absent	528	97.78%	97.96%
	1	Present	11	2.04%	2.04%
Total			539	99.81%	100%
Missing	92	Missing in source	1	0.19%	
		Total	1	0.19%	

Valid	Invalid	Minimum	Maximum
539	1	0	1

### NDI00219 - A30-A49

Type	Code
Measurement Unit	numeric
NDI00219	A30-A49

			Frequency	% of total	% of valid
Valid	0	Absent	514	95.19%	95.36%
	1	Present	25	4.63%	4.64%
	Total		539	99.81%	100%
Missing	92	Missing in source	1	0.19%	
	Total		1	0.19%	

Valid	Invalid	Minimum	Maximum
539	1	0	1

 NDI00319 - B20-B24

Type	Code
Measurement Unit	numeric
NDI00319	B20-B24

			Frequency	% of total	% of valid
Valid	0	Absent	526	97.41%	97.59%
	1	Present	13	2.41%	2.41%
	Total		539	99.81%	100%
Missing	92	Missing in source	1	0.19%	
	Total		1	0.19%	


Valid	Invalid	Minimum	Maximum
539	1	0	1

 NDI00419 - C00-C14/C30-C75

Type	Code
Measurement Unit	numeric
NDI00419	C00-C14/C30-C75

			Frequency	% of total	% of valid
Valid	0	Absent	516	95.56%	95.73%
	1	Present	23	4.26%	4.27%
	Total		539	99.81%	100%
Missing	92	Missing in source	1	0.19%	
	Total		1	0.19%	

Valid	Invalid	Minimum	Maximum
539	1	0	1

 NDI00519 - C15-C26

Type	Code
Measurement Unit	numeric
NDI00519	C15-C26

			Frequency	% of total	% of valid
Valid	0	Absent	527	97.59%	97.77%
	1	Present	12	2.22%	2.23%
	Total		539	99.81%	100%
Missing	92	Missing in source	1	0.19%	
		Total	1	0.19%	

Valid	Invalid	Minimum	Maximum
539	1	0	1

 NDI00619 - C76-C80

Type	Code
Measurement Unit	numeric
NDI00619	C76-C80

			Frequency	% of total	% of valid
Valid	0	Absent	531	98.33%	98.52%
	1	Present	8	1.48%	1.48%
	Total		539	99.81%	100%
Missing	92	Missing in source	1	0.19%	
		Total	1	0.19%	

Valid	Invalid	Minimum	Maximum
539	1	0	1

 NDI00719 - C81-C96

Type	Code
Measurement Unit	numeric
NDI00719	C81-C96

			Frequency	% of total	% of valid
--	--	--	-----------	------------	------------

Valid	0	Absent	527	97.59%	97.77%
	1	Present	12	2.22%	2.23%
		Total	539	99.81%	100%
Missing	92	Missing in source	1	0.19%	
		Total	1	0.19%	


Valid	Invalid	Minimum	Maximum
539	1	0	1

 NDI00819 - D50-D89

Type	Code
Measurement Unit	numeric
NDI00819	D50-D89

			Frequency	% of total	% of valid
Valid	0	Absent	526	97.41%	97.59%
	1	Present	13	2.41%	2.41%
		Total	539	99.81%	100%
Missing	92	Missing in source	1	0.19%	
		Total	1	0.19%	

Valid	Invalid	Minimum	Maximum
539	1	0	1

 NDI00919 - E00-E07/E15-E65/E67-E90

Type	Code
Measurement Unit	numeric
NDI00919	E00-E07/E15-E65/E67-E90

			Frequency	% of total	% of valid
Valid	0	Absent	529	97.96%	98.14%
	1	Present	10	1.85%	1.86%
		Total	539	99.81%	100%
Missing	92	Missing in source	1	0.19%	
		Total	1	0.19%	


Valid	Invalid	Minimum	Maximum
539	1	0	1

 NDI01019 - E14

Type	Code
Measurement Unit	numeric
NDI01019	E14

			Frequency	% of total	% of valid
Valid	0	Absent	526	97.41%	97.59%
	1	Present	13	2.41%	2.41%
		Total	539	99.81%	100%
Missing	92	Missing in source	1	0.19%	
			Total	1	0.19%

Valid	Invalid	Minimum	Maximum
539	1	0	1

 NDI01119 - E66

Type	Code
Measurement Unit	numeric
NDI01119	E66

			Frequency	% of total	% of valid
Valid	0	Absent	515	95.37%	95.55%
	1	Present	24	4.44%	4.45%
		Total	539	99.81%	100%
Missing	92	Missing in source	1	0.19%	
			Total	1	0.19%

Valid	Invalid	Minimum	Maximum
539	1	0	1

 NDI01219 - F00-F09/F20-F99

Type	Code
Measurement Unit	numeric
NDI01219	F00-F09/F20-F99

			Frequency	% of total	% of valid
Valid	0	Absent	529	97.96%	98.14%
	1	Present	10	1.85%	1.86%

		Total	539	99.81%	100%
Missing	92	Missing in source	1	0.19%	
		Total	1	0.19%	

Valid	Invalid	Minimum	Maximum
539	1	0	1

 NDI01319 - F10

Type	Code
Measurement Unit	numeric
NDI01319	F10

			Frequency	% of total	% of valid
Valid	0	Absent	529	97.96%	98.14%
	1	Present	10	1.85%	1.86%
		Total	539	99.81%	100%
Missing	92	Missing in source	1	0.19%	
		Total	1	0.19%	

Valid	Invalid	Minimum	Maximum
539	1	0	1

 NDI01419 - F11-F17/F18-F19

Type	Code
Measurement Unit	numeric
NDI01419	F11-F17/F18-F19

			Frequency	% of total	% of valid
Valid	0	Absent	505	93.52%	93.69%
	1	Present	34	6.3%	6.31%
		Total	539	99.81%	100%
Missing	92	Missing in source	1	0.19%	
		Total	1	0.19%	

Valid	Invalid	Minimum	Maximum
539	1	0	1

 NDI01519 - F17.9

Type	Code
------	------

Measurement Unit	numeric
NDI01519	F17.9

			Frequency	% of total	% of valid
Valid	0	Absent	527	97.59%	97.77%
	1	Present	12	2.22%	2.23%
		Total	539	99.81%	100%
Missing	92	Missing in source	1	0.19%	
	Total		1	0.19%	

Valid	Invalid	Minimum	Maximum
539	1	0	1

 NDI01619 - G00-G92/G94-G99

Type	Code
Measurement Unit	numeric
NDI01619	G00-G92/G94-G99

			Frequency	% of total	% of valid
Valid	0	Absent	524	97.04%	97.22%
	1	Present	15	2.78%	2.78%
		Total	539	99.81%	100%
Missing	92	Missing in source	1	0.19%	
	Total		1	0.19%	


Valid	Invalid	Minimum	Maximum
539	1	0	1

 NDI01719 - G93

Type	Code
Measurement Unit	numeric
NDI01719	G93

			Frequency	% of total	% of valid
Valid	0	Absent	525	97.22%	97.4%
	1	Present	14	2.59%	2.6%
		Total	539	99.81%	100%
Missing	92	Missing in source	1	0.19%	
	Total		1	0.19%	

Valid	Invalid	Minimum	Maximum
539	1	0	1

 NDI01819 - I00-I09/I26-I28/I70-I99

Type	Code
Measurement Unit	numeric
NDI01819	I00-I09/I26-I28/I70-I99

			Frequency	% of total	% of valid
Valid	0	Absent	524	97.04%	97.22%
	1	Present	15	2.78%	2.78%
	Total		539	99.81%	100%
Missing	92	Missing in source	1	0.19%	
		Total	1	0.19%	

Valid	Invalid	Minimum	Maximum
539	1	0	1

 NDI01919 - I10

Type	Code
Measurement Unit	numeric
NDI01919	I10

			Frequency	% of total	% of valid
Valid	0	Absent	523	96.85%	97.03%
	1	Present	16	2.96%	2.97%
	Total		539	99.81%	100%
Missing	92	Missing in source	1	0.19%	
		Total	1	0.19%	

Valid	Invalid	Minimum	Maximum
539	1	0	1

 NDI02019 - I11-I15

Type	Code
Measurement Unit	numeric
NDI02019	I11-I15

			Frequency	% of total	% of valid
--	--	--	-----------	------------	------------



Valid	0	Absent	529	97.96%	98.14%
	1	Present	10	1.85%	1.86%
		Total	539	99.81%	100%
Missing	92	Missing in source	1	0.19%	
		Total	1	0.19%	

Valid	Invalid	Minimum	Maximum
539	1	0	1

 NDI02119 - I20-I24/I25.2-I25.6/I25.8/I25.9

Type	Code
Measurement Unit	numeric
NDI02119	I20-I24/I25.2-I25.6/I25.8/I25.9

			Frequency	% of total	% of valid
Valid	0	Absent	530	98.15%	98.33%
	1	Present	9	1.67%	1.67%
		Total	539	99.81%	100%
Missing	92	Missing in source	1	0.19%	
		Total	1	0.19%	

Valid	Invalid	Minimum	Maximum
539	1	0	1

 NDI02219 - I25.0

Type	Code
Measurement Unit	numeric
NDI02219	I25.0

			Frequency	% of total	% of valid
Valid	0	Absent	529	97.96%	98.14%
	1	Present	10	1.85%	1.86%
		Total	539	99.81%	100%
Missing	92	Missing in source	1	0.19%	
		Total	1	0.19%	


Valid	Invalid	Minimum	Maximum
539	1	0	1

 NDI02319 - I25.1

Type	Code
Measurement Unit	numeric
NDI02319	I25.1

			Frequency	% of total	% of valid
Valid	0	Absent	529	97.96%	98.14%
	1	Present	10	1.85%	1.86%
		Total	539	99.81%	100%
Missing	92	Missing in source	1	0.19%	
	Total		1	0.19%	

Valid	Invalid	Minimum	Maximum
539	1	0	1

 NDI02419 - I30-I41/I43-I45/I46.0/I46.1/I47-I49/I52

Type	Code
Measurement Unit	numeric
NDI02419	I30-I41/I43-I45/I46.0/I46.1/I47-I49/I52

			Frequency	% of total	% of valid
Valid	0	Absent	521	96.48%	96.66%
	1	Present	18	3.33%	3.34%
		Total	539	99.81%	100%
Missing	92	Missing in source	1	0.19%	
	Total		1	0.19%	

Valid	Invalid	Minimum	Maximum
539	1	0	1

 NDI02519 - I42

Type	Code
Measurement Unit	numeric
NDI02519	I42

			Frequency	% of total	% of valid
Valid	0	Absent	523	96.85%	97.03%
	1	Present	16	2.96%	2.97%

		Total	539	99.81%	100%
Missing	92	Missing in source	1	0.19%	
		Total	1	0.19%	

Valid	Invalid	Minimum	Maximum
539	1	0	1

### NDI02619 - I46.9

Type	Code
Measurement Unit	numeric
NDI02619	I46.9

			Frequency	% of total	% of valid
Valid	0	Absent	490	90.74%	90.91%
	1	Present	49	9.07%	9.09%
		Total	539	99.81%	100%
Missing	92	Missing in source	1	0.19%	
		Total	1	0.19%	

Valid	Invalid	Minimum	Maximum
539	1	0	1

### NDI02719 - I50

Type	Code
Measurement Unit	numeric
NDI02719	I50

			Frequency	% of total	% of valid
Valid	0	Absent	526	97.41%	97.59%
	1	Present	13	2.41%	2.41%
		Total	539	99.81%	100%
Missing	92	Missing in source	1	0.19%	
		Total	1	0.19%	

Valid	Invalid	Minimum	Maximum
539	1	0	1

### NDI02819 - I51

Type	Code
------	------

Measurement Unit	numeric
NDI02819	I51

			Frequency	% of total	% of valid
Valid	0	Absent	529	97.96%	98.14%
	1	Present	10	1.85%	1.86%
		Total	539	99.81%	100%
Missing	92	Missing in source	1	0.19%	
	Total		1	0.19%	


Valid	Invalid	Minimum	Maximum
539	1	0	1

 NDI02919 - I60-I69

Type	Code
Measurement Unit	numeric
NDI02919	I60-I69

			Frequency	% of total	% of valid
Valid	0	Absent	524	97.04%	97.22%
	1	Present	15	2.78%	2.78%
		Total	539	99.81%	100%
Missing	92	Missing in source	1	0.19%	
	Total		1	0.19%	

Valid	Invalid	Minimum	Maximum
539	1	0	1

 NDI03019 - J00-J06/J20-J94

Type	Code
Measurement Unit	numeric
NDI03019	J00-J06/J20-J94

			Frequency	% of total	% of valid
Valid	0	Absent	523	96.85%	97.03%
	1	Present	16	2.96%	2.97%
		Total	539	99.81%	100%
Missing	92	Missing in source	1	0.19%	
	Total		1	0.19%	

Valid	Invalid	Minimum	Maximum
539	1	0	1

### NDI03119 - J18

Type	Code
Measurement Unit	numeric
NDI03119	J18

			Frequency	% of total	% of valid
Valid	0	Absent	526	97.41%	97.59%
	1	Present	13	2.41%	2.41%
	Total		539	99.81%	100%
Missing	92	Missing in source	1	0.19%	
		Total	1	0.19%	

Valid	Invalid	Minimum	Maximum
539	1	0	1

### NDI03219 - J95-J99

Type	Code
Measurement Unit	numeric
NDI03219	J95-J99

			Frequency	% of total	% of valid
Valid	0	Absent	520	96.3%	96.47%
	1	Present	19	3.52%	3.53%
	Total		539	99.81%	100%
Missing	92	Missing in source	1	0.19%	
		Total	1	0.19%	

Valid	Invalid	Minimum	Maximum
539	1	0	1

### NDI03319 - K00-K67/K80-K93

Type	Code
Measurement Unit	numeric
NDI03319	K00-K67/K80-K93

			Frequency	% of total	% of valid
--	--	--	-----------	------------	------------

Valid	0	Absent	528	97.78%	97.96%
	1	Present	11	2.04%	2.04%
		Total	539	99.81%	100%
Missing	92	Missing in source	1	0.19%	
		Total	1	0.19%	

Valid	Invalid	Minimum	Maximum
539	1	0	1

 NDI03419 - K70-K77

Type	Code
Measurement Unit	numeric
NDI03419	K70-K77

			Frequency	% of total	% of valid
Valid	0	Absent	525	97.22%	97.4%
	1	Present	14	2.59%	2.6%
		Total	539	99.81%	100%
Missing	92	Missing in source	1	0.19%	
		Total	1	0.19%	

Valid	Invalid	Minimum	Maximum
539	1	0	1

 NDI03519 - N17-N19

Type	Code
Measurement Unit	numeric
NDI03519	N17-N19

			Frequency	% of total	% of valid
Valid	0	Absent	521	96.48%	96.66%
	1	Present	18	3.33%	3.34%
		Total	539	99.81%	100%
Missing	92	Missing in source	1	0.19%	
		Total	1	0.19%	

Valid	Invalid	Minimum	Maximum
539	1	0	1

 NDI03619 - R00-R07/R10-R49/R70-R98

Type	Code
Measurement Unit	numeric
NDI03619	R00-R07/R10-R49/R70-R98

			Frequency	% of total	% of valid
Valid	0	Absent	528	97.78%	97.96%
	1	Present	11	2.04%	2.04%
		Total	539	99.81%	100%
Missing	92	Missing in source	1	0.19%	
			Total	1	0.19%

Valid	Invalid	Minimum	Maximum
539	1	0	1

 NDI03719 - R09

Type	Code
Measurement Unit	numeric
NDI03719	R09

			Frequency	% of total	% of valid
Valid	0	Absent	527	97.59%	97.77%
	1	Present	12	2.22%	2.23%
		Total	539	99.81%	100%
Missing	92	Missing in source	1	0.19%	
			Total	1	0.19%

Valid	Invalid	Minimum	Maximum
539	1	0	1


 NDI03819 - R50-R69

Type	Code
Measurement Unit	numeric
NDI03819	R50-R69

			Frequency	% of total	% of valid
Valid	0	Absent	513	95%	95.18%
	1	Present	26	4.81%	4.82%

		Total	539	99.81%	100%
Missing	92	Missing in source	1	0.19%	
		Total	1	0.19%	


Valid	Invalid	Minimum	Maximum
539	1	0	1

 NDI03919 - R99

Type	Code
Measurement Unit	numeric
NDI03919	R99

			Frequency	% of total	% of valid
Valid	0	Absent	524	97.04%	97.22%
	1	Present	15	2.78%	2.78%
		Total	539	99.81%	100%
Missing	92	Missing in source	1	0.19%	
		Total	1	0.19%	


Valid	Invalid	Minimum	Maximum
539	1	0	1

 NDI04019 - S00-S08/S09.0-S09.2/S09.7/S09.8

Type	Code
Measurement Unit	numeric
NDI04019	S00-S08/S09.0-S09.2/S09.7/S09.8

			Frequency	% of total	% of valid
Valid	0	Absent	508	94.07%	94.25%
	1	Present	31	5.74%	5.75%
		Total	539	99.81%	100%
Missing	92	Missing in source	1	0.19%	
		Total	1	0.19%	

Valid	Invalid	Minimum	Maximum
539	1	0	1

 NDI04119 - S01.0-S01.5/S01.7/S01.8

Type	Code
------	------



Measurement Unit	numeric
NDI04119	S01.0-S01.5/S01.7/S01.8

			Frequency	% of total	% of valid
Valid	0	Absent	528	97.78%	97.96%
	1	Present	11	2.04%	2.04%
		Total	539	99.81%	100%
Missing	92	Missing in source	1	0.19%	
		Total	1	0.19%	

Valid	Invalid	Minimum	Maximum
539	1	0	1

 NDI04219 - S01.9

Type	Code
Measurement Unit	numeric
NDI04219	S01.9

			Frequency	% of total	% of valid
Valid	0	Absent	505	93.52%	93.69%
	1	Present	34	6.3%	6.31%
		Total	539	99.81%	100%
Missing	92	Missing in source	1	0.19%	
		Total	1	0.19%	


Valid	Invalid	Minimum	Maximum
539	1	0	1

 NDI04319 - S09.9

Type	Code
Measurement Unit	numeric
NDI04319	S09.9

			Frequency	% of total	% of valid
Valid	0	Absent	502	92.96%	93.14%
	1	Present	37	6.85%	6.86%
		Total	539	99.81%	100%
Missing	92	Missing in source	1	0.19%	
		Total	1	0.19%	


Valid	Invalid	Minimum	Maximum
539	1	0	1

 NDI04419 - S10-S19

Type	Code
Measurement Unit	numeric
NDI04419	S10-S19

			Frequency	% of total	% of valid
Valid	0	Absent	525	97.22%	97.4%
	1	Present	14	2.59%	2.6%
	Total		539	99.81%	100%
Missing	92	Missing in source	1	0.19%	
		Total	1	0.19%	

Valid	Invalid	Minimum	Maximum
539	1	0	1

 NDI04519 - S20/S22-S28/S29.0/S29.7/S29.8

Type	Code
Measurement Unit	numeric
NDI04519	S20/S22-S28/S29.0/S29.7/S29.8

			Frequency	% of total	% of valid
Valid	0	Absent	529	97.96%	98.14%
	1	Present	10	1.85%	1.86%
	Total		539	99.81%	100%
Missing	92	Missing in source	1	0.19%	
		Total	1	0.19%	

Valid	Invalid	Minimum	Maximum
539	1	0	1

 NDI04619 - S21

Type	Code
Measurement Unit	numeric
NDI04619	S21

			Frequency	% of total	% of valid
--	--	--	-----------	------------	------------

Valid	0	Absent	522	96.67%	96.85%
	1	Present	17	3.15%	3.15%
		Total	539	99.81%	100%
Missing	92	Missing in source	1	0.19%	
		Total	1	0.19%	

Valid	Invalid	Minimum	Maximum
539	1	0	1

 NDI04719 - S29.9

Type	Code
Measurement Unit	numeric
NDI04719	S29.9

			Frequency	% of total	% of valid
Valid	0	Absent	528	97.78%	97.96%
	1	Present	11	2.04%	2.04%
		Total	539	99.81%	100%
Missing	92	Missing in source	1	0.19%	
		Total	1	0.19%	


Valid	Invalid	Minimum	Maximum
539	1	0	1

 NDI04819 - S30-S35/S37-S39

Type	Code
Measurement Unit	numeric
NDI04819	S30-S35/S37-S39

			Frequency	% of total	% of valid
Valid	0	Absent	530	98.15%	98.33%
	1	Present	9	1.67%	1.67%
		Total	539	99.81%	100%
Missing	92	Missing in source	1	0.19%	
		Total	1	0.19%	

Valid	Invalid	Minimum	Maximum
539	1	0	1

 NDI04919 - S36

Type	Code
Measurement Unit	numeric
NDI04919	S36

			Frequency	% of total	% of valid
Valid	0	Absent	528	97.78%	97.96%
	1	Present	11	2.04%	2.04%
		Total	539	99.81%	100%
Missing	92	Missing in source	1	0.19%	
	Total		1	0.19%	

Valid	Invalid	Minimum	Maximum
539	1	0	1

 NDI05019 - S40-S99/T08/T10-T13/T15-T35/T79-T98

Type	Code
Measurement Unit	numeric
NDI05019	S40-S99/T08/T10-T13/T15-T35/T79-T98

			Frequency	% of total	% of valid
Valid	0	Absent	520	96.3%	96.47%
	1	Present	19	3.52%	3.53%
		Total	539	99.81%	100%
Missing	92	Missing in source	1	0.19%	
	Total		1	0.19%	

Valid	Invalid	Minimum	Maximum
539	1	0	1

 NDI05119 - T07

Type	Code
Measurement Unit	numeric
NDI05119	T07

			Frequency	% of total	% of valid
Valid	0	Absent	504	93.33%	93.51%
	1	Present	35	6.48%	6.49%

		Total	539	99.81%	100%
Missing	92	Missing in source	1	0.19%	
		Total	1	0.19%	

Valid	Invalid	Minimum	Maximum
539	1	0	1

 NDI05219 - T09

Type	Code
Measurement Unit	numeric
NDI05219	T09

			Frequency	% of total	% of valid
Valid	0	Absent	528	97.78%	97.96%
	1	Present	11	2.04%	2.04%
		Total	539	99.81%	100%
Missing	92	Missing in source	1	0.19%	
		Total	1	0.19%	

Valid	Invalid	Minimum	Maximum
539	1	0	1

 NDI05319 - T14

Type	Code
Measurement Unit	numeric
NDI05319	T14

			Frequency	% of total	% of valid
Valid	0	Absent	481	89.07%	89.24%
	1	Present	58	10.74%	10.76%
		Total	539	99.81%	100%
Missing	92	Missing in source	1	0.19%	
		Total	1	0.19%	

Valid	Invalid	Minimum	Maximum
539	1	0	1

 NDI05419 - T36-T39/T41-T49/T50.0-T50.8

Type	Code
------	------

Measurement Unit	numeric
NDI05419	T36-T39/T41-T49/T50.0-T50.8

			Frequency	% of total	% of valid
Valid	0	Absent	509	94.26%	94.43%
	1	Present	30	5.56%	5.57%
	Total		539	99.81%	100%
Missing	92	Missing in source	1	0.19%	
	Total		1	0.19%	

Valid	Invalid	Minimum	Maximum
539	1	0	1

 NDI05519 - T40.1

Type	Code
Measurement Unit	numeric
NDI05519	T40.1

			Frequency	% of total	% of valid
Valid	0	Absent	526	97.41%	97.59%
	1	Present	13	2.41%	2.41%
	Total		539	99.81%	100%
Missing	92	Missing in source	1	0.19%	
	Total		1	0.19%	

Valid	Invalid	Minimum	Maximum
539	1	0	1

 NDI05619 - T40.2

Type	Code
Measurement Unit	numeric
NDI05619	T40.2

			Frequency	% of total	% of valid
Valid	0	Absent	520	96.3%	96.47%
	1	Present	19	3.52%	3.53%
	Total		539	99.81%	100%
Missing	92	Missing in source	1	0.19%	
	Total		1	0.19%	

Valid	Invalid	Minimum	Maximum
539	1	0	1

### NDI05719 - T40.3/T40.6-T40.9

Type	Code
Measurement Unit	numeric
NDI05719	T40.3/T40.6-T40.9

			Frequency	% of total	% of valid
Valid	0	Absent	526	97.41%	97.59%
	1	Present	13	2.41%	2.41%
	Total		539	99.81%	100%
Missing	92	Missing in source	1	0.19%	
		Total	1	0.19%	

Valid	Invalid	Minimum	Maximum
539	1	0	1

### NDI05819 - T40.4

Type	Code
Measurement Unit	numeric
NDI05819	T40.4

			Frequency	% of total	% of valid
Valid	0	Absent	523	96.85%	97.03%
	1	Present	16	2.96%	2.97%
	Total		539	99.81%	100%
Missing	92	Missing in source	1	0.19%	
		Total	1	0.19%	

Valid	Invalid	Minimum	Maximum
539	1	0	1

### NDI05919 - T40.5

Type	Code
Measurement Unit	numeric
NDI05919	T40.5

			Frequency	% of total	% of valid
--	--	--	-----------	------------	------------

Valid	0	Absent	523	96.85%	97.03%
	1	Present	16	2.96%	2.97%
		Total	539	99.81%	100%
Missing	92	Missing in source	1	0.19%	
		Total	1	0.19%	

Valid	Invalid	Minimum	Maximum
539	1	0	1

### NDI06019 - T50.9

Type	Code
Measurement Unit	numeric
NDI06019	T50.9

			Frequency	% of total	% of valid
Valid	0	Absent	499	92.41%	92.58%
	1	Present	40	7.41%	7.42%
		Total	539	99.81%	100%
Missing	92	Missing in source	1	0.19%	
		Total	1	0.19%	

Valid	Invalid	Minimum	Maximum
539	1	0	1


### NDI06119 - T51-T65

Type	Code
Measurement Unit	numeric
NDI06119	T51-T65

			Frequency	% of total	% of valid
Valid	0	Absent	518	95.93%	96.1%
	1	Present	21	3.89%	3.9%
		Total	539	99.81%	100%
Missing	92	Missing in source	1	0.19%	
		Total	1	0.19%	

Valid	Invalid	Minimum	Maximum
539	1	0	1




 NDI06219 - T66-T70/T73-T78

Type	Code
Measurement Unit	numeric
NDI06219	T66-T70/T73-T78

			Frequency	% of total	% of valid
Valid	0	Absent	527	97.59%	97.77%
	1	Present	12	2.22%	2.23%
Total			539	99.81%	100%
Missing	92	Missing in source	1	0.19%	
	Total		1	0.19%	

Valid	Invalid	Minimum	Maximum
539	1	0	1

 NDI06319 - T71

Type	Code
Measurement Unit	numeric
NDI06319	T71

			Frequency	% of total	% of valid
Valid	0	Absent	513	95%	95.18%
	1	Present	26	4.81%	4.82%
Total			539	99.81%	100%
Missing	92	Missing in source	1	0.19%	
	Total		1	0.19%	

Valid	Invalid	Minimum	Maximum
539	1	0	1

 NDI06419 - V01-V09

Type	Code
Measurement Unit	numeric
NDI06419	V01-V09

			Frequency	% of total	% of valid
Valid	0	Absent	528	97.78%	97.96%
	1	Present	11	2.04%	2.04%

		Total	539	99.81%	100%
Missing	92	Missing in source	1	0.19%	
		Total	1	0.19%	

Valid	Invalid	Minimum	Maximum
539	1	0	1

### NDI06519 - V10-V39/V50-V79/V90-V99

Type	Code
Measurement Unit	numeric
NDI06519	V10-V39/V50-V79/V90-V99

			Frequency	% of total	% of valid
Valid	0	Absent	524	97.04%	97.22%
	1	Present	15	2.78%	2.78%
		Total	539	99.81%	100%
Missing	92	Missing in source	1	0.19%	
		Total	1	0.19%	

Valid	Invalid	Minimum	Maximum
539	1	0	1

### NDI06619 - V40-V48

Type	Code
Measurement Unit	numeric
NDI06619	V40-V48

			Frequency	% of total	% of valid
Valid	0	Absent	521	96.48%	96.66%
	1	Present	18	3.33%	3.34%
		Total	539	99.81%	100%
Missing	92	Missing in source	1	0.19%	
		Total	1	0.19%	

Valid	Invalid	Minimum	Maximum
539	1	0	1


### NDI06719 - V49

Type	Code
------	------

Measurement Unit	numeric
NDI06719	V49

			Frequency	% of total	% of valid
Valid	0	Absent	523	96.85%	97.03%
	1	Present	16	2.96%	2.97%
		Total	539	99.81%	100%
Missing	92	Missing in source	1	0.19%	
	Total		1	0.19%	

Valid	Invalid	Minimum	Maximum
539	1	0	1

 NDI06819 - V87

Type	Code
Measurement Unit	numeric
NDI06819	V87

			Frequency	% of total	% of valid
Valid	0	Absent	527	97.59%	97.77%
	1	Present	12	2.22%	2.23%
		Total	539	99.81%	100%
Missing	92	Missing in source	1	0.19%	
	Total		1	0.19%	


Valid	Invalid	Minimum	Maximum
539	1	0	1

 NDI06919 - V89.2

Type	Code
Measurement Unit	numeric
NDI06919	V89.2

			Frequency	% of total	% of valid
Valid	0	Absent	514	95.19%	95.36%
	1	Present	25	4.63%	4.64%
		Total	539	99.81%	100%
Missing	92	Missing in source	1	0.19%	
	Total		1	0.19%	

Valid	Invalid	Minimum	Maximum
539	1	0	1

 NDI07019 - W00-X39/X50-X59

Type	Code
Measurement Unit	numeric
NDI07019	W00-X39/X50-X59

			Frequency	% of total	% of valid
Valid	0	Absent	517	95.74%	95.92%
	1	Present	22	4.07%	4.08%
	Total		539	99.81%	100%
Missing	92	Missing in source	1	0.19%	
		Total	1	0.19%	

Valid	Invalid	Minimum	Maximum
539	1	0	1

 NDI07119 - X40-X41/X43/X46-X49

Type	Code
Measurement Unit	numeric
NDI07119	X40-X41/X43/X46-X49

			Frequency	% of total	% of valid
Valid	0	Absent	529	97.96%	98.14%
	1	Present	10	1.85%	1.86%
	Total		539	99.81%	100%
Missing	92	Missing in source	1	0.19%	
		Total	1	0.19%	

Valid	Invalid	Minimum	Maximum
539	1	0	1

 NDI07219 - X42

Type	Code
Measurement Unit	numeric
NDI07219	X42

			Frequency	% of total	% of valid
--	--	--	-----------	------------	------------

Valid	0	Absent	505	93.52%	93.69%
	1	Present	34	6.3%	6.31%
		Total	539	99.81%	100%
Missing	92	Missing in source	1	0.19%	
		Total	1	0.19%	

Valid	Invalid	Minimum	Maximum
539	1	0	1

### NDI07319 - X44

Type	Code
Measurement Unit	numeric
NDI07319	X44

			Frequency	% of total	% of valid
Valid	0	Absent	501	92.78%	92.95%
	1	Present	38	7.04%	7.05%
		Total	539	99.81%	100%
Missing	92	Missing in source	1	0.19%	
		Total	1	0.19%	


Valid	Invalid	Minimum	Maximum
539	1	0	1

### NDI07419 - X45

Type	Code
Measurement Unit	numeric
NDI07419	X45

			Frequency	% of total	% of valid
Valid	0	Absent	525	97.22%	97.4%
	1	Present	14	2.59%	2.6%
		Total	539	99.81%	100%
Missing	92	Missing in source	1	0.19%	
		Total	1	0.19%	


Valid	Invalid	Minimum	Maximum
539	1	0	1

 NDI07519 - X60-X69/X71-X73/X75-X84

Type	Code
Measurement Unit	numeric
NDI07519	X60-X69/X71-X73/X75-X84

			Frequency	% of total	% of valid
Valid	0	Absent	516	95.56%	95.73%
	1	Present	23	4.26%	4.27%
		Total	539	99.81%	100%
Missing	92	Missing in source	1	0.19%	
			Total	1	0.19%

Valid	Invalid	Minimum	Maximum
539	1	0	1

 NDI07619 - X70

Type	Code
Measurement Unit	numeric
NDI07619	X70

			Frequency	% of total	% of valid
Valid	0	Absent	521	96.48%	96.66%
	1	Present	18	3.33%	3.34%
		Total	539	99.81%	100%
Missing	92	Missing in source	1	0.19%	
			Total	1	0.19%

Valid	Invalid	Minimum	Maximum
539	1	0	1


 NDI07719 - X74

Type	Code
Measurement Unit	numeric
NDI07719	X74

			Frequency	% of total	% of valid
Valid	0	Absent	521	96.48%	96.66%
	1	Present	18	3.33%	3.34%

		Total	539	99.81%	100%
Missing	92	Missing in source	1	0.19%	
		Total	1	0.19%	

Valid	Invalid	Minimum	Maximum
539	1	0	1

 NDI07819 - X85-X94/X96-Y09

Type	Code
Measurement Unit	numeric
NDI07819	X85-X94/X96-Y09

			Frequency	% of total	% of valid
Valid	0	Absent	529	97.96%	98.14%
	1	Present	10	1.85%	1.86%
		Total	539	99.81%	100%
Missing	92	Missing in source	1	0.19%	
		Total	1	0.19%	

Valid	Invalid	Minimum	Maximum
539	1	0	1

 NDI07919 - X95

Type	Code
Measurement Unit	numeric
NDI07919	X95

			Frequency	% of total	% of valid
Valid	0	Absent	510	94.44%	94.62%
	1	Present	29	5.37%	5.38%
		Total	539	99.81%	100%
Missing	92	Missing in source	1	0.19%	
		Total	1	0.19%	

Valid	Invalid	Minimum	Maximum
539	1	0	1

 NDI08019 - Y10-Y98

Type	Code
------	------

Measurement Unit	numeric
NDI08019	Y10-Y98

			Frequency	% of total	% of valid
Valid	0	Absent	517	95.74%	95.92%
	1	Present	22	4.07%	4.08%
		Total	539	99.81%	100%
Missing	92	Missing in source	1	0.19%	
	Total		1	0.19%	

Valid	Invalid	Minimum	Maximum
539	1	0	1

 NDI08119 - 996: SUPPRESSED

Type	Code
Measurement Unit	numeric
NDI08119	996: SUPPRESSED

			Frequency	% of total	% of valid
Valid	0	Absent	482	89.26%	89.42%
	1	Present	57	10.56%	10.58%
		Total	539	99.81%	100%
Missing	92	Missing in source	1	0.19%	
	Total		1	0.19%	

Valid	Invalid	Minimum	Maximum
539	1	0	1