

Wave IV Section 18: Pregnancy Table

Title

Wave IV Section 18: Pregnancy Table

Abstract

Variables: 20

Observations: 21,996

Variables

Wave IV Section 18: Pregnancy Table

- [PTNR_ID - PARTNER ID -W4](#)
- [PRGNO - PREGNANCY NUMBER WITHIN RELATIONSHIP-W4](#)
- [H4PG1 - S18Q1 PREGNANCY OUTCOME-W4](#)
- [H4PG2M - S18Q2 MONTH CURRENT PREGNANCY DUE-W4](#)
- [H4PG2Y - S18Q2 YEAR CURRENT PREGNANCY DUE-W4](#)
- [H4PG3M - S18Q3 MONTH PREGNANCY ENDED-W4](#)
- [H4PG3Y - S18Q3 YEAR PREGNANCY ENDED-W4](#)
- [H4PG4 - S18Q4 SEASON WHEN PREGNANCY ENDED-W4](#)
- [H4PG5 - S18Q5 # LIVE BIRTH FROM PREGNANCY-W4](#)
- [H4PG6 - S18Q6 BABIES FRATERNAL/IDENTICAL?-W4](#)
- [H4PG7 - S18Q7 BIRTH CONTROL BEFORE PREGNANCY-W4](#)
- [H4PG8 - S18Q8 WANT CHILD BEFORE PREGNANCY-W4](#)
- [H4PG9 - S18Q9 MARRIED AT TIME OF PREG/BIRTH-W4](#)
- [H4PG10 - S18Q10 LIVING TOGETHER AT PREG/BIRTH-W4](#)
- [H4PG11 - S18Q11 RELATIONSHIP TIME OF PREG/BIRTH-W4](#)
- [H4PG12 - S18Q12 PRENATAL CARE DURING PREGNANCY-W4](#)
- [H4PG13 - S18Q13 WEEKS PREG 1ST PRENATAL VISIT-W4](#)
- [H4PG14 - S18Q14 FREQ. SMOKE CIGARETTE DUR PREG-W4](#)
- [H4PG15 - S18Q2 MONTH CURRENT PREGNANCY DUE-W4](#)

PTNR_ID - PARTNER ID -W4

Type	Numeric (Double)
PTNR_ID	Partner Identifier

PRGNO - PREGNANCY NUMBER WITHIN RELATIONSHIP-W4

Type	Numeric (Double)
PRGNO	Pregnancy Number within Relationship

 H4PG1 - S18Q1 PREGNANCY OUTCOME-W4

Type	Code
Measurement Unit	numeric
H4PG1	1. How did this pregnancy end?
1	abortion
2	ectopic or tubal pregnancy
3	miscarriage
4	stillbirth
5	live birth by Cesarean section
6	live birth by vaginal delivery
7	pregnancy has not ended (currently pregnant)

 H4PG2M - S18Q2 MONTH CURRENT PREGNANCY DUE-W4

Type	Code
Measurement Unit	numeric
H4PG2M	2M. What is the expected due date (month)? *
1	January
2	February
3	March
4	April
5	May
6	June
7	July
8	August
9	September
10	October
11	November
12	December


 H4PG2Y - S18Q2 YEAR CURRENT PREGNANCY DUE-W4

Type	Code
Measurement Unit	numeric
H4PG2Y	2Y. What is the expected due date (year)? *

1998	1998
1999	1999
2000	2000
2001	2001
2002	2002
2003	2003
2004	2004
2005	2005
2006	2006
2007	2007
2008	2008
2009	2009

 H4PG3M - S18Q3 MONTH PREGNANCY ENDED-W4

Type	Code	
Measurement Unit	numeric	
H4PG3M	3M. In what month and year did this pregnancy end (month)?	
1	January	
2	February	
3	March	
4	April	
5	May	
6	June	
7	July	
8	August	
9	September	
10	October	
11	November	
12	December	

 H4PG3Y - S18Q3 YEAR PREGNANCY ENDED-W4

Type	Code
------	------

Measurement Unit	numeric	
H4PG3Y	3Y. In what month and year did this pregnancy end (year)?	
1986	1986	
1988	1988	
1989	1989	
1990	1990	
1991	1991	
1992	1992	
1993	1993	
1994	1994	
1995	1995	
1996	1996	
1997	1997	
1998	1998	
1999	1999	
2000	2000	
2001	2001	
2002	2002	
2003	2003	
2004	2004	
2005	2005	
2006	2006	
2007	2007	
2008	2008	

 H4PG4 - S18Q4 SEASON WHEN PREGNANCY ENDED-W4

Type	Code	
Measurement Unit	numeric	
H4PG4	4. What was the season of the year when the pregnancy ended? Was it:	
1	winter	
2	spring	
3	summer	

4	fall
---	------

 H4PG5 - S18Q5 # LIVE BIRTH FROM PREGNANCY-W4

Type	Code
Measurement Unit	numeric
H4PG5	5. With this pregnancy, how many babies were born alive? Please include babies who died shortly after birth and babies who were placed for adoption.
1	1 baby
2	2 babies
3	3 babies
4	4 babies
5	5 babies
6	6 babies

 H4PG6 - S18Q6 BABIES FRATERNAL/IDENTICAL?-W4

Type	Code
Measurement Unit	numeric
H4PG6	6. Were the babies fraternal or identical?
1	fraternal
2	identical

 H4PG7 - S18Q7 BIRTH CONTROL BEFORE PREGNANCY-W4

Type	Code
Measurement Unit	numeric
H4PG7	7. In the month before you (got pregnant/got {initials} pregnant) were you or {initials} using any kind of birth control, including condoms?
0	no
1	yes
2	pregnancy result of artificial insemination/sperm donor

 H4PG8 - S18Q8 WANT CHILD BEFORE PREGNANCY-W4

Type	Code
Measurement Unit	numeric
H4PG8	8. Thinking back to the time just before this pregnancy with {initials}, did you want to have a child then?

0	no
1	yes

 H4PG9 - S18Q9 MARRIED AT TIME OF PREG/BIRTH-W4

Type	Code
Measurement Unit	numeric
H4PG9	9. Were you and {initials} married to each other at the time of (pregnancy/birth)?
0	no
1	yes

 H4PG10 - S18Q10 LIVING TOGETHER AT PREG/BIRTH-W4

Type	Code
Measurement Unit	numeric
H4PG10	10. Were you and {initials} living together at that time?
0	no
1	yes

 H4PG11 - S18Q11 RELATIONSHIP TIME OF PREG/BIRTH-W4

Type	Code
Measurement Unit	numeric
H4PG11	11. Which of the following statements best describes your relationship with {initials} at the time of (pregnancy/birth)?
1	we (do/did not) see or talk to each other
2	we hardly ever (see/saw) or (talk/talked) to each other
3	we (are/were) just friends
4	we (are/were) involved in an on-again, off-again relationship
5	we (are/were) romantically involved on a steady basis

 H4PG12 - S18Q12 PRENATAL CARE DURING PREGNANCY-W4

Type	Code
Measurement Unit	numeric

H4PG12	12. During this pregnancy with {initials} did (you/{initials}) ever visit a doctor, nurse-midwife or other health care provider for prenatal care, that is, for one or more pregnancy check-ups?
0	no
1	yes

H4PG13 - S18Q13 WEEKS PREG 1ST PRENATAL VISIT-W4

Type	Numeric (Double)
H4PG13	13. How many weeks pregnant were you at the time of your first prenatal care visit?

H4PG14 - S18Q14 FREQ. SMOKE CIGARETTE DUR PREG-W4

Type	Code
Measurement Unit	numeric
H4PG14	14. During this pregnancy with {initials} how many cigarettes did you smoke?
0	none
1	a few cigarettes, but not every week
2	a few cigarettes a week, but not every day
3	10 or fewer a day
4	11 to 20 a day
5	21 to 30 a day
6	31 or more a day

H4PG15 - S18Q2 MONTH CURRENT PREGNANCY DUE-W4

Type	Code
Measurement Unit	numeric
H4PG15	15. During this pregnancy with {initials}, how often did you drink alcoholic beverages?
0	never
1	once a month or less
2	2 or 3 days a month
3	1 or 2 days a week

Logical Products

Data Layouts

Wave IV Section 18: Pregnancy Table

Wave IV Section 18: Pregnancy Table

PTNR_ID - PARTNER ID -W4

Type	Numeric (Double)
PTNR_ID	Partner Identifier

PRGNO - PREGNANCY NUMBER WITHIN RELATIONSHIP-W4

Type	Numeric (Double)
PRGNO	Pregnancy Number within Relationship

H4PG1 - S18Q1 PREGNANCY OUTCOME-W4

Type	Code
Measurement Unit	numeric
H4PG1	1. How did this pregnancy end?
1	abortion
2	ectopic or tubal pregnancy
3	miscarriage
4	stillbirth
5	live birth by Cesarean section
6	live birth by vaginal delivery
7	pregnancy has not ended (currently pregnant)

H4PG2M - S18Q2 MONTH CURRENT PREGNANCY DUE-W4

Type	Code
Measurement Unit	numeric
H4PG2M	2M. What is the expected due date (month)? *
1	January
2	February
3	March
4	April

5	May
6	June
7	July
8	August
9	September
10	October
11	November
12	December

 H4PG2Y - S18Q2 YEAR CURRENT PREGNANCY DUE-W4

Type	Code
Measurement Unit	numeric
H4PG2Y	2Y. What is the expected due date (year)? *
1998	1998
1999	1999
2000	2000
2001	2001
2002	2002
2003	2003
2004	2004
2005	2005
2006	2006
2007	2007
2008	2008
2009	2009

 H4PG3M - S18Q3 MONTH PREGNANCY ENDED-W4

Type	Code
Measurement Unit	numeric
H4PG3M	3M. In what month and year did this pregnancy end (month)?
1	January
2	February


3	March
4	April
5	May
6	June
7	July
8	August
9	September
10	October
11	November
12	December

H4PG3Y - S18Q3 YEAR PREGNANCY ENDED-W4	
Type	Code
Measurement Unit	numeric
H4PG3Y	3Y. In what month and year did this pregnancy end (year)?
1986	1986
1988	1988
1989	1989
1990	1990
1991	1991
1992	1992
1993	1993
1994	1994
1995	1995
1996	1996
1997	1997
1998	1998
1999	1999
2000	2000
2001	2001
2002	2002

2003	2003
2004	2004
2005	2005
2006	2006
2007	2007
2008	2008

 H4PG4 - S18Q4 SEASON WHEN PREGNANCY ENDED-W4

Type	Code
Measurement Unit	numeric
H4PG4	4. What was the season of the year when the pregnancy ended? Was it:
1	winter
2	spring
3	summer
4	fall

 H4PG5 - S18Q5 # LIVE BIRTH FROM PREGNANCY-W4

Type	Code
Measurement Unit	numeric
H4PG5	5. With this pregnancy, how many babies were born alive? Please include babies who died shortly after birth and babies who were placed for adoption.
1	1 baby
2	2 babies
3	3 babies
4	4 babies
5	5 babies
6	6 babies

 H4PG6 - S18Q6 BABIES FRATERNAL/IDENTICAL?-W4

Type	Code
Measurement Unit	numeric
H4PG6	6. Were the babies fraternal or identical?
1	fraternal
2	identical

 H4PG7 - S18Q7 BIRTH CONTROL BEFORE PREGNANCY-W4

Type	Code
Measurement Unit	numeric
H4PG7	7. In the month before you (got pregnant/got {initials} pregnant) were you or {initials} using any kind of birth control, including condoms?
0	no
1	yes
2	pregnancy result of artificial insemination/sperm donor

 H4PG8 - S18Q8 WANT CHILD BEFORE PREGNANCY-W4

Type	Code
Measurement Unit	numeric
H4PG8	8. Thinking back to the time just before this pregnancy with {initials}, did you want to have a child then?
0	no
1	yes

 H4PG9 - S18Q9 MARRIED AT TIME OF PREG/BIRTH-W4

Type	Code
Measurement Unit	numeric
H4PG9	9. Were you and {initials} married to each other at the time of (pregnancy/birth)?
0	no
1	yes

 H4PG10 - S18Q10 LIVING TOGETHER AT PREG/BIRTH-W4

Type	Code
Measurement Unit	numeric
H4PG10	10. Were you and {initials} living together at that time?
0	no
1	yes

 H4PG11 - S18Q11 RELATIONSHIP TIME OF PREG/BIRTH-W4

Type	Code
Measurement Unit	numeric

H4PG11	11. Which of the following statements best describes your relationship with {initials} at the time of (pregnancy/birth)?	
1	we (do/did not) see or talk to each other	
2	we hardly ever (see/saw) or (talk/talked) to each other	
3	we (are/were) just friends	
4	we (are/were) involved in an on-again, off-again relationship	
5	we (are/were) romantically involved on a steady basis	

 H4PG12 - S18Q12 PRENATAL CARE DURING PREGNANCY-W4

Type	Code	
Measurement Unit	numeric	
H4PG12	12. During this pregnancy with {initials} did (you/{initials}) ever visit a doctor, nurse-midwife or other health care provider for prenatal care, that is, for one or more pregnancy check-ups?	
0	no	
1	yes	

 H4PG13 - S18Q13 WEEKS PREG 1ST PRENATAL VISIT-W4

Type	Numeric (Double)	
H4PG13	13. How many weeks pregnant were you at the time of your first prenatal care visit?	

 H4PG14 - S18Q14 FREQ. SMOKE CIGARETTE DUR PREG-W4

Type	Code	
Measurement Unit	numeric	
H4PG14	14. During this pregnancy with {initials} how many cigarettes did you smoke?	
0	none	
1	a few cigarettes, but not every week	
2	a few cigarettes a week, but not every day	
3	10 or fewer a day	
4	11 to 20 a day	
5	21 to 30 a day	
6	31 or more a day	

 H4PG15 - S18Q2 MONTH CURRENT PREGNANCY DUE-W4

Type	Code
Measurement Unit	numeric
H4PG15	15. During this pregnancy with {initials}, how often did you drink alcoholic beverages?
0	never
1	once a month or less
2	2 or 3 days a month
3	1 or 2 days a week

Physical Instances

 Wave IV Section 18: Pregnancy Table

Title	Wave IV Section 18: Pregnancy Table
File Name	sect18.sas7bdat
Case Quantity	21966
Variable Count	19

 PTNR_ID - PARTNER ID -W4

Type	Numeric (Double)
PTNR_ID	Partner Identifier

Valid	Invalid	Minimum	Maximum	Mean	StdDev
21966	0	1	16	1.5343257...	1.0465952...

 PRGNO - PREGNANCY NUMBER WITHIN RELATIONSHIP-W4

Type	Numeric (Double)
PRGNO	Pregnancy Number within Relationship

Valid	Invalid	Minimum	Maximum	Mean	StdDev
21966	0	1	17	1.6211417...	1.0152298...

 H4PG1 - S18Q1 PREGNANCY OUTCOME-W4

Type	Code
Measurement Unit	numeric
H4PG1	1. How did this pregnancy end?

	Frequency	% of total	% of valid
--	-----------	------------	------------

Valid	1	abortion	3277	14.92%	15.12%
	2	ectopic or tubal pregnancy	189	0.86%	0.87%
	3	miscarriage	2961	13.48%	13.67%
	4	stillbirth	184	0.84%	0.85%
	5	live birth by Cesarean section	3326	15.14%	15.35%
	6	live birth by vaginal delivery	10905	49.64%	50.33%
	7	pregnancy has not ended (currently pregnant)	825	3.76%	3.81%
		Total	21,667	98.64%	100%
Missing	96	refused	171	0.78%	
	98	don't know	128	0.58%	
		Total	299	1.36%	

Valid	Invalid	Minimum	Maximum
21667	299	1	7

H4PG2M - S18Q2 MONTH CURRENT PREGNANCY DUE-W4

Type	Code
Measurement Unit	numeric
H4PG2M	2M. What is the expected due date (month)? *

			Frequency	% of total	% of valid
Valid	1	January	32	0.15%	3.95%
	2	February	34	0.15%	4.19%
	3	March	44	0.2%	5.43%
	4	April	62	0.28%	7.64%
	5	May	57	0.26%	7.03%
	6	June	88	0.4%	10.85%
	7	July	88	0.4%	10.85%
	8	August	82	0.37%	10.11%
	9	September	108	0.49%	13.32%
	10	October	96	0.44%	11.84%
	11	November	71	0.32%	8.75%
	12	December	49	0.22%	6.04%
		Total	811	3.69%	100%
Missing	96	refused	6	0.03%	
	97	legitimate skip	21141	96.24%	
	98	don't know	8	0.04%	
		Total	21,155	96.31%	

Valid	Invalid	Minimum	Maximum
811	21155	1	12

 H4PG2Y - S18Q2 YEAR CURRENT PREGNANCY DUE-W4

Type	Code
Measurement Unit	numeric
H4PG2Y	2Y. What is the expected due date (year)? *

			Frequency	% of total	% of valid
Valid	1998	1998	1	0%	0.12%
	1999	1999	1	0%	0.12%
	2000	2000	2	0.01%	0.25%
	2001	2001	1	0%	0.12%
	2002	2002	1	0%	0.12%
	2005	2005	1	0%	0.12%
	2007	2007	10	0.05%	1.23%
	2008	2008	668	3.04%	82.47%
	2009	2009	125	0.57%	15.43%
	Total	810	3.69%	100%	
Missing	9996	refused	5	0.02%	
	9997	legitimate skip	21141	96.24%	
	9998	don't know	10	0.05%	
	Total	21,156	96.31%		

Valid	Invalid	Minimum	Maximum
810	21156	1998	2009

 H4PG3M - S18Q3 MONTH PREGNANCY ENDED-W4

Type	Code
Measurement Unit	numeric
H4PG3M	3M. In what month and year did this pregnancy end (month)?

			Frequency	% of total	% of valid
Valid	1	January	1780	8.1%	9.03%
	2	February	1641	7.47%	8.32%
	3	March	1811	8.24%	9.18%
	4	April	1625	7.4%	8.24%
	5	May	1642	7.48%	8.33%
	6	June	1648	7.5%	8.36%
	7	July	1707	7.77%	8.66%
	8	August	1724	7.85%	8.74%
	9	September	1624	7.39%	8.24%
	10	October	1585	7.22%	8.04%
	11	November	1447	6.59%	7.34%
	12	December	1484	6.76%	7.53%

		Total	19,718	89.77%	100%
Missing	96	refused	285	1.3%	
	97	legitimate skip	825	3.76%	
	98	don't know	1138	5.18%	
		Total	2,248	10.23%	

Valid	Invalid	Minimum	Maximum
19718	2248	1	12



Type	Code
Measurement Unit	numeric
H4PG3Y	3Y. In what month and year did this pregnancy end (year)?

			Frequency	% of total	% of valid
Valid	1986	1986	1	0%	0.01%
	1988	1988	1	0%	0.01%
	1989	1989	3	0.01%	0.02%
	1990	1990	4	0.02%	0.02%
	1991	1991	12	0.05%	0.06%
	1992	1992	24	0.11%	0.12%
	1993	1993	83	0.38%	0.42%
	1994	1994	192	0.87%	0.97%
	1995	1995	401	1.83%	2.02%
	1996	1996	584	2.66%	2.95%
	1997	1997	893	4.07%	4.51%
	1998	1998	1123	5.11%	5.67%
	1999	1999	1310	5.96%	6.61%
	2000	2000	1512	6.88%	7.63%
	2001	2001	1681	7.65%	8.48%
	2002	2002	1629	7.42%	8.22%
	2003	2003	1757	8%	8.86%
	2004	2004	1750	7.97%	8.83%
	2005	2005	1921	8.75%	9.69%
	2006	2006	2039	9.28%	10.29%
2007	2007	2027	9.23%	10.23%	
2008	2008	873	3.97%	4.4%	
		Total	19,820	90.23%	100%
Missing	9996	refused	292	1.33%	
	9997	legitimate skip	825	3.76%	
	9998	don't know	1029	4.68%	
		Total	2,146	9.77%	

Valid	Invalid	Minimum	Maximum
19820	2146	1986	2008

 H4PG4 - S18Q4 SEASON WHEN PREGNANCY ENDED-W4

Type	Code
Measurement Unit	numeric
H4PG4	4. What was the season of the year when the pregnancy ended? Was it:

			Frequency	% of total	% of valid
Valid	1	winter	32	0.15%	23.53%
	2	spring	37	0.17%	27.21%
	3	summer	37	0.17%	27.21%
	4	fall	30	0.14%	22.06%
		Total	136	0.62%	100%
Missing	6	refused	4	0.02%	
	7	legitimate skip	21764	99.08%	
	8	don't know	62	0.28%	
		Total	21,830	99.38%	

Valid	Invalid	Minimum	Maximum
136	21830	1	4

 H4PG5 - S18Q5 # LIVE BIRTH FROM PREGNANCY-W4

Type	Code
Measurement Unit	numeric
H4PG5	5. With this pregnancy, how many babies were born alive? Please include babies who died shortly after birth and babies who were placed for adoption.

			Frequency	% of total	% of valid
Valid	1	1 baby	13712	62.42%	96.8%
	2	2 babies	352	1.6%	2.48%
	3	3 babies	80	0.36%	0.56%
	4	4 babies	18	0.08%	0.13%
	5	5 babies	3	0.01%	0.02%
	6	6 babies	1	0%	0.01%
		Total	14,166	64.49%	100%
Missing	96	refused	195	0.89%	
	97	legitimate skip	7436	33.85%	
	98	don't know	169	0.77%	
		Total	7,800	35.51%	

Valid	Invalid	Minimum	Maximum
-------	---------	---------	---------

14166	7800	1	6
-------	------	---	---

H4PG6 - S18Q6 BABIES FRATERNAL/IDENTICAL?-W4

Type	Code
Measurement Unit	numeric
H4PG6	6. Were the babies fraternal or identical?

			Frequency	% of total	% of valid
Valid	1	fraternal	332	1.51%	79.05%
	2	identical	88	0.4%	20.95%
Total			420	1.91%	100%
Missing	6	refused	18	0.08%	
	7	legitimate skip	21512	97.93%	
	8	don't know	16	0.07%	
Total			21,546	98.09%	

Valid	Invalid	Minimum	Maximum
420	21546	1	2

H4PG7 - S18Q7 BIRTH CONTROL BEFORE PREGNANCY-W4

Type	Code
Measurement Unit	numeric
H4PG7	7. In the month before you (got pregnant/got {initials} pregnant) were you or {initials} using any kind of birth control, including condoms?

			Frequency	% of total	% of valid
Valid	0	no	16144	73.5%	74.69%
	1	yes	5430	24.72%	25.12%
	2	pregnancy result of artificial insemination/sperm donor	40	0.18%	0.19%
Total			21,614	98.4%	100%
Missing	6	refused	180	0.82%	
	8	don't know	172	0.78%	
Total			352	1.6%	

Valid	Invalid	Minimum	Maximum
21614	352	0	2

H4PG8 - S18Q8 WANT CHILD BEFORE PREGNANCY-W4

Type	Code
Measurement Unit	numeric

H4PG8	8. Thinking back to the time just before this pregnancy with {initials}, did you want to have a child then?
-------	---

			Frequency	% of total	% of valid
Valid	0	no	10394	47.32%	48.17%
	1	yes	11185	50.92%	51.83%
Total			21,579	98.24%	100%
Missing	6	refused	173	0.79%	
	7	legitimate skip	40	0.18%	
	8	don't know	174	0.79%	
Total			387	1.76%	

Valid	Invalid	Minimum	Maximum
21579	387	0	1

H4PG9 - S18Q9 MARRIED AT TIME OF PREG/BIRTH-W4

Type	Code
Measurement Unit	numeric
H4PG9	9. Were you and {initials} married to each other at the time of (pregnancy/birth)?

			Frequency	% of total	% of valid
Valid	0	no	2929	13.33%	25.27%
	1	yes	8661	39.43%	74.73%
Total			11,590	52.76%	100%
Missing	6	refused	36	0.16%	
	7	legitimate skip	10308	46.93%	
	8	don't know	32	0.15%	
Total			10,376	47.24%	

Valid	Invalid	Minimum	Maximum
11590	10376	0	1

H4PG10 - S18Q10 LIVING TOGETHER AT PREG/BIRTH-W4

Type	Code
Measurement Unit	numeric
H4PG10	10. Were you and {initials} living together at that time?

			Frequency	% of total	% of valid
Valid	0	no	3156	14.37%	33.56%
	1	yes	6247	28.44%	66.44%
Total			9,403	42.81%	100%

Missing	6	refused	89	0.41%	
	7	legitimate skip	12375	56.34%	
	8	don't know	99	0.45%	
		Total	12,563	57.19%	

Valid	Invalid	Minimum	Maximum
9403	12563	0	1

H4PG11 - S18Q11 RELATIONSHIP TIME OF PREG/BIRTH-W4

Type	Code
Measurement Unit	numeric
H4PG11	11. Which of the following statements best describes your relationship with {initials} at the time of (pregnancy/birth)?

			Frequency	% of total	% of valid
Valid	1	we (do/did not) see or talk to each other	548	2.49%	8.13%
	2	we hardly ever (see/saw) or (talk/talked) to each other	471	2.14%	6.99%
	3	we (are/were) just friends	776	3.53%	11.51%
	4	we (are/were) involved in an on-again, off-again relationship	1592	7.25%	23.61%
	5	we (are/were) romantically involved on a steady basis	3355	15.27%	49.76%
		Total	6,742	30.69%	100%
Missing	95	not asked in pretest	29	0.13%	
	96	refused	164	0.75%	
	97	legitimate skip	14908	67.87%	
	98	don't know	123	0.56%	
		Total	15,224	69.31%	

Valid	Invalid	Minimum	Maximum
6742	15224	1	5

H4PG12 - S18Q12 PRENATAL CARE DURING PREGNANCY-W4

Type	Code
Measurement Unit	numeric
H4PG12	12. During this pregnancy with {initials} did (you/{initials}) ever visit a doctor, nurse-midwife or other health care provider for prenatal care, that is, for one or more pregnancy check-ups?

	Frequency	% of total	% of valid
--	-----------	------------	------------

Valid	0	no	468	2.13%	3.12%
	1	yes	14538	66.18%	96.88%
		Total	15,006	68.31%	100%
Missing	6	refused	17	0.08%	
	7	legitimate skip	6910	31.46%	
	8	don't know	33	0.15%	
		Total	6,960	31.69%	

Valid	Invalid	Minimum	Maximum
15006	6960	0	1

 H4PG13 - S18Q13 WEEKS PREG 1ST PRENATAL VISIT-W4

Type	Numeric (Double)
H4PG13	13. How many weeks pregnant were you at the time of your first prenatal care visit?

			Frequency	% of total	% of valid
Missing	.	missing	10	0.05%	
	96	refused	16	0.07%	
	97	legitimate skip	12905	58.75%	
	98	don't know	150	0.68%	
		Total	13,081	59.55%	

Valid	Invalid	Minimum	Maximum	Mean	StdDev
8885	13081	1	45	7.8705683...	6.3269500...

 H4PG14 - S18Q14 FREQ. SMOKE CIGARETTE DUR PREG-W4

Type	Code
Measurement Unit	numeric
H4PG14	14. During this pregnancy with {initials} how many cigarettes did you smoke?

			Frequency	% of total	% of valid
Valid	0	none	7181	32.69%	80.85%
	1	a few cigarettes, but not every week	439	2%	4.94%
	2	a few cigarettes a week, but not every day	343	1.56%	3.86%
	3	10 or fewer a day	620	2.82%	6.98%
	4	11 to 20 a day	266	1.21%	2.99%
	5	21 to 30 a day	20	0.09%	0.23%
	6	31 or more a day	13	0.06%	0.15%
		Total	8,882	40.44%	100%

Missing	.	missing	15	0.07%	
	96	refused	7	0.03%	
	97	legitimate skip	13052	59.42%	
	98	don't know	10	0.05%	
		Total	13,084	59.56%	

Valid	Invalid	Minimum	Maximum
8882	13084	0	6

 H4PG15 - S18Q2 MONTH CURRENT PREGNANCY DUE-W4

Type	Code
Measurement Unit	numeric
H4PG15	15. During this pregnancy with {initials}, how often did you drink alcoholic beverages?

			Frequency	% of total	% of valid
Valid	0	never	8452	38.48%	95.08%
	1	once a month or less	348	1.58%	3.91%
	2	2 or 3 days a month	57	0.26%	0.64%
	3	1 or 2 days a week	32	0.15%	0.36%
		Total	8,889	40.47%	100%
Missing	.	missing	15	0.07%	
	6	refused	4	0.02%	
	7	legitimate skip	13052	59.42%	
	8	don't know	6	0.03%	
		Total	13,077	59.53%	

Valid	Invalid	Minimum	Maximum
8889	13077	0	3