

# All Coded Causes of Death File, Including Record-Axis Codes, 2019

## Title

All Coded Causes of Death File, Including Record-Axis Codes, 2019

## Abstract

This file contains all underlying cause of death and record-axis codes appearing in the National Death Index (NDI) source file. Functioning as dummy variables, zero represents the absence of a code on the decedent's death certificate, while one denotes the presence of one.

Variables: 83

Observations=540

## Variables

### All Coded Causes of Death File, Including Record-Axis Codes, 2019

- [NDIVS19 - SAMPLE MEMBERS VITAL STATUS, 2019](#)
- [NDI00119 - A00-A28/A50-B19/B25-B99](#)
- [NDI00219 - A30-A49](#)
- [NDI00319 - B20-B24](#)
- [NDI00419 - C00-C14/C30-C75](#)
- [NDI00519 - C15-C26](#)
- [NDI00619 - C76-C80](#)
- [NDI00719 - C81-C96](#)
- [NDI00819 - D50-D89](#)
- [NDI00919 - E00-E07/E15-E65/E67-E90](#)
- [NDI01019 - E14](#)
- [NDI01119 - E66](#)
- [NDI01219 - F00-F09/F20-F99](#)
- [NDI01319 - F10](#)
- [NDI01419 - F11-F17/F18-F19](#)
- [NDI01519 - F17.9](#)
- [NDI01619 - G00-G92/G94-G99](#)
- [NDI01719 - G93](#)
- [NDI01819 - I00-I09/I26-I28/I70-I99](#)
- [NDI01919 - I10](#)
- [NDI02019 - I11-I15](#)
- [NDI02119 - I20-I24/I25.2-I25.6/I25.8/I25.9](#)

- NDI02219 - I25.0
- NDI02319 - I25.1
- NDI02419 - I30-I41/I43-I45/I46.0/I46.1/I47-I49/I52
- NDI02519 - I42
- NDI02619 - I46.9
- NDI02719 - I50
- NDI02819 - I51
- NDI02919 - I60-I69
- NDI03019 - J00-J06/J20-J94
- NDI03119 - J18
- NDI03219 - J95-J99
- NDI03319 - K00-K67/K80-K93
- NDI03419 - K70-K77
- NDI03519 - N17-N19
- NDI03619 - R00-R07/R10-R49/R70-R98
- NDI03719 - R09
- NDI03819 - R50-R69
- NDI03919 - R99
- NDI04019 - S00-S08/S09.0-S09.2/S09.7/S09.8
- NDI04119 - S01.0-S01.5/S01.7/S01.8
- NDI04219 - S01.9
- NDI04319 - S09.9
- NDI04419 - S10-S19
- NDI04519 - S20/S22-S28/S29.0/S29.7/S29.8
- NDI04619 - S21
- NDI04719 - S29.9
- NDI04819 - S30-S35/S37-S39
- NDI04919 - S36
- NDI05019 - S40-S99/T08/T10-T13/T15-T35/T79-T98
- NDI05119 - T07
- NDI05219 - T09
- NDI05319 - T14
- NDI05419 - T36-T39/T41-T49/T50.0-T50.8
- NDI05519 - T40.1
- NDI05619 - T40.2
- NDI05719 - T40.3/T40.6-T40.9
- NDI05819 - T40.4
- NDI05919 - T40.5
- NDI06019 - T50.9
- NDI06119 - T51-T65
- NDI06219 - T66-T70/T73-T78
- NDI06319 - T71
- NDI06419 - V01-V09
- NDI06519 - V10-V39/V50-V79/V90-V99

- [NDI06619 - V40-V48](#)
- [NDI06719 - V49](#)
- [NDI06819 - V87](#)
- [NDI06919 - V89.2](#)
- [NDI07019 - W00-X39/X50-X59](#)
- [NDI07119 - X40-X41/X43/X46-X49](#)
- [NDI07219 - X42](#)
- [NDI07319 - X44](#)
- [NDI07419 - X45](#)
- [NDI07519 - X60-X69/X71-X73/X75-X84](#)
- [NDI07619 - X70](#)
- [NDI07719 - X74](#)
- [NDI07819 - X85-X94/X96-Y09](#)
- [NDI07919 - X95](#)
- [NDI08019 - Y10-Y98](#)
- [NDI08119 - 996: SUPPRESSED](#)

NDIVS19 - SAMPLE MEMBERS VITAL STATUS, 2019	
Type	Code
Measurement Unit	numeric
NDIVS19	Sample members vital status, 2019
1	Deceased
0	Alive

NDI00119 - A00-A28/A50-B19/B25-B99	
Type	Code
Measurement Unit	numeric
NDI00119	A00-A28/A50-B19/B25-B99
0	Absent
1	Present

NDI00219 - A30-A49	
Type	Code
Measurement Unit	numeric
NDI00219	A30-A49
0	Absent
1	Present

NDI00319 - B20-B24	
--------------------	--

Type	Code
Measurement Unit	numeric
NDI00319	B20-B24
0	Absent
1	Present

 NDI00419 - C00-C14/C30-C75

Type	Code
Measurement Unit	numeric
NDI00419	C00-C14/C30-C75
0	Absent
1	Present

 NDI00519 - C15-C26

Type	Code
Measurement Unit	numeric
NDI00519	C15-C26
0	Absent
1	Present

 NDI00619 - C76-C80


Type	Code
Measurement Unit	numeric
NDI00619	C76-C80
0	Absent
1	Present

 NDI00719 - C81-C96

Type	Code
Measurement Unit	numeric
NDI00719	C81-C96
0	Absent
1	Present

 NDI00819 - D50-D89

Type	Code
Measurement Unit	numeric
NDI00819	D50-D89
0	Absent
1	Present

 NDI00919 - E00-E07/E15-E65/E67-E90


Type	Code
Measurement Unit	numeric
NDI00919	E00-E07/E15-E65/E67-E90
0	Absent
1	Present

 NDI01019 - E14

Type	Code
Measurement Unit	numeric
NDI01019	E14
0	Absent
1	Present

 NDI01119 - E66

Type	Code
Measurement Unit	numeric
NDI01119	E66
0	Absent
1	Present

 NDI01219 - F00-F09/F20-F99

Type	Code
Measurement Unit	numeric
NDI01219	F00-F09/F20-F99
0	Absent
1	Present

 NDI01319 - F10

Type	Code
Measurement Unit	numeric
NDI01319	F10
0	Absent
1	Present

 NDI01419 - F11-F17/F18-F19

Type	Code
Measurement Unit	numeric
NDI01419	F11-F17/F18-F19
0	Absent
1	Present

 NDI01519 - F17.9


Type	Code
Measurement Unit	numeric
NDI01519	F17.9
0	Absent
1	Present

 NDI01619 - G00-G92/G94-G99

Type	Code
Measurement Unit	numeric
NDI01619	G00-G92/G94-G99
0	Absent
1	Present

 NDI01719 - G93

Type	Code
Measurement Unit	numeric
NDI01719	G93
0	Absent
1	Present

 NDI01819 - I00-I09/I26-I28/I70-I99

Type	Code
Measurement Unit	numeric
NDI01819	I00-I09/I26-I28/I70-I99
0	Absent
1	Present

 NDI01919 - I10


Type	Code
Measurement Unit	numeric
NDI01919	I10
0	Absent
1	Present

 NDI02019 - I11-I15


Type	Code
Measurement Unit	numeric
NDI02019	I11-I15
0	Absent
1	Present

 NDI02119 - I20-I24/I25.2-I25.6/I25.8/I25.9


Type	Code
Measurement Unit	numeric
NDI02119	I20-I24/I25.2-I25.6/I25.8/I25.9
0	Absent
1	Present

 NDI02219 - I25.0

Type	Code
Measurement Unit	numeric
NDI02219	I25.0
0	Absent
1	Present

 NDI02319 - I25.1


Type	Code
Measurement Unit	numeric
NDI02319	I25.1
0	Absent
1	Present

 NDI02419 - I30-I41/I43-I45/I46.0/I46.1/I47-I49/I52


Type	Code
Measurement Unit	numeric
NDI02419	I30-I41/I43-I45/I46.0/I46.1/I47-I49/I52
0	Absent
1	Present

 NDI02519 - I42

Type	Code
Measurement Unit	numeric
NDI02519	I42
0	Absent
1	Present

 NDI02619 - I46.9

Type	Code
Measurement Unit	numeric
NDI02619	I46.9
0	Absent
1	Present

 NDI02719 - I50

Type	Code
Measurement Unit	numeric
NDI02719	I50
0	Absent
1	Present


 NDI02819 - I51



Type	Code
Measurement Unit	numeric
NDI02819	I51
0	Absent
1	Present

 NDI02919 - I60-I69


Type	Code
Measurement Unit	numeric
NDI02919	I60-I69
0	Absent
1	Present

 NDI03019 - J00-J06/J20-J94


Type	Code
Measurement Unit	numeric
NDI03019	J00-J06/J20-J94
0	Absent
1	Present

 NDI03119 - J18

Type	Code
Measurement Unit	numeric
NDI03119	J18
0	Absent
1	Present

 NDI03219 - J95-J99

Type	Code
Measurement Unit	numeric
NDI03219	J95-J99
0	Absent
1	Present

 NDI03319 - K00-K67/K80-K93

Type	Code
Measurement Unit	numeric
NDI03319	K00-K67/K80-K93
0	Absent
1	Present

 NDI03419 - K70-K77

Type	Code
Measurement Unit	numeric
NDI03419	K70-K77
0	Absent
1	Present

 NDI03519 - N17-N19

Type	Code
Measurement Unit	numeric
NDI03519	N17-N19
0	Absent
1	Present

 NDI03619 - R00-R07/R10-R49/R70-R98

Type	Code
Measurement Unit	numeric
NDI03619	R00-R07/R10-R49/R70-R98
0	Absent
1	Present

 NDI03719 - R09

Type	Code
Measurement Unit	numeric
NDI03719	R09
0	Absent
1	Present

 NDI03819 - R50-R69

Type	Code
Measurement Unit	numeric
NDI03819	R50-R69
0	Absent
1	Present

 NDI03919 - R99

Type	Code
Measurement Unit	numeric
NDI03919	R99
0	Absent
1	Present

 NDI04019 - S00-S08/S09.0-S09.2/S09.7/S09.8

Type	Code
Measurement Unit	numeric
NDI04019	S00-S08/S09.0-S09.2/S09.7/S09.8
0	Absent
1	Present

 NDI04119 - S01.0-S01.5/S01.7/S01.8

Type	Code
Measurement Unit	numeric
NDI04119	S01.0-S01.5/S01.7/S01.8
0	Absent
1	Present

 NDI04219 - S01.9


Type	Code
Measurement Unit	numeric
NDI04219	S01.9
0	Absent
1	Present

 NDI04319 - S09.9


Type	Code
Measurement Unit	numeric
NDI04319	S09.9
0	Absent
1	Present

 NDI04419 - S10-S19

Type	Code
Measurement Unit	numeric
NDI04419	S10-S19
0	Absent
1	Present

 NDI04519 - S20/S22-S28/S29.0/S29.7/S29.8

Type	Code
Measurement Unit	numeric
NDI04519	S20/S22-S28/S29.0/S29.7/S29.8
0	Absent
1	Present

 NDI04619 - S21

Type	Code
Measurement Unit	numeric
NDI04619	S21
0	Absent
1	Present

 NDI04719 - S29.9

Type	Code
Measurement Unit	numeric
NDI04719	S29.9
0	Absent
1	Present

 NDI04819 - S30-S35/S37-S39


Type	Code
Measurement Unit	numeric
NDI04819	S30-S35/S37-S39
0	Absent
1	Present

 NDI04919 - S36

Type	Code
Measurement Unit	numeric
NDI04919	S36
0	Absent
1	Present

 NDI05019 - S40-S99/T08/T10-T13/T15-T35/T79-T98

Type	Code
Measurement Unit	numeric
NDI05019	S40-S99/T08/T10-T13/T15-T35/T79-T98
0	Absent
1	Present

 NDI05119 - T07

Type	Code
Measurement Unit	numeric
NDI05119	T07
0	Absent
1	Present

 NDI05219 - T09

Type	Code
Measurement Unit	numeric
NDI05219	T09
0	Absent
1	Present

 NDI05319 - T14

Type	Code
Measurement Unit	numeric
NDI05319	T14
0	Absent
1	Present

 NDI05419 - T36-T39/T41-T49/T50.0-T50.8


Type	Code
Measurement Unit	numeric
NDI05419	T36-T39/T41-T49/T50.0-T50.8
0	Absent
1	Present

 NDI05519 - T40.1

Type	Code
Measurement Unit	numeric
NDI05519	T40.1
0	Absent
1	Present

 NDI05619 - T40.2

Type	Code
Measurement Unit	numeric
NDI05619	T40.2
0	Absent
1	Present

 NDI05719 - T40.3/T40.6-T40.9


Type	Code
Measurement Unit	numeric
NDI05719	T40.3/T40.6-T40.9
0	Absent
1	Present

 NDI05819 - T40.4

Type	Code
Measurement Unit	numeric
NDI05819	T40.4
0	Absent
1	Present

 NDI05919 - T40.5


Type	Code
Measurement Unit	numeric
NDI05919	T40.5
0	Absent
1	Present

 NDI06019 - T50.9

Type	Code
Measurement Unit	numeric
NDI06019	T50.9
0	Absent
1	Present

 NDI06119 - T51-T65

Type	Code
Measurement Unit	numeric
NDI06119	T51-T65
0	Absent
1	Present

 NDI06219 - T66-T70/T73-T78

Type	Code
Measurement Unit	numeric
NDI06219	T66-T70/T73-T78
0	Absent
1	Present

 NDI06319 - T71

Type	Code
Measurement Unit	numeric
NDI06319	T71
0	Absent
1	Present

 NDI06419 - V01-V09


Type	Code
Measurement Unit	numeric
NDI06419	V01-V09
0	Absent
1	Present

 NDI06519 - V10-V39/V50-V79/V90-V99


Type	Code
Measurement Unit	numeric
NDI06519	V10-V39/V50-V79/V90-V99
0	Absent
1	Present

 NDI06619 - V40-V48

Type	Code
Measurement Unit	numeric
NDI06619	V40-V48
0	Absent
1	Present


 NDI06719 - V49

Type	Code
Measurement Unit	numeric
NDI06719	V49
0	Absent
1	Present

 NDI06819 - V87



Type	Code
Measurement Unit	numeric
NDI06819	V87
0	Absent
1	Present

 NDI06919 - V89.2

Type	Code
Measurement Unit	numeric
NDI06919	V89.2
0	Absent
1	Present

 NDI07019 - W00-X39/X50-X59

Type	Code
Measurement Unit	numeric
NDI07019	W00-X39/X50-X59
0	Absent
1	Present

 NDI07119 - X40-X41/X43/X46-X49


Type	Code
Measurement Unit	numeric
NDI07119	X40-X41/X43/X46-X49
0	Absent
1	Present

 NDI07219 - X42

Type	Code
Measurement Unit	numeric
NDI07219	X42
0	Absent
1	Present

 NDI07319 - X44


Type	Code
Measurement Unit	numeric
NDI07319	X44
0	Absent
1	Present

 NDI07419 - X45


Type	Code
Measurement Unit	numeric
NDI07419	X45
0	Absent
1	Present

 NDI07519 - X60-X69/X71-X73/X75-X84


Type	Code
Measurement Unit	numeric
NDI07519	X60-X69/X71-X73/X75-X84
0	Absent
1	Present

 NDI07619 - X70

Type	Code
Measurement Unit	numeric
NDI07619	X70
0	Absent
1	Present

 NDI07719 - X74

Type	Code
Measurement Unit	numeric
NDI07719	X74
0	Absent
1	Present

 NDI07819 - X85-X94/X96-Y09

Type	Code
Measurement Unit	numeric
NDI07819	X85-X94/X96-Y09
0	Absent
1	Present

#### NDI07919 - X95

Type	Code
Measurement Unit	numeric
NDI07919	X95
0	Absent
1	Present

#### NDI08019 - Y10-Y98

Type	Code
Measurement Unit	numeric
NDI08019	Y10-Y98
0	Absent
1	Present

#### NDI08119 - 996: SUPPRESSED

Type	Code
Measurement Unit	numeric
NDI08119	996: SUPPRESSED
0	Absent
1	Present

## Logical Products

 All Coded Causes of Death File, Including Record-Axis Codes, 2019


## Data Layouts

 All Coded Causes of Death File, Including Record-Axis Codes, 2019

All Coded Causes of Death File, Including Record-Axis Codes, 2019

 NDI019 - SAMPLE MEMBERS VITAL STATUS, 2019


Type	Code
Measurement Unit	numeric
NDIVS19	Sample members vital status, 2019
1	Deceased
0	Alive

 NDI00119 - A00-A28/A50-B19/B25-B99


Type	Code
Measurement Unit	numeric
NDI00119	A00-A28/A50-B19/B25-B99
0	Absent
1	Present

 NDI00219 - A30-A49

Type	Code
Measurement Unit	numeric
NDI00219	A30-A49
0	Absent
1	Present

 NDI00319 - B20-B24

Type	Code
Measurement Unit	numeric
NDI00319	B20-B24
0	Absent
1	Present


 NDI00419 - C00-C14/C30-C75


Type	Code
Measurement Unit	numeric
NDI00419	C00-C14/C30-C75
0	Absent
1	Present


 NDI00519 - C15-C26


Type	Code
------	------

Measurement Unit	numeric
NDI00519	C15-C26
0	Absent
1	Present

 NDI00619 - C76-C80	
Type	Code
Measurement Unit	numeric
NDI00619	C76-C80
0	Absent
1	Present


 NDI00719 - C81-C96	
Type	Code
Measurement Unit	numeric
NDI00719	C81-C96
0	Absent
1	Present


 NDI00819 - D50-D89	
Type	Code
Measurement Unit	numeric
NDI00819	D50-D89
0	Absent
1	Present


 NDI00919 - E00-E07/E15-E65/E67-E90	
Type	Code
Measurement Unit	numeric
NDI00919	E00-E07/E15-E65/E67-E90
0	Absent
1	Present


 NDI01019 - E14	
Type	Code
Measurement Unit	numeric


NDI01019	E14
0	Absent
1	Present

 NDI01119 - E66	
Type	Code
Measurement Unit	numeric
NDI01119	E66
0	Absent
1	Present


 NDI01219 - F00-F09/F20-F99	
Type	Code
Measurement Unit	numeric
NDI01219	F00-F09/F20-F99
0	Absent
1	Present

 NDI01319 - F10	
Type	Code
Measurement Unit	numeric
NDI01319	F10
0	Absent
1	Present

 NDI01419 - F11-F17/F18-F19	
Type	Code
Measurement Unit	numeric
NDI01419	F11-F17/F18-F19
0	Absent
1	Present

 NDI01519 - F17.9	
Type	Code
Measurement Unit	numeric
NDI01519	F17.9

0	Absent
1	Present

 NDI01619 - G00-G92/G94-G99

Type	Code
Measurement Unit	numeric
NDI01619	G00-G92/G94-G99
0	Absent
1	Present

 NDI01719 - G93

Type	Code
Measurement Unit	numeric
NDI01719	G93
0	Absent
1	Present

 NDI01819 - I00-I09/I26-I28/I70-I99

Type	Code
Measurement Unit	numeric
NDI01819	I00-I09/I26-I28/I70-I99
0	Absent
1	Present


 NDI01919 - I10

Type	Code
Measurement Unit	numeric
NDI01919	I10
0	Absent
1	Present

 NDI02019 - I11-I15

Type	Code
Measurement Unit	numeric
NDI02019	I11-I15
0	Absent

1	Present
---	---------

 NDI02119 - I20-I24/I25.2-I25.6/I25.8/I25.9


Type	Code
Measurement Unit	numeric
NDI02119	I20-I24/I25.2-I25.6/I25.8/I25.9
0	Absent
1	Present

 NDI02219 - I25.0


Type	Code
Measurement Unit	numeric
NDI02219	I25.0
0	Absent
1	Present

 NDI02319 - I25.1

Type	Code
Measurement Unit	numeric
NDI02319	I25.1
0	Absent
1	Present

 NDI02419 - I30-I41/I43-I45/I46.0/I46.1/I47-I49/I52

Type	Code
Measurement Unit	numeric
NDI02419	I30-I41/I43-I45/I46.0/I46.1/I47-I49/I52
0	Absent
1	Present


 NDI02519 - I42

Type	Code
Measurement Unit	numeric
NDI02519	I42
0	Absent
1	Present




 NDI02619 - I46.9


Type	Code
Measurement Unit	numeric
NDI02619	I46.9
0	Absent
1	Present

 NDI02719 - I50

Type	Code
Measurement Unit	numeric
NDI02719	I50
0	Absent
1	Present

 NDI02819 - I51

Type	Code
Measurement Unit	numeric
NDI02819	I51
0	Absent
1	Present

 NDI02919 - I60-I69


Type	Code
Measurement Unit	numeric
NDI02919	I60-I69
0	Absent
1	Present

 NDI03019 - J00-J06/J20-J94


Type	Code
Measurement Unit	numeric
NDI03019	J00-J06/J20-J94
0	Absent
1	Present

 NDI03119 - J18

Type	Code
Measurement Unit	numeric
NDI03119	J18
0	Absent
1	Present

 NDI03219 - J95-J99

Type	Code
Measurement Unit	numeric
NDI03219	J95-J99
0	Absent
1	Present

 NDI03319 - K00-K67/K80-K93


Type	Code
Measurement Unit	numeric
NDI03319	K00-K67/K80-K93
0	Absent
1	Present

 NDI03419 - K70-K77


Type	Code
Measurement Unit	numeric
NDI03419	K70-K77
0	Absent
1	Present

 NDI03519 - N17-N19

Type	Code
Measurement Unit	numeric
NDI03519	N17-N19
0	Absent
1	Present

 NDI03619 - R00-R07/R10-R49/R70-R98


Type	Code
Measurement Unit	numeric
NDI03619	R00-R07/R10-R49/R70-R98
0	Absent
1	Present

 NDI03719 - R09

Type	Code
Measurement Unit	numeric
NDI03719	R09
0	Absent
1	Present

 NDI03819 - R50-R69


Type	Code
Measurement Unit	numeric
NDI03819	R50-R69
0	Absent
1	Present

 NDI03919 - R99

Type	Code
Measurement Unit	numeric
NDI03919	R99
0	Absent
1	Present

 NDI04019 - S00-S08/S09.0-S09.2/S09.7/S09.8


Type	Code
Measurement Unit	numeric
NDI04019	S00-S08/S09.0-S09.2/S09.7/S09.8
0	Absent
1	Present

 NDI04119 - S01.0-S01.5/S01.7/S01.8


Type	Code
Measurement Unit	numeric
NDI04119	S01.0-S01.5/S01.7/S01.8
0	Absent
1	Present

 NDI04219 - S01.9

Type	Code
Measurement Unit	numeric
NDI04219	S01.9
0	Absent
1	Present

 NDI04319 - S09.9


Type	Code
Measurement Unit	numeric
NDI04319	S09.9
0	Absent
1	Present

 NDI04419 - S10-S19

Type	Code
Measurement Unit	numeric
NDI04419	S10-S19
0	Absent
1	Present

 NDI04519 - S20/S22-S28/S29.0/S29.7/S29.8


Type	Code
Measurement Unit	numeric
NDI04519	S20/S22-S28/S29.0/S29.7/S29.8
0	Absent
1	Present

 NDI04619 - S21


Type	Code
Measurement Unit	numeric
NDI04619	S21
0	Absent
1	Present

 NDI04719 - S29.9

Type	Code
Measurement Unit	numeric
NDI04719	S29.9
0	Absent
1	Present

 NDI04819 - S30-S35/S37-S39

Type	Code
Measurement Unit	numeric
NDI04819	S30-S35/S37-S39
0	Absent
1	Present

 NDI04919 - S36

Type	Code
Measurement Unit	numeric
NDI04919	S36
0	Absent
1	Present

 NDI05019 - S40-S99/T08/T10-T13/T15-T35/T79-T98

Type	Code
Measurement Unit	numeric
NDI05019	S40-S99/T08/T10-T13/T15-T35/T79-T98
0	Absent
1	Present

 NDI05119 - T07

Type	Code
Measurement Unit	numeric
NDI05119	T07
0	Absent
1	Present

 NDI05219 - T09

Type	Code
Measurement Unit	numeric
NDI05219	T09
0	Absent
1	Present

 NDI05319 - T14

Type	Code
Measurement Unit	numeric
NDI05319	T14
0	Absent
1	Present

 NDI05419 - T36-T39/T41-T49/T50.0-T50.8

Type	Code
Measurement Unit	numeric
NDI05419	T36-T39/T41-T49/T50.0-T50.8
0	Absent
1	Present

 NDI05519 - T40.1

Type	Code
Measurement Unit	numeric
NDI05519	T40.1
0	Absent
1	Present

NDI05619 - T40.2	
Type	Code
Measurement Unit	numeric
NDI05619	T40.2
0	Absent
1	Present

NDI05719 - T40.3/T40.6-T40.9	
Type	Code
Measurement Unit	numeric
NDI05719	T40.3/T40.6-T40.9
0	Absent
1	Present

NDI05819 - T40.4	
Type	Code
Measurement Unit	numeric
NDI05819	T40.4
0	Absent
1	Present

NDI05919 - T40.5	
Type	Code
Measurement Unit	numeric
NDI05919	T40.5
0	Absent
1	Present

NDI06019 - T50.9	
Type	Code
Measurement Unit	numeric
NDI06019	T50.9
0	Absent
1	Present

NDI06119 - T51-T65	
Type	Code
Measurement Unit	numeric
NDI06119	T51-T65
0	Absent
1	Present

NDI06219 - T66-T70/T73-T78	
Type	Code
Measurement Unit	numeric
NDI06219	T66-T70/T73-T78
0	Absent
1	Present

NDI06319 - T71	
Type	Code
Measurement Unit	numeric
NDI06319	T71
0	Absent
1	Present


NDI06419 - V01-V09	
Type	Code
Measurement Unit	numeric
NDI06419	V01-V09
0	Absent
1	Present

NDI06519 - V10-V39/V50-V79/V90-V99	
Type	Code
Measurement Unit	numeric
NDI06519	V10-V39/V50-V79/V90-V99
0	Absent
1	Present




 NDI06619 - V40-V48

Type	Code
Measurement Unit	numeric
NDI06619	V40-V48
0	Absent
1	Present

 NDI06719 - V49

Type	Code
Measurement Unit	numeric
NDI06719	V49
0	Absent
1	Present

 NDI06819 - V87

Type	Code
Measurement Unit	numeric
NDI06819	V87
0	Absent
1	Present

 NDI06919 - V89.2

Type	Code
Measurement Unit	numeric
NDI06919	V89.2
0	Absent
1	Present

 NDI07019 - W00-X39/X50-X59

Type	Code
Measurement Unit	numeric
NDI07019	W00-X39/X50-X59
0	Absent
1	Present

 NDI07119 - X40-X41/X43/X46-X49


Type	Code
Measurement Unit	numeric
NDI07119	X40-X41/X43/X46-X49
0 Absent	
1 Present	

 NDI07219 - X42


Type	Code
Measurement Unit	numeric
NDI07219	X42
0 Absent	
1 Present	

 NDI07319 - X44

Type	Code
Measurement Unit	numeric
NDI07319	X44
0 Absent	
1 Present	

 NDI07419 - X45

Type	Code
Measurement Unit	numeric
NDI07419	X45
0 Absent	
1 Present	

 NDI07519 - X60-X69/X71-X73/X75-X84

Type	Code
Measurement Unit	numeric
NDI07519	X60-X69/X71-X73/X75-X84
0 Absent	
1 Present	


NDI07619 - X70	
Type	Code
Measurement Unit	numeric
NDI07619	X70
0	Absent
1	Present

NDI07719 - X74	
Type	Code
Measurement Unit	numeric
NDI07719	X74
0	Absent
1	Present

NDI07819 - X85-X94/X96-Y09	
Type	Code
Measurement Unit	numeric
NDI07819	X85-X94/X96-Y09
0	Absent
1	Present

NDI07919 - X95	
Type	Code
Measurement Unit	numeric
NDI07919	X95
0	Absent
1	Present

NDI08019 - Y10-Y98	
Type	Code
Measurement Unit	numeric
NDI08019	Y10-Y98
0	Absent
1	Present

 NDI08119 - 996: SUPPRESSED

Type	Code
Measurement Unit	numeric
NDI08119	996: SUPPRESSED
0	Absent
1	Present

### Physical Instances

 All Coded Causes of Death File, Including Record-Axis Codes, 2019


Title	All Coded Causes of Death File, Including Record-Axis Codes, 2019
File Name	ndi19p2.sas7bdat
Case Quantity	540
Variable Count	82

 NDIVS19 - SAMPLE MEMBERS VITAL STATUS, 2019

Type	Code
Measurement Unit	numeric
NDIVS19	Sample members vital status, 2019

			Frequency	% of total	% of valid
Valid	0	Alive	0	0%	0%
	1	Deceased	540	100%	100%
		Total	540	100%	100%


Valid	Invalid	Minimum	Maximum
540	0	1	1

 NDI00119 - A00-A28/A50-B19/B25-B99

Type	Code
Measurement Unit	numeric
NDI00119	A00-A28/A50-B19/B25-B99

			Frequency	% of total	% of valid
Valid	0	Absent	528	97.78%	97.96%
	1	Present	11	2.04%	2.04%
		Total	539	99.81%	100%
Missing	92	Missing in source	1	0.19%	
		Total	1	0.19%	

Valid	Invalid	Minimum	Maximum
539	1	0	1

 NDI00219 - A30-A49

Type	Code
Measurement Unit	numeric
NDI00219	A30-A49

			Frequency	% of total	% of valid
Valid	0	Absent	514	95.19%	95.36%
	1	Present	25	4.63%	4.64%
	Total		539	99.81%	100%
Missing	92	Missing in source	1	0.19%	
		Total	1	0.19%	


Valid	Invalid	Minimum	Maximum
539	1	0	1

 NDI00319 - B20-B24

Type	Code
Measurement Unit	numeric
NDI00319	B20-B24

			Frequency	% of total	% of valid
Valid	0	Absent	526	97.41%	97.59%
	1	Present	13	2.41%	2.41%
	Total		539	99.81%	100%
Missing	92	Missing in source	1	0.19%	
		Total	1	0.19%	

Valid	Invalid	Minimum	Maximum
539	1	0	1

 NDI00419 - C00-C14/C30-C75

Type	Code
Measurement Unit	numeric
NDI00419	C00-C14/C30-C75

			Frequency	% of total	% of valid
Valid	0	Absent	516	95.56%	95.73%
	1	Present	23	4.26%	4.27%
	Total		539	99.81%	100%

Missing	92	Missing in source	1	0.19%	
		Total	1	0.19%	


Valid	Invalid	Minimum	Maximum
539	1	0	1

 NDI00519 - C15-C26

Type	Code
Measurement Unit	numeric
NDI00519	C15-C26

			Frequency	% of total	% of valid
Valid	0	Absent	527	97.59%	97.77%
	1	Present	12	2.22%	2.23%
		Total	539	99.81%	100%
Missing	92	Missing in source	1	0.19%	
		Total	1	0.19%	

Valid	Invalid	Minimum	Maximum
539	1	0	1

 NDI00619 - C76-C80

Type	Code
Measurement Unit	numeric
NDI00619	C76-C80

			Frequency	% of total	% of valid
Valid	0	Absent	531	98.33%	98.52%
	1	Present	8	1.48%	1.48%
		Total	539	99.81%	100%
Missing	92	Missing in source	1	0.19%	
		Total	1	0.19%	

Valid	Invalid	Minimum	Maximum
539	1	0	1


 NDI00719 - C81-C96

Type	Code
Measurement Unit	numeric
NDI00719	C81-C96

			Frequency	% of total	% of valid
--	--	--	-----------	------------	------------

Valid	0	Absent	527	97.59%	97.77%
	1	Present	12	2.22%	2.23%
		Total	539	99.81%	100%
Missing	92	Missing in source	1	0.19%	
		Total	1	0.19%	

Valid	Invalid	Minimum	Maximum
539	1	0	1

 NDI00819 - D50-D89

Type	Code
Measurement Unit	numeric
NDI00819	D50-D89

			Frequency	% of total	% of valid
Valid	0	Absent	526	97.41%	97.59%
	1	Present	13	2.41%	2.41%
		Total	539	99.81%	100%
Missing	92	Missing in source	1	0.19%	
		Total	1	0.19%	

Valid	Invalid	Minimum	Maximum
539	1	0	1

 NDI00919 - E00-E07/E15-E65/E67-E90

Type	Code
Measurement Unit	numeric
NDI00919	E00-E07/E15-E65/E67-E90

			Frequency	% of total	% of valid
Valid	0	Absent	529	97.96%	98.14%
	1	Present	10	1.85%	1.86%
		Total	539	99.81%	100%
Missing	92	Missing in source	1	0.19%	
		Total	1	0.19%	

Valid	Invalid	Minimum	Maximum
539	1	0	1


 NDI01019 - E14

Type	Code
Measurement Unit	numeric

NDI01019	E14
----------	-----

			Frequency	% of total	% of valid
Valid	0	Absent	526	97.41%	97.59%
	1	Present	13	2.41%	2.41%
		Total	539	99.81%	100%
Missing	92	Missing in source	1	0.19%	
	Total		1	0.19%	

Valid	Invalid	Minimum	Maximum
539	1	0	1

 NDI01119 - E66

Type	Code
Measurement Unit	numeric
NDI01119	E66

			Frequency	% of total	% of valid
Valid	0	Absent	515	95.37%	95.55%
	1	Present	24	4.44%	4.45%
		Total	539	99.81%	100%
Missing	92	Missing in source	1	0.19%	
	Total		1	0.19%	

Valid	Invalid	Minimum	Maximum
539	1	0	1

 NDI01219 - F00-F09/F20-F99

Type	Code
Measurement Unit	numeric
NDI01219	F00-F09/F20-F99

			Frequency	% of total	% of valid
Valid	0	Absent	529	97.96%	98.14%
	1	Present	10	1.85%	1.86%
		Total	539	99.81%	100%
Missing	92	Missing in source	1	0.19%	
	Total		1	0.19%	

Valid	Invalid	Minimum	Maximum
539	1	0	1



 NDI01319 - F10

Type	Code
Measurement Unit	numeric
NDI01319	F10

			Frequency	% of total	% of valid
Valid	0	Absent	529	97.96%	98.14%
	1	Present	10	1.85%	1.86%
		Total	539	99.81%	100%
Missing	92	Missing in source	1	0.19%	
		Total	1	0.19%	

Valid	Invalid	Minimum	Maximum
539	1	0	1

 NDI01419 - F11-F17/F18-F19

Type	Code
Measurement Unit	numeric
NDI01419	F11-F17/F18-F19

			Frequency	% of total	% of valid
Valid	0	Absent	505	93.52%	93.69%
	1	Present	34	6.3%	6.31%
		Total	539	99.81%	100%
Missing	92	Missing in source	1	0.19%	
		Total	1	0.19%	


Valid	Invalid	Minimum	Maximum
539	1	0	1

 NDI01519 - F17.9

Type	Code
Measurement Unit	numeric
NDI01519	F17.9

			Frequency	% of total	% of valid
Valid	0	Absent	527	97.59%	97.77%
	1	Present	12	2.22%	2.23%
		Total	539	99.81%	100%
Missing	92	Missing in source	1	0.19%	
		Total	1	0.19%	

Valid	Invalid	Minimum	Maximum
539	1	0	1

 NDI01619 - G00-G92/G94-G99

Type	Code
Measurement Unit	numeric
NDI01619	G00-G92/G94-G99

			Frequency	% of total	% of valid
Valid	0	Absent	524	97.04%	97.22%
	1	Present	15	2.78%	2.78%
	Total		539	99.81%	100%
Missing	92	Missing in source	1	0.19%	
	Total		1	0.19%	

Valid	Invalid	Minimum	Maximum
539	1	0	1

 NDI01719 - G93

Type	Code
Measurement Unit	numeric
NDI01719	G93

			Frequency	% of total	% of valid
Valid	0	Absent	525	97.22%	97.4%
	1	Present	14	2.59%	2.6%
	Total		539	99.81%	100%
Missing	92	Missing in source	1	0.19%	
	Total		1	0.19%	

Valid	Invalid	Minimum	Maximum
539	1	0	1

 NDI01819 - I00-I09/I26-I28/I70-I99

Type	Code
Measurement Unit	numeric
NDI01819	I00-I09/I26-I28/I70-I99

			Frequency	% of total	% of valid
Valid	0	Absent	524	97.04%	97.22%
	1	Present	15	2.78%	2.78%
	Total		539	99.81%	100%

Missing	92	Missing in source	1	0.19%	
		Total	1	0.19%	

Valid	Invalid	Minimum	Maximum
539	1	0	1

 NDI01919 - I10

Type	Code
Measurement Unit	numeric
NDI01919	I10

			Frequency	% of total	% of valid
Valid	0	Absent	523	96.85%	97.03%
	1	Present	16	2.96%	2.97%
		Total	539	99.81%	100%
Missing	92	Missing in source	1	0.19%	
		Total	1	0.19%	

Valid	Invalid	Minimum	Maximum
539	1	0	1

 NDI02019 - I11-I15

Type	Code
Measurement Unit	numeric
NDI02019	I11-I15

			Frequency	% of total	% of valid
Valid	0	Absent	529	97.96%	98.14%
	1	Present	10	1.85%	1.86%
		Total	539	99.81%	100%
Missing	92	Missing in source	1	0.19%	
		Total	1	0.19%	

Valid	Invalid	Minimum	Maximum
539	1	0	1

 NDI02119 - I20-I24/I25.2-I25.6/I25.8/I25.9

Type	Code
Measurement Unit	numeric
NDI02119	I20-I24/I25.2-I25.6/I25.8/I25.9

			Frequency	% of total	% of valid
--	--	--	-----------	------------	------------

Valid	0	Absent	530	98.15%	98.33%
	1	Present	9	1.67%	1.67%
		Total	539	99.81%	100%
Missing	92	Missing in source	1	0.19%	
		Total	1	0.19%	

Valid	Invalid	Minimum	Maximum
539	1	0	1

 NDI02219 - I25.0

Type	Code
Measurement Unit	numeric
NDI02219	I25.0

			Frequency	% of total	% of valid
Valid	0	Absent	529	97.96%	98.14%
	1	Present	10	1.85%	1.86%
		Total	539	99.81%	100%
Missing	92	Missing in source	1	0.19%	
		Total	1	0.19%	


Valid	Invalid	Minimum	Maximum
539	1	0	1

 NDI02319 - I25.1

Type	Code
Measurement Unit	numeric
NDI02319	I25.1

			Frequency	% of total	% of valid
Valid	0	Absent	529	97.96%	98.14%
	1	Present	10	1.85%	1.86%
		Total	539	99.81%	100%
Missing	92	Missing in source	1	0.19%	
		Total	1	0.19%	

Valid	Invalid	Minimum	Maximum
539	1	0	1

 NDI02419 - I30-I41/I43-I45/I46.0/I46.1/I47-I49/I52

Type	Code
Measurement Unit	numeric

NDI02419	I30-I41/I43-I45/I46.0/I46.1/I47-I49/I52
----------	---

			Frequency	% of total	% of valid
Valid	0	Absent	521	96.48%	96.66%
	1	Present	18	3.33%	3.34%
		Total	539	99.81%	100%
Missing	92	Missing in source	1	0.19%	
			Total	1	0.19%


Valid	Invalid	Minimum	Maximum
539	1	0	1

 NDI02519 - I42

Type	Code
Measurement Unit	numeric
NDI02519	I42

			Frequency	% of total	% of valid
Valid	0	Absent	523	96.85%	97.03%
	1	Present	16	2.96%	2.97%
		Total	539	99.81%	100%
Missing	92	Missing in source	1	0.19%	
			Total	1	0.19%

Valid	Invalid	Minimum	Maximum
539	1	0	1

 NDI02619 - I46.9

Type	Code
Measurement Unit	numeric
NDI02619	I46.9

			Frequency	% of total	% of valid
Valid	0	Absent	490	90.74%	90.91%
	1	Present	49	9.07%	9.09%
		Total	539	99.81%	100%
Missing	92	Missing in source	1	0.19%	
			Total	1	0.19%

Valid	Invalid	Minimum	Maximum
539	1	0	1

 NDI02719 - I50

Type	Code
Measurement Unit	numeric
NDI02719	I50

			Frequency	% of total	% of valid
Valid	0	Absent	526	97.41%	97.59%
	1	Present	13	2.41%	2.41%
		Total	539	99.81%	100%
Missing	92	Missing in source	1	0.19%	
		Total	1	0.19%	

Valid	Invalid	Minimum	Maximum
539	1	0	1

 NDI02819 - I51

Type	Code
Measurement Unit	numeric
NDI02819	I51

			Frequency	% of total	% of valid
Valid	0	Absent	529	97.96%	98.14%
	1	Present	10	1.85%	1.86%
		Total	539	99.81%	100%
Missing	92	Missing in source	1	0.19%	
		Total	1	0.19%	


Valid	Invalid	Minimum	Maximum
539	1	0	1

 NDI02919 - I60-I69

Type	Code
Measurement Unit	numeric
NDI02919	I60-I69

			Frequency	% of total	% of valid
Valid	0	Absent	524	97.04%	97.22%
	1	Present	15	2.78%	2.78%
		Total	539	99.81%	100%
Missing	92	Missing in source	1	0.19%	
		Total	1	0.19%	

Valid	Invalid	Minimum	Maximum
539	1	0	1

 NDI03019 - J00-J06/J20-J94

Type	Code
Measurement Unit	numeric
NDI03019	J00-J06/J20-J94

			Frequency	% of total	% of valid
Valid	0	Absent	523	96.85%	97.03%
	1	Present	16	2.96%	2.97%
	Total		539	99.81%	100%
Missing	92	Missing in source	1	0.19%	
		Total	1	0.19%	


Valid	Invalid	Minimum	Maximum
539	1	0	1

 NDI03119 - J18

Type	Code
Measurement Unit	numeric
NDI03119	J18

			Frequency	% of total	% of valid
Valid	0	Absent	526	97.41%	97.59%
	1	Present	13	2.41%	2.41%
	Total		539	99.81%	100%
Missing	92	Missing in source	1	0.19%	
		Total	1	0.19%	

Valid	Invalid	Minimum	Maximum
539	1	0	1


 NDI03219 - J95-J99

Type	Code
Measurement Unit	numeric
NDI03219	J95-J99

			Frequency	% of total	% of valid
Valid	0	Absent	520	96.3%	96.47%
	1	Present	19	3.52%	3.53%
	Total		539	99.81%	100%

Missing	92	Missing in source	1	0.19%	
		Total	1	0.19%	

Valid	Invalid	Minimum	Maximum
539	1	0	1

 NDI03319 - K00-K67/K80-K93

Type	Code
Measurement Unit	numeric
NDI03319	K00-K67/K80-K93

			Frequency	% of total	% of valid
Valid	0	Absent	528	97.78%	97.96%
	1	Present	11	2.04%	2.04%
		Total	539	99.81%	100%
Missing	92	Missing in source	1	0.19%	
		Total	1	0.19%	

Valid	Invalid	Minimum	Maximum
539	1	0	1

 NDI03419 - K70-K77

Type	Code
Measurement Unit	numeric
NDI03419	K70-K77

			Frequency	% of total	% of valid
Valid	0	Absent	525	97.22%	97.4%
	1	Present	14	2.59%	2.6%
		Total	539	99.81%	100%
Missing	92	Missing in source	1	0.19%	
		Total	1	0.19%	

Valid	Invalid	Minimum	Maximum
539	1	0	1

 NDI03519 - N17-N19

Type	Code
Measurement Unit	numeric
NDI03519	N17-N19

			Frequency	% of total	% of valid
--	--	--	-----------	------------	------------



Valid	0	Absent	521	96.48%	96.66%
	1	Present	18	3.33%	3.34%
		Total	539	99.81%	100%
Missing	92	Missing in source	1	0.19%	
		Total	1	0.19%	

Valid	Invalid	Minimum	Maximum
539	1	0	1

#### NDI03619 - R00-R07/R10-R49/R70-R98

Type	Code
Measurement Unit	numeric
NDI03619	R00-R07/R10-R49/R70-R98

			Frequency	% of total	% of valid
Valid	0	Absent	528	97.78%	97.96%
	1	Present	11	2.04%	2.04%
		Total	539	99.81%	100%
Missing	92	Missing in source	1	0.19%	
		Total	1	0.19%	

Valid	Invalid	Minimum	Maximum
539	1	0	1

#### NDI03719 - R09

Type	Code
Measurement Unit	numeric
NDI03719	R09

			Frequency	% of total	% of valid
Valid	0	Absent	527	97.59%	97.77%
	1	Present	12	2.22%	2.23%
		Total	539	99.81%	100%
Missing	92	Missing in source	1	0.19%	
		Total	1	0.19%	

Valid	Invalid	Minimum	Maximum
539	1	0	1

#### NDI03819 - R50-R69

Type	Code
Measurement Unit	numeric

NDI03819	R50-R69
----------	---------

			Frequency	% of total	% of valid
Valid	0	Absent	513	95%	95.18%
	1	Present	26	4.81%	4.82%
	Total		539	99.81%	100%
Missing	92	Missing in source	1	0.19%	
	Total		1	0.19%	


Valid	Invalid	Minimum	Maximum
539	1	0	1

 NDI03919 - R99

Type	Code
Measurement Unit	numeric
NDI03919	R99

			Frequency	% of total	% of valid
Valid	0	Absent	524	97.04%	97.22%
	1	Present	15	2.78%	2.78%
	Total		539	99.81%	100%
Missing	92	Missing in source	1	0.19%	
	Total		1	0.19%	

Valid	Invalid	Minimum	Maximum
539	1	0	1

 NDI04019 - S00-S08/S09.0-S09.2/S09.7/S09.8

Type	Code
Measurement Unit	numeric
NDI04019	S00-S08/S09.0-S09.2/S09.7/S09.8

			Frequency	% of total	% of valid
Valid	0	Absent	508	94.07%	94.25%
	1	Present	31	5.74%	5.75%
	Total		539	99.81%	100%
Missing	92	Missing in source	1	0.19%	
	Total		1	0.19%	

Valid	Invalid	Minimum	Maximum
539	1	0	1

NDI04119 - S01.0-S01.5/S01.7/S01.8

Type	Code
Measurement Unit	numeric
NDI04119	S01.0-S01.5/S01.7/S01.8

			Frequency	% of total	% of valid
Valid	0	Absent	528	97.78%	97.96%
	1	Present	11	2.04%	2.04%
		Total	539	99.81%	100%
Missing	92	Missing in source	1	0.19%	
		Total	1	0.19%	

Valid	Invalid	Minimum	Maximum
539	1	0	1

NDI04219 - S01.9

Type	Code
Measurement Unit	numeric
NDI04219	S01.9

			Frequency	% of total	% of valid
Valid	0	Absent	505	93.52%	93.69%
	1	Present	34	6.3%	6.31%
		Total	539	99.81%	100%
Missing	92	Missing in source	1	0.19%	
		Total	1	0.19%	


Valid	Invalid	Minimum	Maximum
539	1	0	1

NDI04319 - S09.9

Type	Code
Measurement Unit	numeric
NDI04319	S09.9

			Frequency	% of total	% of valid
Valid	0	Absent	502	92.96%	93.14%
	1	Present	37	6.85%	6.86%
		Total	539	99.81%	100%
Missing	92	Missing in source	1	0.19%	
		Total	1	0.19%	

Valid	Invalid	Minimum	Maximum
539	1	0	1

 NDI04419 - S10-S19

Type	Code
Measurement Unit	numeric
NDI04419	S10-S19

			Frequency	% of total	% of valid
Valid	0	Absent	525	97.22%	97.4%
	1	Present	14	2.59%	2.6%
	Total		539	99.81%	100%
Missing	92	Missing in source	1	0.19%	
		Total	1	0.19%	


Valid	Invalid	Minimum	Maximum
539	1	0	1

 NDI04519 - S20/S22-S28/S29.0/S29.7/S29.8

Type	Code
Measurement Unit	numeric
NDI04519	S20/S22-S28/S29.0/S29.7/S29.8

			Frequency	% of total	% of valid
Valid	0	Absent	529	97.96%	98.14%
	1	Present	10	1.85%	1.86%
	Total		539	99.81%	100%
Missing	92	Missing in source	1	0.19%	
		Total	1	0.19%	

Valid	Invalid	Minimum	Maximum
539	1	0	1

 NDI04619 - S21

Type	Code
Measurement Unit	numeric
NDI04619	S21

			Frequency	% of total	% of valid
Valid	0	Absent	522	96.67%	96.85%
	1	Present	17	3.15%	3.15%
	Total		539	99.81%	100%

Missing	92	Missing in source	1	0.19%	
		Total	1	0.19%	

Valid	Invalid	Minimum	Maximum
539	1	0	1

#### NDI04719 - S29.9

Type	Code
Measurement Unit	numeric
NDI04719	S29.9

			Frequency	% of total	% of valid
Valid	0	Absent	528	97.78%	97.96%
	1	Present	11	2.04%	2.04%
		Total	539	99.81%	100%
Missing	92	Missing in source	1	0.19%	
		Total	1	0.19%	

Valid	Invalid	Minimum	Maximum
539	1	0	1

#### NDI04819 - S30-S35/S37-S39

Type	Code
Measurement Unit	numeric
NDI04819	S30-S35/S37-S39

			Frequency	% of total	% of valid
Valid	0	Absent	530	98.15%	98.33%
	1	Present	9	1.67%	1.67%
		Total	539	99.81%	100%
Missing	92	Missing in source	1	0.19%	
		Total	1	0.19%	

Valid	Invalid	Minimum	Maximum
539	1	0	1

#### NDI04919 - S36

Type	Code
Measurement Unit	numeric
NDI04919	S36

			Frequency	% of total	% of valid
--	--	--	-----------	------------	------------

Valid	0	Absent	528	97.78%	97.96%
	1	Present	11	2.04%	2.04%
		Total	539	99.81%	100%
Missing	92	Missing in source	1	0.19%	
		Total	1	0.19%	


Valid	Invalid	Minimum	Maximum
539	1	0	1

 NDI05019 - S40-S99/T08/T10-T13/T15-T35/T79-T98

Type	Code
Measurement Unit	numeric
NDI05019	S40-S99/T08/T10-T13/T15-T35/T79-T98

			Frequency	% of total	% of valid
Valid	0	Absent	520	96.3%	96.47%
	1	Present	19	3.52%	3.53%
		Total	539	99.81%	100%
Missing	92	Missing in source	1	0.19%	
		Total	1	0.19%	


Valid	Invalid	Minimum	Maximum
539	1	0	1

 NDI05119 - T07

Type	Code
Measurement Unit	numeric
NDI05119	T07

			Frequency	% of total	% of valid
Valid	0	Absent	504	93.33%	93.51%
	1	Present	35	6.48%	6.49%
		Total	539	99.81%	100%
Missing	92	Missing in source	1	0.19%	
		Total	1	0.19%	

Valid	Invalid	Minimum	Maximum
539	1	0	1

 NDI05219 - T09

Type	Code
Measurement Unit	numeric

NDI05219	T09
----------	-----

			Frequency	% of total	% of valid
Valid	0	Absent	528	97.78%	97.96%
	1	Present	11	2.04%	2.04%
		Total	539	99.81%	100%
Missing	92	Missing in source	1	0.19%	
		Total	1	0.19%	

Valid	Invalid	Minimum	Maximum
539	1	0	1

 NDI05319 - T14

Type	Code
Measurement Unit	numeric
NDI05319	T14

			Frequency	% of total	% of valid
Valid	0	Absent	481	89.07%	89.24%
	1	Present	58	10.74%	10.76%
		Total	539	99.81%	100%
Missing	92	Missing in source	1	0.19%	
		Total	1	0.19%	

Valid	Invalid	Minimum	Maximum
539	1	0	1

 NDI05419 - T36-T39/T41-T49/T50.0-T50.8

Type	Code
Measurement Unit	numeric
NDI05419	T36-T39/T41-T49/T50.0-T50.8

			Frequency	% of total	% of valid
Valid	0	Absent	509	94.26%	94.43%
	1	Present	30	5.56%	5.57%
		Total	539	99.81%	100%
Missing	92	Missing in source	1	0.19%	
		Total	1	0.19%	


Valid	Invalid	Minimum	Maximum
539	1	0	1

 NDI05519 - T40.1

Type	Code
Measurement Unit	numeric
NDI05519	T40.1

			Frequency	% of total	% of valid
Valid	0	Absent	526	97.41%	97.59%
	1	Present	13	2.41%	2.41%
		Total	539	99.81%	100%
Missing	92	Missing in source	1	0.19%	
		Total	1	0.19%	


Valid	Invalid	Minimum	Maximum
539	1	0	1

 NDI05619 - T40.2

Type	Code
Measurement Unit	numeric
NDI05619	T40.2

			Frequency	% of total	% of valid
Valid	0	Absent	520	96.3%	96.47%
	1	Present	19	3.52%	3.53%
		Total	539	99.81%	100%
Missing	92	Missing in source	1	0.19%	
		Total	1	0.19%	

Valid	Invalid	Minimum	Maximum
539	1	0	1

 NDI05719 - T40.3/T40.6-T40.9

Type	Code
Measurement Unit	numeric
NDI05719	T40.3/T40.6-T40.9

			Frequency	% of total	% of valid
Valid	0	Absent	526	97.41%	97.59%
	1	Present	13	2.41%	2.41%
		Total	539	99.81%	100%
Missing	92	Missing in source	1	0.19%	
		Total	1	0.19%	



Valid	Invalid	Minimum	Maximum
539	1	0	1

 NDI05819 - T40.4

Type	Code
Measurement Unit	numeric
NDI05819	T40.4

			Frequency	% of total	% of valid
Valid	0	Absent	523	96.85%	97.03%
	1	Present	16	2.96%	2.97%
	Total		539	99.81%	100%
Missing	92	Missing in source	1	0.19%	
		Total	1	0.19%	


Valid	Invalid	Minimum	Maximum
539	1	0	1

 NDI05919 - T40.5

Type	Code
Measurement Unit	numeric
NDI05919	T40.5

			Frequency	% of total	% of valid
Valid	0	Absent	523	96.85%	97.03%
	1	Present	16	2.96%	2.97%
	Total		539	99.81%	100%
Missing	92	Missing in source	1	0.19%	
		Total	1	0.19%	

Valid	Invalid	Minimum	Maximum
539	1	0	1


 NDI06019 - T50.9

Type	Code
Measurement Unit	numeric
NDI06019	T50.9

			Frequency	% of total	% of valid
Valid	0	Absent	499	92.41%	92.58%
	1	Present	40	7.41%	7.42%
	Total		539	99.81%	100%

Missing	92	Missing in source	1	0.19%	
		Total	1	0.19%	


Valid	Invalid	Minimum	Maximum
539	1	0	1

 NDI06119 - T51-T65

Type	Code
Measurement Unit	numeric
NDI06119	T51-T65

			Frequency	% of total	% of valid
Valid	0	Absent	518	95.93%	96.1%
	1	Present	21	3.89%	3.9%
		Total	539	99.81%	100%
Missing	92	Missing in source	1	0.19%	
		Total	1	0.19%	

Valid	Invalid	Minimum	Maximum
539	1	0	1

 NDI06219 - T66-T70/T73-T78

Type	Code
Measurement Unit	numeric
NDI06219	T66-T70/T73-T78

			Frequency	% of total	% of valid
Valid	0	Absent	527	97.59%	97.77%
	1	Present	12	2.22%	2.23%
		Total	539	99.81%	100%
Missing	92	Missing in source	1	0.19%	
		Total	1	0.19%	

Valid	Invalid	Minimum	Maximum
539	1	0	1

 NDI06319 - T71

Type	Code
Measurement Unit	numeric
NDI06319	T71

			Frequency	% of total	% of valid
--	--	--	-----------	------------	------------

Valid	0	Absent	513	95%	95.18%
	1	Present	26	4.81%	4.82%
		Total	539	99.81%	100%
Missing	92	Missing in source	1	0.19%	
		Total	1	0.19%	

Valid	Invalid	Minimum	Maximum
539	1	0	1

#### NDI06419 - V01-V09

Type	Code
Measurement Unit	numeric
NDI06419	V01-V09

			Frequency	% of total	% of valid
Valid	0	Absent	528	97.78%	97.96%
	1	Present	11	2.04%	2.04%
		Total	539	99.81%	100%
Missing	92	Missing in source	1	0.19%	
		Total	1	0.19%	

Valid	Invalid	Minimum	Maximum
539	1	0	1

#### NDI06519 - V10-V39/V50-V79/V90-V99

Type	Code
Measurement Unit	numeric
NDI06519	V10-V39/V50-V79/V90-V99

			Frequency	% of total	% of valid
Valid	0	Absent	524	97.04%	97.22%
	1	Present	15	2.78%	2.78%
		Total	539	99.81%	100%
Missing	92	Missing in source	1	0.19%	
		Total	1	0.19%	

Valid	Invalid	Minimum	Maximum
539	1	0	1


#### NDI06619 - V40-V48

Type	Code
Measurement Unit	numeric

NDI06619	V40-V48
----------	---------

			Frequency	% of total	% of valid
Valid	0	Absent	521	96.48%	96.66%
	1	Present	18	3.33%	3.34%
	Total		539	99.81%	100%
Missing	92	Missing in source	1	0.19%	
	Total		1	0.19%	


Valid	Invalid	Minimum	Maximum
539	1	0	1

 NDI06719 - V49

Type	Code
Measurement Unit	numeric
NDI06719	V49

			Frequency	% of total	% of valid
Valid	0	Absent	523	96.85%	97.03%
	1	Present	16	2.96%	2.97%
	Total		539	99.81%	100%
Missing	92	Missing in source	1	0.19%	
	Total		1	0.19%	

Valid	Invalid	Minimum	Maximum
539	1	0	1

 NDI06819 - V87

Type	Code
Measurement Unit	numeric
NDI06819	V87

			Frequency	% of total	% of valid
Valid	0	Absent	527	97.59%	97.77%
	1	Present	12	2.22%	2.23%
	Total		539	99.81%	100%
Missing	92	Missing in source	1	0.19%	
	Total		1	0.19%	

Valid	Invalid	Minimum	Maximum
539	1	0	1

 NDI06919 - V89.2

Type	Code
Measurement Unit	numeric
NDI06919	V89.2

			Frequency	% of total	% of valid
Valid	0	Absent	514	95.19%	95.36%
	1	Present	25	4.63%	4.64%
		Total	539	99.81%	100%
Missing	92	Missing in source	1	0.19%	
		Total	1	0.19%	

Valid	Invalid	Minimum	Maximum
539	1	0	1

 NDI07019 - W00-X39/X50-X59

Type	Code
Measurement Unit	numeric
NDI07019	W00-X39/X50-X59

			Frequency	% of total	% of valid
Valid	0	Absent	517	95.74%	95.92%
	1	Present	22	4.07%	4.08%
		Total	539	99.81%	100%
Missing	92	Missing in source	1	0.19%	
		Total	1	0.19%	


Valid	Invalid	Minimum	Maximum
539	1	0	1

 NDI07119 - X40-X41/X43/X46-X49

Type	Code
Measurement Unit	numeric
NDI07119	X40-X41/X43/X46-X49

			Frequency	% of total	% of valid
Valid	0	Absent	529	97.96%	98.14%
	1	Present	10	1.85%	1.86%
		Total	539	99.81%	100%
Missing	92	Missing in source	1	0.19%	
		Total	1	0.19%	

Valid	Invalid	Minimum	Maximum
539	1	0	1

 NDI07219 - X42

Type	Code
Measurement Unit	numeric
NDI07219	X42

			Frequency	% of total	% of valid
Valid	0	Absent	505	93.52%	93.69%
	1	Present	34	6.3%	6.31%
	Total		539	99.81%	100%
Missing	92	Missing in source	1	0.19%	
		Total	1	0.19%	


Valid	Invalid	Minimum	Maximum
539	1	0	1

 NDI07319 - X44

Type	Code
Measurement Unit	numeric
NDI07319	X44

			Frequency	% of total	% of valid
Valid	0	Absent	501	92.78%	92.95%
	1	Present	38	7.04%	7.05%
	Total		539	99.81%	100%
Missing	92	Missing in source	1	0.19%	
		Total	1	0.19%	

Valid	Invalid	Minimum	Maximum
539	1	0	1


 NDI07419 - X45

Type	Code
Measurement Unit	numeric
NDI07419	X45

			Frequency	% of total	% of valid
Valid	0	Absent	525	97.22%	97.4%
	1	Present	14	2.59%	2.6%
	Total		539	99.81%	100%

Missing	92	Missing in source	1	0.19%	
		Total	1	0.19%	


Valid	Invalid	Minimum	Maximum
539	1	0	1

 NDI07519 - X60-X69/X71-X73/X75-X84

Type	Code
Measurement Unit	numeric
NDI07519	X60-X69/X71-X73/X75-X84

			Frequency	% of total	% of valid
Valid	0	Absent	516	95.56%	95.73%
	1	Present	23	4.26%	4.27%
		Total	539	99.81%	100%
Missing	92	Missing in source	1	0.19%	
		Total	1	0.19%	

Valid	Invalid	Minimum	Maximum
539	1	0	1

 NDI07619 - X70

Type	Code
Measurement Unit	numeric
NDI07619	X70

			Frequency	% of total	% of valid
Valid	0	Absent	521	96.48%	96.66%
	1	Present	18	3.33%	3.34%
		Total	539	99.81%	100%
Missing	92	Missing in source	1	0.19%	
		Total	1	0.19%	

Valid	Invalid	Minimum	Maximum
539	1	0	1


 NDI07719 - X74

Type	Code
Measurement Unit	numeric
NDI07719	X74

			Frequency	% of total	% of valid
--	--	--	-----------	------------	------------

Valid	0	Absent	521	96.48%	96.66%
	1	Present	18	3.33%	3.34%
		Total	539	99.81%	100%
Missing	92	Missing in source	1	0.19%	
		Total	1	0.19%	

Valid	Invalid	Minimum	Maximum
539	1	0	1

 NDI07819 - X85-X94/X96-Y09

Type	Code
Measurement Unit	numeric
NDI07819	X85-X94/X96-Y09

			Frequency	% of total	% of valid
Valid	0	Absent	529	97.96%	98.14%
	1	Present	10	1.85%	1.86%
		Total	539	99.81%	100%
Missing	92	Missing in source	1	0.19%	
		Total	1	0.19%	

Valid	Invalid	Minimum	Maximum
539	1	0	1

 NDI07919 - X95

Type	Code
Measurement Unit	numeric
NDI07919	X95

			Frequency	% of total	% of valid
Valid	0	Absent	510	94.44%	94.62%
	1	Present	29	5.37%	5.38%
		Total	539	99.81%	100%
Missing	92	Missing in source	1	0.19%	
		Total	1	0.19%	

Valid	Invalid	Minimum	Maximum
539	1	0	1

 NDI08019 - Y10-Y98

Type	Code
Measurement Unit	numeric



NDI08019	Y10-Y98
----------	---------

			Frequency	% of total	% of valid
Valid	0	Absent	517	95.74%	95.92%
	1	Present	22	4.07%	4.08%
		Total	539	99.81%	100%
Missing	92	Missing in source	1	0.19%	
			Total	1	0.19%

Valid	Invalid	Minimum	Maximum
539	1	0	1

 NDI08119 - 996: SUPPRESSED

Type	Code
Measurement Unit	numeric
NDI08119	996: SUPPRESSED

			Frequency	% of total	% of valid
Valid	0	Absent	482	89.26%	89.42%
	1	Present	57	10.56%	10.58%
		Total	539	99.81%	100%
Missing	92	Missing in source	1	0.19%	
			Total	1	0.19%

Valid	Invalid	Minimum	Maximum
539	1	0	1