

## All Coded Causes of Death File, Including Entity-Axis Codes, 2019

Title	All Coded Causes of Death File, Including Entity-Axis Codes, 2019
File Name	ndi19p1.sas7bdat
Case Quantity	540
Variable Count	87

### NDIVS19 - SAMPLE MEMBERS VITAL STATUS, 2019

Type	Code
Measurement Unit	numeric
NDIVS19	Sample members vital status, 2019

			Frequency	% of total	% of valid
Valid	0	Alive	0	0%	0%
	1	Deceased	540	100%	100%
		Total	540	100%	100%

Valid	Invalid	Minimum	Maximum
540	0	1	1

### NDI00119 - A00-A28/A50-B19/B25-B99

Type	Code
Measurement Unit	numeric
NDI00119	A00-A28/A50-B19/B25-B99

			Frequency	% of total	% of valid
Valid	0	Absent	526	97.41%	97.59%
	1	Present	13	2.41%	2.41%
		Total	539	99.81%	100%
Missing	92	Missing in source	1	0.19%	
		Total	1	0.19%	

Valid	Invalid	Minimum	Maximum
539	1	0	1

### NDI00219 - A30-A49

Type	Code
Measurement Unit	numeric
NDI00219	A30-A49

			Frequency	% of total	% of valid
Valid	0	Absent	512	94.81%	94.99%
	1	Present	27	5%	5.01%
	Total		539	99.81%	100%
Missing	92	Missing in source	1	0.19%	
	Total		1	0.19%	

Valid	Invalid	Minimum	Maximum
539	1	0	1

 NDI00319 - B20-B23

Type	Code
Measurement Unit	numeric
NDI00319	B20-B23

			Frequency	% of total	% of valid
Valid	0	Absent	530	98.15%	98.33%
	1	Present	9	1.67%	1.67%
	Total		539	99.81%	100%
Missing	92	Missing in source	1	0.19%	
	Total		1	0.19%	


Valid	Invalid	Minimum	Maximum
539	1	0	1

 NDI00419 - B24

Type	Code
Measurement Unit	numeric
NDI00419	B24

			Frequency	% of total	% of valid
Valid	0	Absent	526	97.41%	97.59%
	1	Present	13	2.41%	2.41%
	Total		539	99.81%	100%
Missing	92	Missing in source	1	0.19%	
	Total		1	0.19%	

Valid	Invalid	Minimum	Maximum
539	1	0	1

 NDI00519 - C00-C14/C30-C75

Type	Code
Measurement Unit	numeric
NDI00519	C00-C14/C30-C75

			Frequency	% of total	% of valid
Valid	0	Absent	515	95.37%	95.55%
	1	Present	24	4.44%	4.45%
	Total		539	99.81%	100%
Missing	92	Missing in source	1	0.19%	
		Total	1	0.19%	

Valid	Invalid	Minimum	Maximum
539	1	0	1

 NDI00619 - C15-C26

Type	Code
Measurement Unit	numeric
NDI00619	C15-C26

			Frequency	% of total	% of valid
Valid	0	Absent	527	97.59%	97.77%
	1	Present	12	2.22%	2.23%
	Total		539	99.81%	100%
Missing	92	Missing in source	1	0.19%	
		Total	1	0.19%	

Valid	Invalid	Minimum	Maximum
539	1	0	1

 NDI00719 - C76-C80

Type	Code
Measurement Unit	numeric
NDI00719	C76-C80

			Frequency	% of total	% of valid
--	--	--	-----------	------------	------------

Valid	0	Absent	531	98.33%	98.52%
	1	Present	8	1.48%	1.48%
		Total	539	99.81%	100%
Missing	92	Missing in source	1	0.19%	
		Total	1	0.19%	

Valid	Invalid	Minimum	Maximum
539	1	0	1

 NDI00819 - C81-C96

Type	Code
Measurement Unit	numeric
NDI00819	C81-C96

			Frequency	% of total	% of valid
Valid	0	Absent	526	97.41%	97.59%
	1	Present	13	2.41%	2.41%
		Total	539	99.81%	100%
Missing	92	Missing in source	1	0.19%	
		Total	1	0.19%	

Valid	Invalid	Minimum	Maximum
539	1	0	1

 NDI00919 - D50-D89

Type	Code
Measurement Unit	numeric
NDI00919	D50-D89

			Frequency	% of total	% of valid
Valid	0	Absent	526	97.41%	97.59%
	1	Present	13	2.41%	2.41%
		Total	539	99.81%	100%
Missing	92	Missing in source	1	0.19%	
		Total	1	0.19%	

Valid	Invalid	Minimum	Maximum
539	1	0	1

 NDI01019 - E00-E07/E15-E65/E67-E90

Type	Code
Measurement Unit	numeric
NDI01019	E00-E07/E15-E65/E67-E90

			Frequency	% of total	% of valid
Valid	0	Absent	528	97.78%	97.96%
	1	Present	11	2.04%	2.04%
		Total	539	99.81%	100%
Missing	92	Missing in source	1	0.19%	
			Total	1	0.19%

Valid	Invalid	Minimum	Maximum
539	1	0	1

 NDI01119 - E10-E14

Type	Code
Measurement Unit	numeric
NDI01119	E10-E14

			Frequency	% of total	% of valid
Valid	0	Absent	520	96.3%	96.47%
	1	Present	19	3.52%	3.53%
		Total	539	99.81%	100%
Missing	92	Missing in source	1	0.19%	
			Total	1	0.19%

Valid	Invalid	Minimum	Maximum
539	1	0	1

 NDI01219 - E66

Type	Code
Measurement Unit	numeric
NDI01219	E66

			Frequency	% of total	% of valid
Valid	0	Absent	515	95.37%	95.55%
	1	Present	24	4.44%	4.45%

		Total	539	99.81%	100%
Missing	92	Missing in source	1	0.19%	
		Total	1	0.19%	

Valid	Invalid	Minimum	Maximum
539	1	0	1

 NDI01319 - F00-F09/F20-F99

Type	Code
Measurement Unit	numeric
NDI01319	F00-F09/F20-F99

			Frequency	% of total	% of valid
Valid	0	Absent	529	97.96%	98.14%
	1	Present	10	1.85%	1.86%
		Total	539	99.81%	100%
Missing	92	Missing in source	1	0.19%	
		Total	1	0.19%	

Valid	Invalid	Minimum	Maximum
539	1	0	1

 NDI01419 - F10

Type	Code
Measurement Unit	numeric
NDI01419	F10

			Frequency	% of total	% of valid
Valid	0	Absent	525	97.22%	97.4%
	1	Present	14	2.59%	2.6%
		Total	539	99.81%	100%
Missing	92	Missing in source	1	0.19%	
		Total	1	0.19%	

Valid	Invalid	Minimum	Maximum
539	1	0	1

 NDI01519 - F11-F17/F18-F19

Type	Code
------	------

Measurement Unit	numeric
NDI01519	F11-F17/F18-F19

			Frequency	% of total	% of valid
Valid	0	Absent	505	93.52%	93.69%
	1	Present	34	6.3%	6.31%
		Total	539	99.81%	100%
Missing	92	Missing in source	1	0.19%	
	Total		1	0.19%	

Valid	Invalid	Minimum	Maximum
539	1	0	1

 NDI01619 - F17.9

Type	Code
Measurement Unit	numeric
NDI01619	F17.9

			Frequency	% of total	% of valid
Valid	0	Absent	527	97.59%	97.77%
	1	Present	12	2.22%	2.23%
		Total	539	99.81%	100%
Missing	92	Missing in source	1	0.19%	
	Total		1	0.19%	


Valid	Invalid	Minimum	Maximum
539	1	0	1

 NDI01719 - G00-G92/G94-G99

Type	Code
Measurement Unit	numeric
NDI01719	G00-G92/G94-G99

			Frequency	% of total	% of valid
Valid	0	Absent	524	97.04%	97.22%
	1	Present	15	2.78%	2.78%
		Total	539	99.81%	100%
Missing	92	Missing in source	1	0.19%	
	Total		1	0.19%	


Valid	Invalid	Minimum	Maximum
539	1	0	1

 NDI01819 - G93

Type	Code
Measurement Unit	numeric
NDI01819	G93

			Frequency	% of total	% of valid
Valid	0	Absent	525	97.22%	97.4%
	1	Present	14	2.59%	2.6%
		Total	539	99.81%	100%
Missing	92	Missing in source	1	0.19%	
		Total	1	0.19%	

Valid	Invalid	Minimum	Maximum
539	1	0	1

 NDI01919 - I00-I09/I20/I22-I24/I25.2-I25.6/I25.8/I25.9/I26-I28/I70-I99

Type	Code
Measurement Unit	numeric
NDI01919	I00-I09/I20/I22-I24/I25.2-I25.6/I25.8/I25.9/I26-I28/I70-I99

			Frequency	% of total	% of valid
Valid	0	Absent	522	96.67%	96.85%
	1	Present	17	3.15%	3.15%
		Total	539	99.81%	100%
Missing	92	Missing in source	1	0.19%	
		Total	1	0.19%	

Valid	Invalid	Minimum	Maximum
539	1	0	1

 NDI02019 - I10


Type	Code
Measurement Unit	numeric
NDI02019	I10

			Frequency	% of total	% of valid
--	--	--	-----------	------------	------------



Valid	0	Absent	522	96.67%	96.85%
	1	Present	17	3.15%	3.15%
		Total	539	99.81%	100%
Missing	92	Missing in source	1	0.19%	
		Total	1	0.19%	

Valid	Invalid	Minimum	Maximum
539	1	0	1

 NDI02119 - I11-I15

Type	Code
Measurement Unit	numeric
NDI02119	I11-I15

			Frequency	% of total	% of valid
Valid	0	Absent	528	97.78%	97.96%
	1	Present	11	2.04%	2.04%
		Total	539	99.81%	100%
Missing	92	Missing in source	1	0.19%	
		Total	1	0.19%	

Valid	Invalid	Minimum	Maximum
539	1	0	1

 NDI02219 - I21

Type	Code
Measurement Unit	numeric
NDI02219	I21

			Frequency	% of total	% of valid
Valid	0	Absent	529	97.96%	98.14%
	1	Present	10	1.85%	1.86%
		Total	539	99.81%	100%
Missing	92	Missing in source	1	0.19%	
		Total	1	0.19%	


Valid	Invalid	Minimum	Maximum
539	1	0	1

 NDI02319 - I25.0

Type	Code
Measurement Unit	numeric
NDI02319	I25.0

			Frequency	% of total	% of valid
Valid	0	Absent	529	97.96%	98.14%
	1	Present	10	1.85%	1.86%
		Total	539	99.81%	100%
Missing	92	Missing in source	1	0.19%	
	Total		1	0.19%	


Valid	Invalid	Minimum	Maximum
539	1	0	1

 NDI02419 - I25.1

Type	Code
Measurement Unit	numeric
NDI02419	I25.1

			Frequency	% of total	% of valid
Valid	0	Absent	529	97.96%	98.14%
	1	Present	10	1.85%	1.86%
		Total	539	99.81%	100%
Missing	92	Missing in source	1	0.19%	
	Total		1	0.19%	

Valid	Invalid	Minimum	Maximum
539	1	0	1


 NDI02519 - I30-I41/I43-I45/I46.0/I46.1/I47-I49/I52

Type	Code
Measurement Unit	numeric
NDI02519	I30-I41/I43-I45/I46.0/I46.1/I47-I49/I52

			Frequency	% of total	% of valid
Valid	0	Absent	521	96.48%	96.66%
	1	Present	18	3.33%	3.34%

		Total	539	99.81%	100%
Missing	92	Missing in source	1	0.19%	
		Total	1	0.19%	

Valid	Invalid	Minimum	Maximum
539	1	0	1

 NDI02619 - I42

Type	Code
Measurement Unit	numeric
NDI02619	I42

			Frequency	% of total	% of valid
Valid	0	Absent	523	96.85%	97.03%
	1	Present	16	2.96%	2.97%
		Total	539	99.81%	100%
Missing	92	Missing in source	1	0.19%	
		Total	1	0.19%	

Valid	Invalid	Minimum	Maximum
539	1	0	1

 NDI02719 - I46.9

Type	Code
Measurement Unit	numeric
NDI02719	I46.9

			Frequency	% of total	% of valid
Valid	0	Absent	490	90.74%	90.91%
	1	Present	49	9.07%	9.09%
		Total	539	99.81%	100%
Missing	92	Missing in source	1	0.19%	
		Total	1	0.19%	

Valid	Invalid	Minimum	Maximum
539	1	0	1

 NDI02819 - I50

Type	Code
------	------

Measurement Unit	numeric
NDI02819	I50

			Frequency	% of total	% of valid
Valid	0	Absent	525	97.22%	97.4%
	1	Present	14	2.59%	2.6%
		Total	539	99.81%	100%
Missing	92	Missing in source	1	0.19%	
	Total		1	0.19%	

Valid	Invalid	Minimum	Maximum
539	1	0	1

 NDI02919 - I51

Type	Code
Measurement Unit	numeric
NDI02919	I51

			Frequency	% of total	% of valid
Valid	0	Absent	528	97.78%	97.96%
	1	Present	11	2.04%	2.04%
		Total	539	99.81%	100%
Missing	92	Missing in source	1	0.19%	
	Total		1	0.19%	


Valid	Invalid	Minimum	Maximum
539	1	0	1

 NDI03019 - I60-I69

Type	Code
Measurement Unit	numeric
NDI03019	I60-I69

			Frequency	% of total	% of valid
Valid	0	Absent	524	97.04%	97.22%
	1	Present	15	2.78%	2.78%
		Total	539	99.81%	100%
Missing	92	Missing in source	1	0.19%	
	Total		1	0.19%	

Valid	Invalid	Minimum	Maximum
539	1	0	1

 NDI03119 - J00-J06/J20-J94

Type	Code
Measurement Unit	numeric
NDI03119	J00-J06/J20-J94

			Frequency	% of total	% of valid
Valid	0	Absent	522	96.67%	96.85%
	1	Present	17	3.15%	3.15%
Total			539	99.81%	100%
Missing	92	Missing in source	1	0.19%	
	Total		1	0.19%	

Valid	Invalid	Minimum	Maximum
539	1	0	1

 NDI03219 - J09-J18

Type	Code
Measurement Unit	numeric
NDI03219	J09-J18

			Frequency	% of total	% of valid
Valid	0	Absent	520	96.3%	96.47%
	1	Present	19	3.52%	3.53%
Total			539	99.81%	100%
Missing	92	Missing in source	1	0.19%	
	Total		1	0.19%	

Valid	Invalid	Minimum	Maximum
539	1	0	1

 NDI03319 - J95-J99

Type	Code
Measurement Unit	numeric
NDI03319	J95-J99

			Frequency	% of total	% of valid
--	--	--	-----------	------------	------------

Valid	0	Absent	519	96.11%	96.29%
	1	Present	20	3.7%	3.71%
		Total	539	99.81%	100%
Missing	92	Missing in source	1	0.19%	
		Total	1	0.19%	

Valid	Invalid	Minimum	Maximum
539	1	0	1

 NDI03419 - K00-K67/K80-K93

Type	Code
Measurement Unit	numeric
NDI03419	K00-K67/K80-K93

			Frequency	% of total	% of valid
Valid	0	Absent	527	97.59%	97.77%
	1	Present	12	2.22%	2.23%
		Total	539	99.81%	100%
Missing	92	Missing in source	1	0.19%	
		Total	1	0.19%	

Valid	Invalid	Minimum	Maximum
539	1	0	1

 NDI03519 - K70-K77

Type	Code
Measurement Unit	numeric
NDI03519	K70-K77

			Frequency	% of total	% of valid
Valid	0	Absent	524	97.04%	97.22%
	1	Present	15	2.78%	2.78%
		Total	539	99.81%	100%
Missing	92	Missing in source	1	0.19%	
		Total	1	0.19%	

Valid	Invalid	Minimum	Maximum
539	1	0	1

 NDI03619 - M30-M36

Type	Code
Measurement Unit	numeric
NDI03619	M30-M36

			Frequency	% of total	% of valid
Valid	0	Absent	530	98.15%	98.33%
	1	Present	9	1.67%	1.67%
		Total	539	99.81%	100%
Missing	92	Missing in source	1	0.19%	
			Total	1	0.19%

Valid	Invalid	Minimum	Maximum
539	1	0	1

 NDI03719 - N17/N19

Type	Code
Measurement Unit	numeric
NDI03719	N17/N19

			Frequency	% of total	% of valid
Valid	0	Absent	527	97.59%	97.77%
	1	Present	12	2.22%	2.23%
		Total	539	99.81%	100%
Missing	92	Missing in source	1	0.19%	
			Total	1	0.19%

Valid	Invalid	Minimum	Maximum
539	1	0	1


 NDI03819 - N18

Type	Code
Measurement Unit	numeric
NDI03819	N18

			Frequency	% of total	% of valid
Valid	0	Absent	528	97.78%	97.96%
	1	Present	11	2.04%	2.04%

		Total	539	99.81%	100%
Missing	92	Missing in source	1	0.19%	
		Total	1	0.19%	

Valid	Invalid	Minimum	Maximum
539	1	0	1

 NDI03919 - R00-R07/R10-R49/R70-R98

Type	Code
Measurement Unit	numeric
NDI03919	R00-R07/R10-R49/R70-R98

			Frequency	% of total	% of valid
Valid	0	Absent	528	97.78%	97.96%
	1	Present	11	2.04%	2.04%
		Total	539	99.81%	100%
Missing	92	Missing in source	1	0.19%	
		Total	1	0.19%	

Valid	Invalid	Minimum	Maximum
539	1	0	1

 NDI04019 - R09

Type	Code
Measurement Unit	numeric
NDI04019	R09

			Frequency	% of total	% of valid
Valid	0	Absent	527	97.59%	97.77%
	1	Present	12	2.22%	2.23%
		Total	539	99.81%	100%
Missing	92	Missing in source	1	0.19%	
		Total	1	0.19%	

Valid	Invalid	Minimum	Maximum
539	1	0	1

 NDI04119 - R50-R69


Type	Code
------	------



Measurement Unit	numeric
NDI04119	R50-R69

			Frequency	% of total	% of valid
Valid	0	Absent	513	95%	95.18%
	1	Present	26	4.81%	4.82%
		Total	539	99.81%	100%
Missing	92	Missing in source	1	0.19%	
	Total		1	0.19%	

Valid	Invalid	Minimum	Maximum
539	1	0	1

 NDI04219 - R99

Type	Code
Measurement Unit	numeric
NDI04219	R99

			Frequency	% of total	% of valid
Valid	0	Absent	528	97.78%	97.96%
	1	Present	11	2.04%	2.04%
		Total	539	99.81%	100%
Missing	92	Missing in source	1	0.19%	
	Total		1	0.19%	


Valid	Invalid	Minimum	Maximum
539	1	0	1

 NDI04319 - S00-S08/S09.0-S09.2/S09.7/S09.8

Type	Code
Measurement Unit	numeric
NDI04319	S00-S08/S09.0-S09.2/S09.7/S09.8

			Frequency	% of total	% of valid
Valid	0	Absent	508	94.07%	94.25%
	1	Present	31	5.74%	5.75%
		Total	539	99.81%	100%
Missing	92	Missing in source	1	0.19%	
	Total		1	0.19%	

Valid	Invalid	Minimum	Maximum
539	1	0	1

 NDI04419 - S01.0-S01.5/S01.7/S01.8

Type	Code
Measurement Unit	numeric
NDI04419	S01.0-S01.5/S01.7/S01.8

			Frequency	% of total	% of valid
Valid	0	Absent	528	97.78%	97.96%
	1	Present	11	2.04%	2.04%
	Total		539	99.81%	100%
Missing	92	Missing in source	1	0.19%	
		Total	1	0.19%	

Valid	Invalid	Minimum	Maximum
539	1	0	1

 NDI04519 - S01.9

Type	Code
Measurement Unit	numeric
NDI04519	S01.9

			Frequency	% of total	% of valid
Valid	0	Absent	505	93.52%	93.69%
	1	Present	34	6.3%	6.31%
	Total		539	99.81%	100%
Missing	92	Missing in source	1	0.19%	
		Total	1	0.19%	

Valid	Invalid	Minimum	Maximum
539	1	0	1

 NDI04619 - S09.9

Type	Code
Measurement Unit	numeric
NDI04619	S09.9

			Frequency	% of total	% of valid
--	--	--	-----------	------------	------------

Valid	0	Absent	502	92.96%	93.14%
	1	Present	37	6.85%	6.86%
		Total	539	99.81%	100%
Missing	92	Missing in source	1	0.19%	
		Total	1	0.19%	


Valid	Invalid	Minimum	Maximum
539	1	0	1

 NDI04719 - S10-S19

Type	Code
Measurement Unit	numeric
NDI04719	S10-S19

			Frequency	% of total	% of valid
Valid	0	Absent	525	97.22%	97.4%
	1	Present	14	2.59%	2.6%
		Total	539	99.81%	100%
Missing	92	Missing in source	1	0.19%	
		Total	1	0.19%	


Valid	Invalid	Minimum	Maximum
539	1	0	1

 NDI04819 - S20/S22-S28/S29.0/S29.7/S29.8

Type	Code
Measurement Unit	numeric
NDI04819	S20/S22-S28/S29.0/S29.7/S29.8

			Frequency	% of total	% of valid
Valid	0	Absent	529	97.96%	98.14%
	1	Present	10	1.85%	1.86%
		Total	539	99.81%	100%
Missing	92	Missing in source	1	0.19%	
		Total	1	0.19%	


Valid	Invalid	Minimum	Maximum
539	1	0	1

 NDI04919 - S21

Type	Code
Measurement Unit	numeric
NDI04919	S21

			Frequency	% of total	% of valid
Valid	0	Absent	522	96.67%	96.85%
	1	Present	17	3.15%	3.15%
		Total	539	99.81%	100%
Missing	92	Missing in source	1	0.19%	
			Total	1	0.19%

Valid	Invalid	Minimum	Maximum
539	1	0	1

 NDI05019 - S29.9

Type	Code
Measurement Unit	numeric
NDI05019	S29.9

			Frequency	% of total	% of valid
Valid	0	Absent	529	97.96%	98.14%
	1	Present	10	1.85%	1.86%
		Total	539	99.81%	100%
Missing	92	Missing in source	1	0.19%	
			Total	1	0.19%

Valid	Invalid	Minimum	Maximum
539	1	0	1

 NDI05119 - S30-S35/S37-S39

Type	Code
Measurement Unit	numeric
NDI05119	S30-S35/S37-S39

			Frequency	% of total	% of valid
Valid	0	Absent	530	98.15%	98.33%
	1	Present	9	1.67%	1.67%

		Total	539	99.81%	100%
Missing	92	Missing in source	1	0.19%	
		Total	1	0.19%	

Valid	Invalid	Minimum	Maximum
539	1	0	1

 NDI05219 - S36

Type	Code
Measurement Unit	numeric
NDI05219	S36

			Frequency	% of total	% of valid
Valid	0	Absent	528	97.78%	97.96%
	1	Present	11	2.04%	2.04%
		Total	539	99.81%	100%
Missing	92	Missing in source	1	0.19%	
		Total	1	0.19%	

Valid	Invalid	Minimum	Maximum
539	1	0	1

 NDI05319 - S40-S99/T08/T10-T13/T15-T35/T79/T90-T98

Type	Code
Measurement Unit	numeric
NDI05319	S40-S99/T08/T10-T13/T15-T35/T79/T90-T98

			Frequency	% of total	% of valid
Valid	0	Absent	527	97.59%	97.77%
	1	Present	12	2.22%	2.23%
		Total	539	99.81%	100%
Missing	92	Missing in source	1	0.19%	
		Total	1	0.19%	

Valid	Invalid	Minimum	Maximum
539	1	0	1

 NDI05419 - T07

Type	Code
------	------

Measurement Unit	numeric
NDI05419	T07

			Frequency	% of total	% of valid
Valid	0	Absent	504	93.33%	93.51%
	1	Present	35	6.48%	6.49%
		Total	539	99.81%	100%
Missing	92	Missing in source	1	0.19%	
	Total		1	0.19%	

Valid	Invalid	Minimum	Maximum
539	1	0	1

 NDI05519 - T09

Type	Code
Measurement Unit	numeric
NDI05519	T09

			Frequency	% of total	% of valid
Valid	0	Absent	528	97.78%	97.96%
	1	Present	11	2.04%	2.04%
		Total	539	99.81%	100%
Missing	92	Missing in source	1	0.19%	
	Total		1	0.19%	


Valid	Invalid	Minimum	Maximum
539	1	0	1

 NDI05619 - T14

Type	Code
Measurement Unit	numeric
NDI05619	T14

			Frequency	% of total	% of valid
Valid	0	Absent	481	89.07%	89.24%
	1	Present	58	10.74%	10.76%
		Total	539	99.81%	100%
Missing	92	Missing in source	1	0.19%	
	Total		1	0.19%	

Valid	Invalid	Minimum	Maximum
539	1	0	1

 NDI05719 - T36-T39/T41-T49/T50.0-T50.8

Type	Code
Measurement Unit	numeric
NDI05719	T36-T39/T41-T49/T50.0-T50.8

			Frequency	% of total	% of valid
Valid	0	Absent	507	93.89%	94.06%
	1	Present	32	5.93%	5.94%
	Total		539	99.81%	100%
Missing	92	Missing in source	1	0.19%	
		Total	1	0.19%	

Valid	Invalid	Minimum	Maximum
539	1	0	1

 NDI05819 - T40.1

Type	Code
Measurement Unit	numeric
NDI05819	T40.1

			Frequency	% of total	% of valid
Valid	0	Absent	526	97.41%	97.59%
	1	Present	13	2.41%	2.41%
	Total		539	99.81%	100%
Missing	92	Missing in source	1	0.19%	
		Total	1	0.19%	

Valid	Invalid	Minimum	Maximum
539	1	0	1


 NDI05919 - T40.2

Type	Code
Measurement Unit	numeric
NDI05919	T40.2

			Frequency	% of total	% of valid
--	--	--	-----------	------------	------------

Valid	0	Absent	518	95.93%	96.1%
	1	Present	21	3.89%	3.9%
		Total	539	99.81%	100%
Missing	92	Missing in source	1	0.19%	
		Total	1	0.19%	

Valid	Invalid	Minimum	Maximum
539	1	0	1

 NDI06019 - T40.3/T40.6-T40.9

Type	Code
Measurement Unit	numeric
NDI06019	T40.3/T40.6-T40.9

			Frequency	% of total	% of valid
Valid	0	Absent	526	97.41%	97.59%
	1	Present	13	2.41%	2.41%
		Total	539	99.81%	100%
Missing	92	Missing in source	1	0.19%	
		Total	1	0.19%	

Valid	Invalid	Minimum	Maximum
539	1	0	1

 NDI06119 - T40.4

Type	Code
Measurement Unit	numeric
NDI06119	T40.4

			Frequency	% of total	% of valid
Valid	0	Absent	523	96.85%	97.03%
	1	Present	16	2.96%	2.97%
		Total	539	99.81%	100%
Missing	92	Missing in source	1	0.19%	
		Total	1	0.19%	

Valid	Invalid	Minimum	Maximum
539	1	0	1



 NDI06219 - T40.5

Type	Code
Measurement Unit	numeric
NDI06219	T40.5

			Frequency	% of total	% of valid
Valid	0	Absent	523	96.85%	97.03%
	1	Present	16	2.96%	2.97%
		Total	539	99.81%	100%
Missing	92	Missing in source	1	0.19%	
	Total		1	0.19%	

Valid	Invalid	Minimum	Maximum
539	1	0	1

 NDI06319 - T50.9

Type	Code
Measurement Unit	numeric
NDI06319	T50.9

			Frequency	% of total	% of valid
Valid	0	Absent	497	92.04%	92.21%
	1	Present	42	7.78%	7.79%
		Total	539	99.81%	100%
Missing	92	Missing in source	1	0.19%	
	Total		1	0.19%	

Valid	Invalid	Minimum	Maximum
539	1	0	1


 NDI06419 - T51-T65

Type	Code
Measurement Unit	numeric
NDI06419	T51-T65

			Frequency	% of total	% of valid
Valid	0	Absent	517	95.74%	95.92%
	1	Present	22	4.07%	4.08%

		Total	539	99.81%	100%
Missing	92	Missing in source	1	0.19%	
		Total	1	0.19%	

Valid	Invalid	Minimum	Maximum
539	1	0	1

 NDI06519 - T66-T70/T73-T78

Type	Code
Measurement Unit	numeric
NDI06519	T66-T70/T73-T78

			Frequency	% of total	% of valid
Valid	0	Absent	527	97.59%	97.77%
	1	Present	12	2.22%	2.23%
		Total	539	99.81%	100%
Missing	92	Missing in source	1	0.19%	
		Total	1	0.19%	

Valid	Invalid	Minimum	Maximum
539	1	0	1

 NDI06619 - T71

Type	Code
Measurement Unit	numeric
NDI06619	T71

			Frequency	% of total	% of valid
Valid	0	Absent	513	95%	95.18%
	1	Present	26	4.81%	4.82%
		Total	539	99.81%	100%
Missing	92	Missing in source	1	0.19%	
		Total	1	0.19%	

Valid	Invalid	Minimum	Maximum
539	1	0	1

 NDI06719 - T80-T88

Type	Code
------	------

Measurement Unit	numeric
NDI06719	T80-T88

			Frequency	% of total	% of valid
Valid	0	Absent	530	98.15%	98.33%
	1	Present	9	1.67%	1.67%
		Total	539	99.81%	100%
Missing	92	Missing in source	1	0.19%	
	Total		1	0.19%	

Valid	Invalid	Minimum	Maximum
539	1	0	1

 NDI06819 - V01-V09

Type	Code
Measurement Unit	numeric
NDI06819	V01-V09

			Frequency	% of total	% of valid
Valid	0	Absent	528	97.78%	97.96%
	1	Present	11	2.04%	2.04%
		Total	539	99.81%	100%
Missing	92	Missing in source	1	0.19%	
	Total		1	0.19%	


Valid	Invalid	Minimum	Maximum
539	1	0	1

 NDI06919 - V10-V39/V50-V79/V90-V99

Type	Code
Measurement Unit	numeric
NDI06919	V10-V39/V50-V79/V90-V99

			Frequency	% of total	% of valid
Valid	0	Absent	524	97.04%	97.22%
	1	Present	15	2.78%	2.78%
		Total	539	99.81%	100%
Missing	92	Missing in source	1	0.19%	
	Total		1	0.19%	

Valid	Invalid	Minimum	Maximum
539	1	0	1

 NDI07019 - V40-V48

Type	Code
Measurement Unit	numeric
NDI07019	V40-V48

			Frequency	% of total	% of valid
Valid	0	Absent	521	96.48%	96.66%
	1	Present	18	3.33%	3.34%
		Total	539	99.81%	100%
Missing	92	Missing in source	1	0.19%	
		Total	1	0.19%	

Valid	Invalid	Minimum	Maximum
539	1	0	1

 NDI07119 - V49

Type	Code
Measurement Unit	numeric
NDI07119	V49

			Frequency	% of total	% of valid
Valid	0	Absent	524	97.04%	97.22%
	1	Present	15	2.78%	2.78%
		Total	539	99.81%	100%
Missing	92	Missing in source	1	0.19%	
		Total	1	0.19%	

Valid	Invalid	Minimum	Maximum
539	1	0	1

 NDI07219 - V87

Type	Code
Measurement Unit	numeric
NDI07219	V87

			Frequency	% of total	% of valid
--	--	--	-----------	------------	------------

Valid	0	Absent	527	97.59%	97.77%
	1	Present	12	2.22%	2.23%
		Total	539	99.81%	100%
Missing	92	Missing in source	1	0.19%	
		Total	1	0.19%	

Valid	Invalid	Minimum	Maximum
539	1	0	1

 NDI07319 - V89.2

Type	Code
Measurement Unit	numeric
NDI07319	V89.2

			Frequency	% of total	% of valid
Valid	0	Absent	514	95.19%	95.36%
	1	Present	25	4.63%	4.64%
		Total	539	99.81%	100%
Missing	92	Missing in source	1	0.19%	
		Total	1	0.19%	

Valid	Invalid	Minimum	Maximum
539	1	0	1

 NDI07419 - W00-X39/X50-X59

Type	Code
Measurement Unit	numeric
NDI07419	W00-X39/X50-X59

			Frequency	% of total	% of valid
Valid	0	Absent	517	95.74%	95.92%
	1	Present	22	4.07%	4.08%
		Total	539	99.81%	100%
Missing	92	Missing in source	1	0.19%	
		Total	1	0.19%	


Valid	Invalid	Minimum	Maximum
539	1	0	1

 NDI07519 - X40-X41/X43/X46-X49

Type	Code
Measurement Unit	numeric
NDI07519	X40-X41/X43/X46-X49

			Frequency	% of total	% of valid
Valid	0	Absent	529	97.96%	98.14%
	1	Present	10	1.85%	1.86%
Total			539	99.81%	100%
Missing	92	Missing in source	1	0.19%	
	Total		1	0.19%	

Valid	Invalid	Minimum	Maximum
539	1	0	1

 NDI07619 - X42

Type	Code
Measurement Unit	numeric
NDI07619	X42

			Frequency	% of total	% of valid
Valid	0	Absent	505	93.52%	93.69%
	1	Present	34	6.3%	6.31%
Total			539	99.81%	100%
Missing	92	Missing in source	1	0.19%	
	Total		1	0.19%	

Valid	Invalid	Minimum	Maximum
539	1	0	1


 NDI07719 - X44

Type	Code
Measurement Unit	numeric
NDI07719	X44

			Frequency	% of total	% of valid
Valid	0	Absent	501	92.78%	92.95%
	1	Present	38	7.04%	7.05%

		Total	539	99.81%	100%
Missing	92	Missing in source	1	0.19%	
		Total	1	0.19%	

Valid	Invalid	Minimum	Maximum
539	1	0	1

 NDI07819 - X45

Type	Code
Measurement Unit	numeric
NDI07819	X45

			Frequency	% of total	% of valid
Valid	0	Absent	525	97.22%	97.4%
	1	Present	14	2.59%	2.6%
		Total	539	99.81%	100%
Missing	92	Missing in source	1	0.19%	
		Total	1	0.19%	

Valid	Invalid	Minimum	Maximum
539	1	0	1

 NDI07919 - X60-X69/X71-X73/X75-X84

Type	Code
Measurement Unit	numeric
NDI07919	X60-X69/X71-X73/X75-X84

			Frequency	% of total	% of valid
Valid	0	Absent	516	95.56%	95.73%
	1	Present	23	4.26%	4.27%
		Total	539	99.81%	100%
Missing	92	Missing in source	1	0.19%	
		Total	1	0.19%	

Valid	Invalid	Minimum	Maximum
539	1	0	1

 NDI08019 - X70

Type	Code
------	------

Measurement Unit	numeric
NDI08019	X70

			Frequency	% of total	% of valid
Valid	0	Absent	521	96.48%	96.66%
	1	Present	18	3.33%	3.34%
		Total	539	99.81%	100%
Missing	92	Missing in source	1	0.19%	
	Total		1	0.19%	

Valid	Invalid	Minimum	Maximum
539	1	0	1

 NDI08119 - X74

Type	Code
Measurement Unit	numeric
NDI08119	X74

			Frequency	% of total	% of valid
Valid	0	Absent	521	96.48%	96.66%
	1	Present	18	3.33%	3.34%
		Total	539	99.81%	100%
Missing	92	Missing in source	1	0.19%	
	Total		1	0.19%	

Valid	Invalid	Minimum	Maximum
539	1	0	1


 NDI08219 - X85-X94/X96-Y09

Type	Code
Measurement Unit	numeric
NDI08219	X85-X94/X96-Y09

			Frequency	% of total	% of valid
Valid	0	Absent	529	97.96%	98.14%
	1	Present	10	1.85%	1.86%
		Total	539	99.81%	100%
Missing	92	Missing in source	1	0.19%	
	Total		1	0.19%	



Valid	Invalid	Minimum	Maximum
539	1	0	1

 NDI08319 - X95

Type	Code
Measurement Unit	numeric
NDI08319	X95

			Frequency	% of total	% of valid
Valid	0	Absent	510	94.44%	94.62%
	1	Present	29	5.37%	5.38%
	Total		539	99.81%	100%
Missing	92	Missing in source	1	0.19%	
		Total	1	0.19%	

Valid	Invalid	Minimum	Maximum
539	1	0	1

 NDI08419 - Y10-Y36/Y85-Y98

Type	Code
Measurement Unit	numeric
NDI08419	Y10-Y36/Y85-Y98

			Frequency	% of total	% of valid
Valid	0	Absent	525	97.22%	97.4%
	1	Present	14	2.59%	2.6%
	Total		539	99.81%	100%
Missing	92	Missing in source	1	0.19%	
		Total	1	0.19%	

Valid	Invalid	Minimum	Maximum
539	1	0	1


 NDI08519 - Y40-Y84

Type	Code
Measurement Unit	numeric
NDI08519	Y40-Y84

			Frequency	% of total	% of valid
--	--	--	-----------	------------	------------

Valid	0	Absent	529	97.96%	98.14%
	1	Present	10	1.85%	1.86%
		Total	539	99.81%	100%
Missing	92	Missing in source	1	0.19%	
		Total	1	0.19%	

Valid	Invalid	Minimum	Maximum
539	1	0	1

 NDI08619 - 996: SUPPRESSED

Type	Code
Measurement Unit	numeric
NDI08619	996: SUPPRESSED

			Frequency	% of total	% of valid
Valid	0	Absent	496	91.85%	92.02%
	1	Present	43	7.96%	7.98%
		Total	539	99.81%	100%
Missing	92	Missing in source	1	0.19%	
		Total	1	0.19%	

Valid	Invalid	Minimum	Maximum
539	1	0	1