Data Layouts

Wave V Renal

Wave V Renal

H5CREAT - CREATININE (CREAT, MG/DL) -W5

Type	Numeric (Double)
Measurement Unit	Numeric
H5CREAT	Creatinine assay results (mg/dl)

H5CYSC - CYSTATIN C (CYSC, MG/L) -W5

Type	Numeric (Double)
Measurement Unit	Numeric
H5CYSC	Cystatin C assay results (mg/L)

H5CYSCAJ - FLAG: CYSTATIN C ADJUSTMENT APPLIED -W5

Type	Code
Measurement Unit	Numeric
H5CYSCAJ	FLAG indicating that an adjustment was made to the Cystatin C assay result

0	not adjusted
1	adjusted

H5GFRCRE - eGFR CREATININE (ML/MIN/1.73 M2) -W5

Type	Numeric (Double)
Measurement Unit	Numeric
H5GFRCRE	Estimated Glomerular Filtration Rate (ml/min/1.73 m2) based on Creatinine

H5GFRCYC - eGFR CYSTATIN C (ML/MIN/1.73 M2) -W5

Type	Numeric (Double)
Measurement Unit	Numeric
H5GFRCYC	Estimated Glomerular Filtration Rate (ml/min/1.73 m2) based on Cystatin C

H5GFRCC - eGFR CREAT & CYSC (ML/MIN/1.73 M2) -W5

Type	Numeric (Double)
Measurement Unit	Numeric
H5GFRCC	Estimated Glomerular Filtration Rate (ml/min/1.73 m2) based on Creatinine and Cystatin C

H5CGFRKR - CLASSIFICATION OF eGFR CREAT (KDIGO) -W5

Type	Code
Measurement Unit	Numeric
H5CGFRKR	The classification of estimated Glomerular Filtration Rate (eGFR) based on Creatinine according to the KDIGO guidelines.

1	normal or high (G1): eGFR is >= 90 ml/min/1.73m2
2	mildly decreased (G2): eGFR is 60-89 ml/min/1.73m2
3	mildly to moderately decreased (G3a): eGFR is 45-59 ml/min/1.73m2
4	moderately to severely decreased (G3b): eGFR is 30-44 ml/min/1.73m2
5	severely decreased (G4): eGFR is 15-29 ml/min/1.73m2
6	kidney failure (G5): eGFR is < 15 ml/min/1.73m2

H5CGFRKY - CLASSIFICATION OF eGFR CYSC (KDIGO) -W5

Type	Code
Measurement Unit	Numeric
H5CGFRKY	The classification of estimated Glomerular Filtration Rate (eGFR) based on Cystatin C according to the KDIGO guidelines.

1	normal or high (G1): eGFR is >= 90 ml/min/1.73m2
2	mildly decreased (G2): eGFR is 60-89 ml/min/1.73m2
3	mildly to moderately decreased (G3a): eGFR is 45-59 ml/min/1.73m2
4	moderately to severely decreased (G3b): eGFR is 30-44 ml/min/1.73m2
5	severely decreased (G4): eGFR is 15-29 ml/min/1.73m2
6	kidney failure (G5): eGFR is < 15 ml/min/1.73m2

H5CGFRKC - CLASS OF eGFR CREAT & CYSC (KDIGO) -W5

Type	Code
Measurement Unit	Numeric

H5CGFRKC	The classification of estimated Glomerular Filtration Rate (eGFR) based on Creatinine & Cystatin C according to the KDIGO guidelines.
1	normal or high (G1): eGFR is >= 90 ml/min/1.73m2
2	mildly decreased (G2): eGFR is 60-89 ml/min/1.73m2
3	mildly to moderately decreased (G3a): eGFR is 45-59 ml/min/1.73m2
4	moderately to severely decreased (G3b): eGFR is 30-44 ml/min/1.73m2
5	severely decreased (G4): eGFR is 15-29 ml/min/1.73m2
6	kidney failure (G5): eGFR is < 15 ml/min/1.73m2

H5CGFRCR - CLINICAL CLASS OF eGFR CREATININE -W5

Type	Code
Measurement Unit	Numeric
H5CGFRCR	The clinical classification of estimated Glomerular Filtration Rate (eGFR) based on Creatinine.
1	normal: eGFR is >= 60 ml/min/1.73m2
2	chronic kidney disease (CKD): eGFR is 15-59 ml/min/1.73m2
3	end-stage kidney disease (ESKD): eGFR is < 15 ml/min/1.73m2

H5CGFRCY - CLINICAL CLASS OF eGFR CYSTATIN C -W5

Type	Code
Measurement Unit	Numeric
H5CGFRCY	The clinical classification of estimated Glomerular Filtration Rate (eGFR) based on Cystatin C.
1	normal: eGFR is >= 60 ml/min/1.73m2
2	chronic kidney disease (CKD): eGFR is 15-59 ml/min/1.73m2
3	end-stage kidney disease (ESKD): eGFR is < 15 ml/min/1.73m2

H5CGFRCC - CLINICAL CLASS OF eGFR CREAT & CYSC -W5

Type	Code

Measurement Unit	Numeric
H5CGFRCC	The clinical classification of estimated Glomerular Filtration Rate (eGFR) based on Creatinine and Cystatin C.

1	normal: eGFR is >= 60 ml/min/1.73m2
2	chronic kidney disease (CKD): eGFR is 15-59 ml/min/1.73m2
3	end-stage kidney disease (ESKD): eGFR is < 15 ml/min/1.73m2

H5Q045D - Q045d EVER DX KIDNEY DISEASE/FAILURE -W5

Type	Code
Measurement Unit	Numeric
H5Q045D	Has a doctor, nurse or health care provider ever told you that you have chronic kidney disease or failure?

0	no
1	yes