

Wave IV Section 19: Live Births

Title

Wave IV Section 19: Live Births

Abstract

Variables: 18

Observations: 14,749

Variables

Wave IV Section 19: Live Births

- [PTNR_ID - PARTNER ID -W4](#)
- [PRGNO - PREGNANCY NUMBER WITHIN RELATIONSHIP-W4](#)
- [LBNO - LIVE BIRTH NUMBER PER PREGNANCY-W4](#)
- [H4LB1 - S19Q1 IS BABY'S BIRTHDAY CORRECT?-W4](#)
- [H4LB2M - S19Q2 CORRECTED BABY BIRTHDAY, MONTH-W4](#)
- [H4LB2Y - S19Q2 CORRECTED BABY BIRTHDAY, YEAR-W4](#)
- [H4LB3 - S19Q3 BABY BOY OR GIRL-W4](#)
- [H4LB4 - S19Q4 BABY WENT HOME W/ R-W4](#)
- [H4LB5 - S19Q5 WHY BABY NOT WENT HOME W/ R-W4](#)
- [H4LB6P - S19Q6 BABY BIRTH WEIGHT - LBS-W4](#)
- [H4LB6O - S19Q6 BABY BIRTH WEIGHT - OZS-W4](#)
- [H4LB7 - S19Q7 BABY BIRTH WEIGHT < 5.5 LBS-W4](#)
- [H4LB8 - S19Q8 BABY BORN BEF/ON/AFTER DUE DATE-W4](#)
- [H4LB9W - S19Q9 WEEKS BEFORE/AFTER DUE DATE-W4](#)
- [H4LB9D - S19Q9 DAYS BEFORE/AFTER DUE DATE-W4](#)
- [H4LB10 - S19Q10 BABY STILL LIVING-W4](#)
- [H4LB11M - S19Q11 MONTH BABY DIED-W4](#)
- [H4LB11Y - S19Q11 YEAR BABY DIED-W4](#)

PTNR_ID - PARTNER ID -W4

Type	Numeric (Double)
PTNR_ID	Partner Identifier

PRGNO - PREGNANCY NUMBER WITHIN RELATIONSHIP-W4

Type	Numeric (Double)
PRGNO	Pregnancy Number within Relationship

 LBNO - LIVE BIRTH NUMBER PER PREGNANCY-W4

Type	Numeric (Double)
LBNO	Live Birth Number per Pregnancy

 H4LB1 - S19Q1 IS BABY'S BIRTHDAY CORRECT?-W4

Type	Code
Measurement Unit	numeric
H4LB1	1. Is {baby name} birth date correct?
0	no
1	yes

 H4LB2M - S19Q2 CORRECTED BABY BIRTHDAY, MONTH-W4

Type	Code
Measurement Unit	numeric
H4LB2M	2M. What is {baby name} birth date? - month
1	January
2	February
3	March
4	April
5	May
6	June
7	July
8	August
9	September
10	October
11	November
12	December

 H4LB2Y - S19Q2 CORRECTED BABY BIRTHDAY, YEAR-W4

Type	Code
Measurement Unit	numeric
H4LB2Y	2Y. What is {baby name} birth date? - year
1998	1998

1999	1999
2000	2000
2001	2001
2002	2002
2003	2003
2004	2004
2005	2005
2006	2006
2007	2007
2008	2008
2009	2009

 H4LB3 - S19Q3 BABY BOY OR GIRL-W4

Type	Code
Measurement Unit	numeric
H4LB3	3. Was {baby name} a boy or a girl?
1	boy
2	girl

 H4LB4 - S19Q4 BABY WENT HOME W/ R-W4

Type	Code
Measurement Unit	numeric
H4LB4	4. Did {baby name} eventually go home with you?
0	no
1	yes

 H4LB5 - S19Q5 WHY BABY NOT WENT HOME W/ R-W4

Type	Code
Measurement Unit	numeric
H4LB5	5. Why not?
1	put up for adoption
2	died in the hospital
3	went to live with {initials}

4	went to live with another relative
5	still in the hospital
6	other

 H4LB6P - S19Q6 BABY BIRTH WEIGHT - LBS-W4

Type	Code
Measurement Unit	numeric
H4LB6P	6P. How much did {fill he/she/baby's name} weigh at birth (pounds)?
0	0 pounds
1	1 pounds
2	2 pounds
3	3 pounds
4	4 pounds
5	5 pounds
6	6 pounds
7	7 pounds
8	8 pounds
9	9 pounds
10	10 pounds
11	11 pounds
12	12 pounds
13	13 pounds
14	14 pounds
15	15 pounds

 H4LB6O - S19Q6 BABY BIRTH WEIGHT - OZS-W4

Type	Code
Measurement Unit	numeric
H4LB6O	6O. How much did {fill he/she/baby's name} weigh at birth (ounces)?
0	0 ounces
1	1 ounces
2	2 ounces

3	3 ounces
4	4 ounces
5	5 ounces
6	6 ounces
7	7 ounces
8	8 ounces
9	9 ounces
10	10 ounces
11	11 ounces
12	12 ounces
13	13 ounces
14	14 ounces
15	15 ounces

H4LB7 - S19Q7 BABY BIRTH WEIGHT < 5.5 LBS-W4

Type	Code
Measurement Unit	numeric
H4LB7	7. Did {baby name} weigh less than (5.5 pounds [i.e., less than 5 pounds, 8 ounces]) at birth?
0	no
1	yes

H4LB8 - S19Q8 BABY BORN BEF/ON/AFTER DUE DATE-W4

Type	Code
Measurement Unit	numeric
H4LB8	8. Was {baby name} born before or after (his/her/the) due date?
1	before due date
2	after due date
3	on due date

H4LB9W - S19Q9 WEEKS BEFORE/AFTER DUE DATE-W4

Type	Numeric (Double)
H4LB9W	9W. How many weeks or days (before/after) the due date was {baby name} born (weeks)? *

 H4LB9D - S19Q9 DAYS BEFORE/AFTER DUE DATE-W4

Type	Numeric (Double)
H4LB9D	9D. How many weeks or days (before/after) the due date was {baby's first name} born (days)? *

 H4LB10 - S19Q10 BABY STILL LIVING-W4

Type	Code
Measurement Unit	numeric
H4LB10	10. Is {baby name} still living?
0	no
1	yes

 H4LB11M - S19Q11 MONTH BABY DIED-W4

Type	Code
Measurement Unit	numeric
H4LB11M	11M. In what month and year did {baby name} die (month)?
1	January
2	February
3	March
4	April
5	May
6	June
7	July
8	August
9	September
10	October
11	November
12	December

 H4LB11Y - S19Q11 YEAR BABY DIED-W4

Type	Code
Measurement Unit	numeric
H4LB11Y	11Y. In what month and year did {baby name} die (year)?
1994	1994

1995	1995
1996	1996
1997	1997
1998	1998
1999	1999
2000	2000
2001	2001
2002	2002
2003	2003
2004	2004
2005	2005
2006	2006
2007	2007
2008	2008

Logical Products

Data Layouts

Wave IV Section 19: Live Births

Wave IV Section 19: Live Births

PTNR_ID - PARTNER ID -W4

Type	Numeric (Double)
PTNR_ID	Partner Identifier

PRGNO - PREGNANCY NUMBER WITHIN RELATIONSHIP-W4

Type	Numeric (Double)
PRGNO	Pregnancy Number within Relationship

LBNO - LIVE BIRTH NUMBER PER PREGNANCY-W4

Type	Numeric (Double)
LBNO	Live Birth Number per Pregnancy

H4LB1 - S19Q1 IS BABY'S BIRTHDAY CORRECT?-W4

Type	Code
------	------

Measurement Unit	numeric	
H4LB1	1. Is {baby name} birth date correct?	
0	no	
1	yes	

 H4LB2M - S19Q2 CORRECTED BABY BIRTHDAY, MONTH-W4

Type	Code	
Measurement Unit	numeric	
H4LB2M	2M. What is {baby name} birth date? - month	
1	January	
2	February	
3	March	
4	April	
5	May	
6	June	
7	July	
8	August	
9	September	
10	October	
11	November	
12	December	

 H4LB2Y - S19Q2 CORRECTED BABY BIRTHDAY, YEAR-W4

Type	Code	
Measurement Unit	numeric	
H4LB2Y	2Y. What is {baby name} birth date? - year	
1998	1998	
1999	1999	
2000	2000	
2001	2001	
2002	2002	
2003	2003	
2004	2004	

2005	2005
2006	2006
2007	2007
2008	2008
2009	2009

 H4LB3 - S19Q3 BABY BOY OR GIRL-W4

Type	Code
Measurement Unit	numeric
H4LB3	3. Was {baby name} a boy or a girl?
1	boy
2	girl

 H4LB4 - S19Q4 BABY WENT HOME W/ R-W4

Type	Code
Measurement Unit	numeric
H4LB4	4. Did {baby name} eventually go home with you?
0	no
1	yes

 H4LB5 - S19Q5 WHY BABY NOT WENT HOME W/ R-W4

Type	Code
Measurement Unit	numeric
H4LB5	5. Why not?
1	put up for adoption
2	died in the hospital
3	went to live with {initials}
4	went to live with another relative
5	still in the hospital
6	other

 H4LB6P - S19Q6 BABY BIRTH WEIGHT - LBS-W4


Type	Code
Measurement Unit	numeric
H4LB6P	6P. How much did {fill he/she/baby's name} weigh at birth (pounds)?

0	0 pounds
1	1 pounds
2	2 pounds
3	3 pounds
4	4 pounds
5	5 pounds
6	6 pounds
7	7 pounds
8	8 pounds
9	9 pounds
10	10 pounds
11	11 pounds
12	12 pounds
13	13 pounds
14	14 pounds
15	15 pounds

 H4LB60 - S19Q6 BABY BIRTH WEIGHT - OZS-W4

Type	Code
Measurement Unit	numeric
H4LB60	60. How much did {fill he/she/baby's name} weigh at birth (ounces)?
0	0 ounces
1	1 ounces
2	2 ounces
3	3 ounces
4	4 ounces
5	5 ounces
6	6 ounces
7	7 ounces
8	8 ounces
9	9 ounces

10	10 ounces
11	11 ounces
12	12 ounces
13	13 ounces
14	14 ounces
15	15 ounces

 H4LB7 - S19Q7 BABY BIRTH WEIGHT < 5.5 LBS-W4

Type	Code
Measurement Unit	numeric
H4LB7	7. Did {baby name} weigh less than (5.5 pounds [i.e., less than 5 pounds, 8 ounces]) at birth?
0	no
1	yes

 H4LB8 - S19Q8 BABY BORN BEF/ON/AFTER DUE DATE-W4

Type	Code
Measurement Unit	numeric
H4LB8	8. Was {baby name} born before or after (his/her/the) due date?
1	before due date
2	after due date
3	on due date

 H4LB9W - S19Q9 WEEKS BEFORE/AFTER DUE DATE-W4

Type	Numeric (Double)
H4LB9W	9W. How many weeks or days (before/after) the due date was {baby name} born (weeks)? *


 H4LB9D - S19Q9 DAYS BEFORE/AFTER DUE DATE-W4

Type	Numeric (Double)
H4LB9D	9D. How many weeks or days (before/after) the due date was {baby's first name} born (days)? *


 H4LB10 - S19Q10 BABY STILL LIVING-W4

Type	Code
Measurement Unit	numeric

H4LB10	10. Is {baby name} still living?
0	no
1	yes

 H4LB11M - S19Q11 MONTH BABY DIED-W4

Type	Code
Measurement Unit	numeric
H4LB11M	11M. In what month and year did {baby name} die (month)?
1	January
2	February
3	March
4	April
5	May
6	June
7	July
8	August
9	September
10	October
11	November
12	December

 H4LB11Y - S19Q11 YEAR BABY DIED-W4

Type	Code
Measurement Unit	numeric
H4LB11Y	11Y. In what month and year did {baby name} die (year)?
1994	1994
1995	1995
1996	1996
1997	1997
1998	1998
1999	1999
2000	2000
2001	2001

2002	2002
2003	2003
2004	2004
2005	2005
2006	2006
2007	2007
2008	2008

Physical Instances

Wave IV Section 19: Live Births					
Title	Wave IV Section 19: Live Births				
File Name	sect19.sas7bdat				
Case Quantity	14749				
Variable Count	18				
PTNR_ID - PARTNER ID -W4					
Type	Numeric (Double)				
PTNR_ID	Partner Identifier				
Valid	Invalid	Minimum	Maximum	Mean	StdDev
14749	0	1	12	1.3771103...	0.8513981...
PRGNO - PREGNANCY NUMBER WITHIN RELATIONSHIP-W4					
Type	Numeric (Double)				
PRGNO	Pregnancy Number within Relationship				
Valid	Invalid	Minimum	Maximum	Mean	StdDev
14749	0	1	12	1.6010576...	0.8975384...
LBNO - LIVE BIRTH NUMBER PER PREGNANCY-W4					
Type	Numeric (Double)				
LBNO	Live Birth Number per Pregnancy				
Valid	Invalid	Minimum	Maximum	Mean	StdDev
14749	0	1	6	1.0505118...	0.2745127...
H4LB1 - S19Q1 IS BABY'S BIRTHDAY CORRECT?-W4					
Type	Code				
Measurement Unit	numeric				

H4LB1	1. Is {baby name} birth date correct?
-------	---------------------------------------

			Frequency	% of total	% of valid
Valid	0	no	676	4.58%	4.66%
	1	yes	13824	93.73%	95.34%
Total			14,500	98.31%	100%
Missing	6	refused	57	0.39%	
	7	legitimate skip	153	1.04%	
	8	don't know	39	0.26%	
Total			249	1.69%	

Valid	Invalid	Minimum	Maximum
14500	249	0	1

H4LB2M - S19Q2 CORRECTED BABY BIRTHDAY, MONTH-W4

Type	Code
Measurement Unit	numeric
H4LB2M	2M. What is {baby name} birth date? - month

			Frequency	% of total	% of valid
Valid	1	January	65	0.44%	8.78%
	2	February	56	0.38%	7.57%
	3	March	58	0.39%	7.84%
	4	April	43	0.29%	5.81%
	5	May	60	0.41%	8.11%
	6	June	64	0.43%	8.65%
	7	July	69	0.47%	9.32%
	8	August	78	0.53%	10.54%
	9	September	68	0.46%	9.19%
	10	October	61	0.41%	8.24%
	11	November	49	0.33%	6.62%
	12	December	69	0.47%	9.32%
Total			740	5.02%	100%
Missing	96	refused	38	0.26%	
	97	legitimate skip	13920	94.38%	
	98	don't know	51	0.35%	
Total			14,009	94.98%	

Valid	Invalid	Minimum	Maximum
740	14009	1	12

H4LB2Y - S19Q2 CORRECTED BABY BIRTHDAY, YEAR-W4

Type	Code
Measurement Unit	numeric
H4LB2Y	2Y. What is {baby name} birth date? - year

			Frequency	% of total	% of valid
Valid	1998	1998	38	0.26%	5.15%
	1999	1999	46	0.31%	6.23%
	2000	2000	69	0.47%	9.35%
	2001	2001	51	0.35%	6.91%
	2002	2002	81	0.55%	10.98%
	2003	2003	82	0.56%	11.11%
	2004	2004	65	0.44%	8.81%
	2005	2005	74	0.5%	10.03%
	2006	2006	57	0.39%	7.72%
	2007	2007	60	0.41%	8.13%
	2008	2008	21	0.14%	2.85%
	Total	738	5%	100%	
Missing	9996	refused	42	0.28%	
	9997	legitimate skip	13920	94.38%	
	9998	don't know	49	0.33%	
	Total	14,011	95%		

Valid	Invalid	Minimum	Maximum
738	14011	1992	2008

H4LB3 - S19Q3 BABY BOY OR GIRL-W4

Type	Code
Measurement Unit	numeric
H4LB3	3. Was {baby name} a boy or a girl?

			Frequency	% of total	% of valid
Valid	1	boy	7410	50.24%	50.77%
	2	girl	7185	48.72%	49.23%
		Total	14,595	98.96%	100%
Missing	6	refused	64	0.43%	
	8	don't know	90	0.61%	
		Total	154	1.04%	

Valid	Invalid	Minimum	Maximum
14595	154	1	2

H4LB4 - S19Q4 BABY WENT HOME W/ R-W4

Type	Code
Measurement Unit	numeric
H4LB4	4. Did {baby name} eventually go home with you?

			Frequency	% of total	% of valid
Valid	0	no	616	4.18%	4.22%
	1	yes	13979	94.78%	95.78%
	Total		14,595	98.96%	100%
Missing	6	refused	66	0.45%	
	8	don't know	88	0.6%	
	Total		154	1.04%	

Valid	Invalid	Minimum	Maximum
14595	154	0	1

H4LB5 - S19Q5 WHY BABY NOT WENT HOME W/ R-W4

Type	Code
Measurement Unit	numeric
H4LB5	5. Why not?

			Frequency	% of total	% of valid
Valid	1	put up for adoption	42	0.28%	6.84%
	2	died in the hospital	88	0.6%	14.33%
	3	went to live with {initials}	263	1.78%	42.83%
	4	went to live with another relative	17	0.12%	2.77%
	5	still in the hospital	114	0.77%	18.57%
	6	other	90	0.61%	14.66%
	Total		614	4.16%	100%
Missing	96	refused	1	0.01%	
	97	legitimate skip	14133	95.82%	
	98	don't know	1	0.01%	
	Total		14,135	95.84%	

Valid	Invalid	Minimum	Maximum
614	14135	1	6

H4LB6P - S19Q6 BABY BIRTH WEIGHT - LBS-W4

Type	Code
Measurement Unit	numeric
H4LB6P	6P. How much did {fill he/she/baby's name} weigh at birth (pounds)?

			Frequency	% of total	% of valid
Valid	0	0 pounds	12	0.08%	0.09%
	1	1 pounds	81	0.55%	0.59%
	2	2 pounds	93	0.63%	0.68%
	3	3 pounds	153	1.04%	1.12%
	4	4 pounds	353	2.39%	2.58%
	5	5 pounds	1158	7.85%	8.46%
	6	6 pounds	3486	23.64%	25.48%
	7	7 pounds	4656	31.57%	34.03%
	8	8 pounds	2649	17.96%	19.36%
	9	9 pounds	838	5.68%	6.12%
	10	10 pounds	161	1.09%	1.18%
	11	11 pounds	28	0.19%	0.2%
	12	12 pounds	8	0.05%	0.06%
	13	13 pounds	4	0.03%	0.03%
	14	14 pounds	1	0.01%	0.01%
15	15 pounds	2	0.01%	0.01%	
		Total	13,683	92.77%	100%
Missing	96	refused	141	0.96%	
	98	don't know	925	6.27%	
		Total	1,066	7.23%	

Valid	Invalid	Minimum	Maximum
13683	1066	0	15

 H4LB6O - S19Q6 BABY BIRTH WEIGHT - OZS-W4

Type	Code
Measurement Unit	numeric
H4LB6O	6O. How much did {fill he/she/baby's name} weigh at birth (ounces)?

			Frequency	% of total	% of valid
--	--	--	-----------	------------	------------

Valid	0	0 ounces	1241	8.41%	9.07%
	1	1 ounces	603	4.09%	4.41%
	2	2 ounces	779	5.28%	5.69%
	3	3 ounces	749	5.08%	5.47%
	4	4 ounces	805	5.46%	5.88%
	5	5 ounces	798	5.41%	5.83%
	6	6 ounces	1192	8.08%	8.71%
	7	7 ounces	974	6.6%	7.12%
	8	8 ounces	1144	7.76%	8.36%
	9	9 ounces	1002	6.79%	7.32%
	10	10 ounces	770	5.22%	5.63%
	11	11 ounces	936	6.35%	6.84%
	12	12 ounces	854	5.79%	6.24%
	13	13 ounces	632	4.29%	4.62%
	14	14 ounces	662	4.49%	4.84%
15	15 ounces	542	3.67%	3.96%	
		Total	13,683	92.77%	100%
Missing	96	refused	140	0.95%	
	98	don't know	926	6.28%	
		Total	1,066	7.23%	

Valid	Invalid	Minimum	Maximum
13683	1066	0	15

H4LB7 - S19Q7 BABY BIRTH WEIGHT < 5.5 LBS-W4

Type	Code
Measurement Unit	numeric
H4LB7	7. Did {baby name} weigh less than (5.5 pounds [i.e., less than 5 pounds, 8 ounces]) at birth?

			Frequency	% of total	% of valid
Valid	0	no	791	5.36%	39.59%
	1	yes	1207	8.18%	60.41%
		Total	1,998	13.55%	100%
Missing	.	missing	8	0.05%	
	6	refused	79	0.54%	
	7	legitimate skip	12453	84.43%	
	8	don't know	211	1.43%	
		Total	12,751	86.45%	

Valid	Invalid	Minimum	Maximum
1998	12751	0	1

 H4LB8 - S19Q8 BABY BORN BEF/ON/AFTER DUE DATE-W4

Type	Code
Measurement Unit	numeric
H4LB8	8. Was {baby name} born before or after (his/her/the) due date?

			Frequency	% of total	% of valid
Valid	1	before due date	7241	49.09%	50.44%
	2	after due date	3489	23.66%	24.31%
	3	on due date	3625	24.58%	25.25%
Total			14,355	97.33%	100%
Missing	6	refused	100	0.68%	
	8	don't know	294	1.99%	
	Total		394	2.67%	

Valid	Invalid	Minimum	Maximum
14355	394	1	3

 H4LB9W - S19Q9 WEEKS BEFORE/AFTER DUE DATE-W4

Type	Numeric (Double)
H4LB9W	9W. How many weeks or days (before/after) the due date was {baby name} born (weeks)? *

			Frequency	% of total	% of valid
Missing	96	refused	30	0.2%	
	97	legitimate skip	4019	27.25%	
	98	don't know	260	1.76%	
Total			4,309	29.22%	

Valid	Invalid	Minimum	Maximum	Mean	StdDev
10440	4309	0	20	1.6986590...	2.4372964...

 H4LB9D - S19Q9 DAYS BEFORE/AFTER DUE DATE-W4

Type	Numeric (Double)
H4LB9D	9D. How many weeks or days (before/after) the due date was {baby's first name} born (days)? *

			Frequency	% of total	% of valid
Missing	996	refused	30	0.2%	
	997	legitimate skip	4019	27.25%	
	998	don't know	260	1.76%	
Total			4,309	29.22%	

Valid	Invalid	Minimum	Maximum	Mean	StdDev
10440	4309	0	109	1.9720306...	3.4284362...

H4LB10 - S19Q10 BABY STILL LIVING-W4

Type	Code
Measurement Unit	numeric
H4LB10	10. Is {baby name} still living?

			Frequency	% of total	% of valid
Valid	0	no	108	0.73%	0.75%
	1	yes	14383	97.52%	99.25%
	Total		14,491	98.25%	100%
Missing	6	refused	73	0.49%	
	7	legitimate skip	88	0.6%	
	8	don't know	97	0.66%	
	Total		258	1.75%	

Valid	Invalid	Minimum	Maximum
14491	258	0	1

H4LB11M - S19Q11 MONTH BABY DIED-W4

Type	Code
Measurement Unit	numeric
H4LB11M	11M. In what month and year did {baby name} die (month)?

			Frequency	% of total	% of valid
Valid	1	January	19	0.13%	10.33%
	2	February	12	0.08%	6.52%
	3	March	16	0.11%	8.7%
	4	April	14	0.09%	7.61%
	5	May	18	0.12%	9.78%
	6	June	22	0.15%	11.96%
	7	July	19	0.13%	10.33%
	8	August	14	0.09%	7.61%
	9	September	12	0.08%	6.52%
	10	October	9	0.06%	4.89%
	11	November	11	0.07%	5.98%
	12	December	18	0.12%	9.78%
	Total		184	1.25%	100%
Missing	96	refused	4	0.03%	
	97	legitimate skip	14553	98.67%	
	98	don't know	8	0.05%	

		Total	14,565	98.75%	
--	--	-------	--------	--------	--

Valid	Invalid	Minimum	Maximum
184	14565	1	12

Type	Code
Measurement Unit	numeric
H4LB11Y	11Y. In what month and year did {baby name} die (year)?

		Frequency	% of total	% of valid	
Valid	1994	1994	2	0.01%	1.12%
	1995	1995	2	0.01%	1.12%
	1996	1996	6	0.04%	3.35%
	1997	1997	5	0.03%	2.79%
	1998	1998	11	0.07%	6.15%
	1999	1999	11	0.07%	6.15%
	2000	2000	19	0.13%	10.61%
	2001	2001	14	0.09%	7.82%
	2002	2002	8	0.05%	4.47%
	2003	2003	16	0.11%	8.94%
	2004	2004	22	0.15%	12.29%
	2005	2005	29	0.2%	16.2%
	2006	2006	9	0.06%	5.03%
	2007	2007	23	0.16%	12.85%
	2008	2008	2	0.01%	1.12%
	Total	179	1.21%	100%	
Missing	.	missing	3	0.02%	
	9996	refused	6	0.04%	
	9997	legitimate skip	14553	98.67%	
	9998	don't know	8	0.05%	
	Total	14,570	98.79%		

Valid	Invalid	Minimum	Maximum
179	14570	1994	2008