

 Wave IV Polygenic Scores - Release 2

Title	Wave IV Polygenic Scores - Release 2
File Name	pgs2.sas7bdat
Case Quantity	9130
Variable Count	120

 FID - Family ID

Type	Text
Constraints	Maximum Length: 8
Description	Family ID

Valid	Invalid	Minimum	Maximum
9130	0	40003	99886999

 PSDS1 - SSGAC\_DS\_2018

Type	Numeric (Double)
Description	SSGAC DS 2018

Valid	Invalid	Minimum	Maximum	Mean	StdDev
9130	0	-4.9850097	4.1688604	-2.99E-10	0.9998356...

 PSDEP1 - GWAMA\_WellBeing\_2019\_Dep

Type	Numeric (Double)
Description	GWAMA Well Being 2019

Valid	Invalid	Minimum	Maximum	Mean	StdDev
9130	0	-3.1617639	4.1690102	2.84E-10	0.9998356...

 PSFAMPAT - CCACE\_FamHist\_Paternal\_2018

Type	Numeric (Double)
Description	CCACE Paternal Family History 2018

Valid	Invalid	Minimum	Maximum	Mean	StdDev
9130	0	-3.5465209	4.3813314	-6.91E-10	0.9998356...

 PSCPD1 - GSCAN\_CPD\_2019

Type	Numeric (Double)
------	------------------

Description	GSCAN CPD 2019
-------------	----------------

Valid	Invalid	Minimum	Maximum	Mean	StdDev
9130	0	-3.8552775	3.6859734	2.42E-10	0.9998356...

### PSNEUDEP - CTG\_Neuroticism\_2018\_Dep

Type	Numeric (Double)
Description	CTG Neuroticism 2018

Valid	Invalid	Minimum	Maximum	Mean	StdDev
9130	0	-4.6294184	3.7965479	-3.62E-10	0.9998356...

### PSSPEED - SSGAC\_Risk\_2019\_AutoSpeed

Type	Numeric (Double)
Description	SSGAC Risk 2019 Auto Speed

Valid	Invalid	Minimum	Maximum	Mean	StdDev
9130	0	-4.1139865	4.2058005	-3.18E-10	0.9998356...

### PSPUBSTD - PGC\_Social\_2018\_PubClub

Type	Numeric (Double)
Description	PGC Social 2018 Pub Club

Valid	Invalid	Minimum	Maximum	Mean	StdDev
9130	0	-3.5457807	3.5472653	-2.39E-11	0.9998356...

### PSPTSDAL - PGC\_PTSD\_2018\_Full

Type	Numeric (Double)
Description	PGC PTSD 2018 Full

Valid	Invalid	Minimum	Maximum	Mean	StdDev
9130	0	-3.4767714	3.4900408	1.55E-10	0.9998356...

### PSNEBFEM - SocioGen\_NEB\_2016\_female

Type	Numeric (Double)
Description	Socio Gen NEB 2016 Female

			Frequency
Missing	.	missing	4320

Valid	Invalid
0	4320

### PSNEUWOR - CTG\_Neuroticism\_2018\_Worry

Type	Numeric (Double)
Description	CTG Neuroticism 2018 Worry

Valid	Invalid	Minimum	Maximum	Mean	StdDev
9130	0	-4.3414798	4.1016588	1.08E-10	0.9998356...

### PSCANSTD - ICC\_EvrCannabis\_2018

Type	Numeric (Double)
Description	ICC Ever Cannabis 2018

Valid	Invalid	Minimum	Maximum	Mean	StdDev
9130	0	-4.91399	3.4002748	3.43E-11	0.9998356...

### PSADHD1 - PGC\_ADHD\_2010

Type	Numeric (Double)
Description	PGC ADHD 2010

Valid	Invalid	Minimum	Maximum	Mean	StdDev
9130	0	-3.8149149	3.8155453	1.4E-10	0.9998356...

### PSEDU1 - SSGAC\_EDU\_2018

Type	Numeric (Double)
Description	SSGAC Education 2018

Valid	Invalid	Minimum	Maximum	Mean	StdDev
9130	0	-4.12958	3.5519605	-4.44E-10	0.9998356...

### PSADSTD - CTG\_AD\_2019

Type	Numeric (Double)
Description	CTG AD 2019

Valid	Invalid	Minimum	Maximum	Mean	StdDev
9130	0	-3.7862723	3.5214665	-4.78E-10	0.9998356...

### PSSBPSTD - ICBP\_SBP

Type	Numeric (Double)
Description	ICBP Systolic Blood Pressure

Valid	Invalid	Minimum	Maximum	Mean	StdDev
9130	0	-4.6137195	3.4500816	-1.13E-10	0.9998356...

### PSBMI1 - GIANT\_BMI\_2018

Type	Numeric (Double)
Description	GIANT Body Mass Index 2018

Valid	Invalid	Minimum	Maximum	Mean	StdDev
9130	0	-3.4792261	3.5613236	-2.46E-10	0.9998356...

### PSFAMMAT - CCACE\_FamHist\_Maternal\_2018

Type	Numeric (Double)
Description	CCACE Maternal Family History 2018

Valid	Invalid	Minimum	Maximum	Mean	StdDev
9130	0	-3.6136503	4.3022103	-2.51E-10	0.9998356...

### PSLIFES1 - GWAMA\_WellBeing\_2019\_Uni\_LifeSat

Type	Numeric (Double)
Description	GWAMA Well Being 2019 Uni Life Sat

Valid	Invalid	Minimum	Maximum	Mean	StdDev
9130	0	-4.836504	3.6344712	1.65E-10	0.9998356...

### PSHGT1 - GIANT\_Height

Type	Numeric (Double)
Description	GIANT Height

Valid	Invalid	Minimum	Maximum	Mean	StdDev
9130	0	-5.9109921	4.908587	-2.62E-10	0.9998356...

### PSMENO - RepoGen\_Menopause\_2015

Type	Numeric (Double)
Description	RepoGen Menopause 2015

Valid	Invalid	Minimum	Maximum	Mean	StdDev
9130	0	-3.7249184	4.625618	6.52E-11	0.9998356...

 PSPTSDAA - PGC\_PTSD\_2018\_AA


Type	Numeric (Double)
Description	PGC PTSD 2018 AA

Valid	Invalid	Minimum	Maximum	Mean	StdDev
1975	0	-3.3004422	4.0510135	2.2E-10	1E+0

 PSNEURO1 - GWAMA\_WellBeing\_2019\_Neuroticism

Type	Numeric (Double)
Description	GWAMA Well Being 2019 Neuroticism

Valid	Invalid	Minimum	Maximum	Mean	StdDev
9130	0	-3.7373111	3.9288402	3.75E-10	0.9998356...

 PSSCZSTD - PGC\_SCZ\_2011

Type	Numeric (Double)
Description	PGC SCZ 2011

Valid	Invalid	Minimum	Maximum	Mean	StdDev
9130	0	-3.9256327	3.0588355	1.4E-10	0.9998356...

 PSANSTD - PGC\_AN\_2019

Type	Numeric (Double)
Description	PGC AN 2019

Valid	Invalid	Minimum	Maximum	Mean	StdDev
9130	0	-3.2067158	4.0537181	-1.41E-10	0.9998356...

 PSMISTD - CARDIoGRAM\_MI\_2015

Type	Numeric (Double)
Description	Cardiogram MI 2015

Valid	Invalid	Minimum	Maximum	Mean	StdDev
9130	0	-4.0625019	3.9842367	-7.5E-11	0.9998356...

 PSSOCSTD - PGC\_Social\_2018

Type	Numeric (Double)
Description	PGC Social 2018

Valid	Invalid	Minimum	Maximum	Mean	StdDev
9130	0	-4.5759077	3.6616619	1.3E-10	0.9998356...

### PSADAA - PGC\_AlcDep\_2018\_AA

Type	Numeric (Double)
Description	PGC Alcohol Dependence 2018 AA

Valid	Invalid	Minimum	Maximum	Mean	StdDev
1975	0	-3.1933651	3.6922996	1.34E-9	0.9999999...

### PSMDD1 - PGC\_MDD\_2019

Type	Numeric (Double)
Description	PGC MDD 2019

Valid	Invalid	Minimum	Maximum	Mean	StdDev
9130	0	-3.7714174	3.5955288	-1.02E-10	0.9998356...

### PSEVRSK1 - SSGAC\_Risk\_2019\_EvrSmk

Type	Numeric (Double)
Description	SSGAC Risk 2019 Ever Smoked

Valid	Invalid	Minimum	Maximum	Mean	StdDev
9130	0	-4.2456241	4.250042	-5.56E-10	0.9998356...

### PSNEBMAL - SocioGen\_NEB\_2016\_male

Type	Numeric (Double)
Description	Socio Gen NEB 2016 male

Valid	Invalid	Minimum	Maximum	Mean	StdDev
4320	0	-3.8954825	3.613905	-0.018094...	1.0011566...

### PSAFBALL - SocioGen\_AFB\_2016\_pooled

Type	Numeric (Double)
Description	Socio Gen AFB 2016 pooled

Valid	Invalid	Minimum	Maximum	Mean	StdDev
9130	0	-4.0401912	4.0449209	-7.57E-10	0.9998356...

### PSPLASMA - CORNET\_Plasma\_2014

Type	Numeric (Double)
Description	CORNET Plasma 2014

Valid	Invalid	Minimum	Maximum	Mean	StdDev
9130	0	-3.5205948	3.9820714	2.07E-10	0.9998356...

### PSSNORE - CTG\_Insomnia\_2019\_Snoring

Type	Numeric (Double)
Description	CTG Insomnia 2019 Snoring

Valid	Invalid	Minimum	Maximum	Mean	StdDev
9130	0	-3.4384778	4.0726972	3.99E-10	0.9998356...

### PSWHRSTD - GIANT\_WHR

Type	Numeric (Double)
Description	GIANT WHR

Valid	Invalid	Minimum	Maximum	Mean	StdDev
9130	0	-3.7710209	3.8487623	3.34E-10	0.9998356...

### PSAFBFEM - SocioGen\_AFB\_2016\_female

Type	Numeric (Double)
Description	Socio Gen AFB 2016 Female

			Frequency
Missing	.	missing	4320

Valid	Invalid
0	4320

### PSREACT - CCACE\_ReAct\_2018

Type	Numeric (Double)
Description	CCACE Re Act 2018

Valid	Invalid	Minimum	Maximum	Mean	StdDev
9130	0	-3.563848	4.0066504	2.12E-10	0.9998356...

### PSEVRSK2 - TAG\_EVRSMK\_2010

Type	Numeric (Double)
Description	TAG Ever Smoke 2010

Valid	Invalid	Minimum	Maximum	Mean	StdDev
9130	0	-4.6364369	3.5767787	1.02E-10	0.9998356...

### PSCP2 - TAG\_CPD\_2010

Type	Numeric (Double)
Description	TAG CPD 2010

Valid	Invalid	Minimum	Maximum	Mean	StdDev
9130	0	-4.0079246	3.6852756	6.4E-10	0.9998356...

### PSEXTRAV - GPC\_Extraversion\_2015

Type	Numeric (Double)
Description	GPC Extraversion 2015

Valid	Invalid	Minimum	Maximum	Mean	StdDev
9130	0	-3.3712635	4.5502887	9.81E-11	0.9998356...

### PSCOGF - CCACE\_CogFunc\_2018

Type	Numeric (Double)
Description	CCACE Cognitive Function 2018

Valid	Invalid	Minimum	Maximum	Mean	StdDev
9130	0	-3.6344156	4.4690461	-2.42E-10	0.9998356...

### PSBIPOL - PGC\_Bipolar\_2011

Type	Numeric (Double)
Description	PGC Bipolar 2011

Valid	Invalid	Minimum	Maximum	Mean	StdDev
9130	0	-4.2495799	3.5752409	2.31E-11	0.9998356...

### PSADHD2 - PGC\_ADHD\_2017

Type	Numeric (Double)
Description	PGC ADHD 2017

Valid	Invalid	Minimum	Maximum	Mean	StdDev
9130	0	-3.8171821	3.6623023	-1.69E-10	0.9998356...

### PSLIFES2 - GWAMA\_WellBeing\_2019\_LifeSat



Type	Numeric (Double)
Description	GWAMA Well Being 2019 Life Sat

Valid	Invalid	Minimum	Maximum	Mean	StdDev
9130	0	-4.6599364	3.4838736	-1.85E-11	0.9998356...

### PSPOSAF1 - GWAMA\_WellBeing\_2019\_Uni\_PosAff

Type	Numeric (Double)
Description	GWAMA Well Being 2019 Uni Pos Aff

Valid	Invalid	Minimum	Maximum	Mean	StdDev
9130	0	-4.6667666	3.7067769	1.52E-10	0.9998356...

### PSASDSTD - PGC\_ASD\_2019

Type	Numeric (Double)
Description	PGC ASD 2019

Valid	Invalid	Minimum	Maximum	Mean	StdDev
9130	0	-3.9475482	3.7876709	2.21E-10	0.9998356...

### PSPPSTD - ICBP\_PP

Type	Numeric (Double)
Description	ICBP PP

Valid	Invalid	Minimum	Maximum	Mean	StdDev
9130	0	-4.2600169	4.0984621	8.36E-10	0.9998356...

### PSCADSTD - CARDIOGRAM\_CAD

Type	Numeric (Double)
Description	Cardiogram Coronary Artery Disease

Valid	Invalid	Minimum	Maximum	Mean	StdDev
9130	0	-4.0588622	4.2177424	-5.1E-10	0.9998356...

### PSLIPLDL - GLGC\_Lipids\_LDL\_2013

Type	Numeric (Double)
Description	GLGC Lipids LDL 2013

Valid	Invalid	Minimum	Maximum	Mean	StdDev
9130	0	-3.7645974	3.9742572	-4.74E-10	0.9998356...



Type	Numeric (Double)
Description	SSGAC Risk 2019

Valid	Invalid	Minimum	Maximum	Mean	StdDev
9130	0	-4.779047	3.6569428	-3.79E-10	0.9998356...



Type	Numeric (Double)
Description	GWAMA Well Being 2019 Uni Dep

Valid	Invalid	Minimum	Maximum	Mean	StdDev
9130	0	-3.7881522	3.5462167	-3.58E-10	0.9998356...



Type	Numeric (Double)
Description	PGC MDD 2013

Valid	Invalid	Minimum	Maximum	Mean	StdDev
9130	0	-4.1653457	4.0773187	-4.11E-10	0.9998356...



Type	Numeric (Double)
Description	CTG Neuroticism 2018 Dep Aff

Valid	Invalid	Minimum	Maximum	Mean	StdDev
9130	0	-3.539418	3.4455805	9.31E-11	0.9998356...



Type	Numeric (Double)
Description	CTG Insomnia 2019 Get Up

Valid	Invalid	Minimum	Maximum	Mean	StdDev
9130	0	-3.8334672	4.2720833	7.39E-11	0.9998356...



Type	Numeric (Double)
Description	ICBP MAP

Valid	Invalid	Minimum	Maximum	Mean	StdDev
9130	0	-4.1495566	3.5804076	1.14E-10	0.9998356...

### PSLIPHDL - GLGC\_Lipids\_HDL\_2013

Type	Numeric (Double)
Description	GLGC Lipids HDL 2013

Valid	Invalid	Minimum	Maximum	Mean	StdDev
9130	0	-4.0922194	3.3492355	-2.2E-10	0.9998356...

### PSSLEEPD - CTG\_Insomnia\_2019\_SleepDur

Type	Numeric (Double)
Description	CTG Insomnia 2019 Sleep Duration

Valid	Invalid	Minimum	Maximum	Mean	StdDev
9130	0	-4.2203407	3.5599334	-3.43E-10	0.9998356...

### PSNEURO2 - GWAMA\_WellBeing\_2019\_Uni\_Neuroticism

Type	Numeric (Double)
Description	GWAMA Well Being 2019 Uni Neuroticism

Valid	Invalid	Minimum	Maximum	Mean	StdDev
9130	0	-3.7327681	3.5445857	-1.97E-10	0.9998356...

### PSDPW1 - SSGAC\_Risk\_2019\_DPW

Type	Numeric (Double)
Description	SSGAC Risk 2019 DPW

Valid	Invalid	Minimum	Maximum	Mean	StdDev
9130	0	-3.5164554	4.0239253	-1.9E-10	0.9998356...

### PSLIPTC - GLGC\_Lipids\_TC\_2013

Type	Numeric (Double)
Description	GLGC Lipids TC 2013

Valid	Invalid	Minimum	Maximum	Mean	StdDev
9130	0	-4.1933427	3.4933882	3.27E-10	0.9998356...

### PSHGT2 - GIANT\_Height\_2018

Type	Numeric (Double)
Description	GIANT Height 2018

Valid	Invalid	Minimum	Maximum	Mean	StdDev
9130	0	-3.6357837	4.1623054	-2.09E-10	0.9998356...

### PSAGESMK - GSCAN\_AgeSmkInt\_2019

Type	Numeric (Double)
Description	GSCAN Ag Smoke Int 2019

Valid	Invalid	Minimum	Maximum	Mean	StdDev
9130	0	-3.6381576	4.0452957	-5.13E-10	0.9998356...

### PSPOSAF2 - GWAMA\_WellBeing\_2019\_PosAff

Type	Numeric (Double)
Description	GWAMA Well Being 2019 Pos Aff

Valid	Invalid	Minimum	Maximum	Mean	StdDev
9130	0	-4.2399058	3.6702073	4.14E-11	0.9998356...

### PSAFBMAL - SocioGen\_AFB\_2016\_male

Type	Numeric (Double)
Description	SocioGen AFB 2016 male

Valid	Invalid	Minimum	Maximum	Mean	StdDev
4320	0	-3.3513598	3.4640138	0.0051976...	0.9971605...

### PSDIABT1 - DIAGRAM\_Diabetes\_2014

Type	Numeric (Double)
Description	DIAGRAM Diabetes 2014

Valid	Invalid	Minimum	Maximum	Mean	StdDev
9130	0	-3.8873944	4.5497956	-4.27E-10	0.9998356...

### PSBMI2 - GIANT\_BMI

Type	Numeric (Double)
Description	GIANT BMI

Valid	Invalid	Minimum	Maximum	Mean	StdDev
9130	0	-3.9692814	3.8173399	-3.95E-10	0.9998356...

 PSNEBALL - SocioGen\_NEB\_2016\_pooled

Type	Numeric (Double)
Description	Socio Gen NEB 2016 pooled

Valid	Invalid	Minimum	Maximum	Mean	StdDev
9130	0	-3.384753	3.883477	-1.67E-10	0.9998356...

 PSMDD3 - PGC\_MDD\_2018

Type	Numeric (Double)
Description	PGC MDD 2018

Valid	Invalid	Minimum	Maximum	Mean	StdDev
9130	0	-4.1040325	6.3544827	-1.98E-10	0.9998356...

 PSDS2 - SSGAC\_DS\_2016

Type	Numeric (Double)
Description	SSGAC DS 2016

Valid	Invalid	Minimum	Maximum	Mean	StdDev
9130	0	-4.9850097	4.1688604	-2.99E-10	0.9998356...

 PSAUTISM - PGC\_Autism\_2017

Type	Numeric (Double)
Description	PGC Autism 2017

Valid	Invalid	Minimum	Maximum	Mean	StdDev
9130	0	-3.550518	4.0202885	1E-10	0.9998356...

 PSGYM - PGC\_Social\_2018\_Gym

Type	Numeric (Double)
Description	PGC Social 2018 Gym

Valid	Invalid	Minimum	Maximum	Mean	StdDev
9130	0	-3.8426843	3.6101077	-2.85E-10	0.9998356...

 PSRELGRP - PGC\_Social\_2018\_RelGrp

Type	Numeric (Double)
Description	PGC Social 2018 Rel Grp

Valid	Invalid	Minimum	Maximum	Mean	StdDev
9130	0	-3.7629316	3.6146121	1.6E-10	0.9998356...

### PSLIPTG - GLGC\_Lipids\_TG\_2013

Type	Numeric (Double)
Description	GLGC Lipids TG 2013

Valid	Invalid	Minimum	Maximum	Mean	StdDev
9130	0	-4.5196095	3.6130593	-4.82E-11	0.9998356...

### PSINSOMN - CTG\_Insomnia\_2019

Type	Numeric (Double)
Description	CTG Insomnia 2019

Valid	Invalid	Minimum	Maximum	Mean	StdDev
9130	0	-4.7876139	3.8824337	-2.95E-10	0.9998356...

### PSXDIS - PGC\_XDIS\_2013

Type	Numeric (Double)
Description	PGC XDIS 2013

Valid	Invalid	Minimum	Maximum	Mean	StdDev
9130	0	-12.464667	4.8133259	4.7E-10	0.9998356...

### PSNEBSTD - SocioGen\_NEB\_2016

Type	Numeric (Double)
Description	Socio Gen NEB 2016

Valid	Invalid	Minimum	Maximum	Mean	StdDev
9130	0	-3.384753	3.883477	-1.67E-10	0.9998356...

### PSADALL - PGC\_AlcDep\_2019\_Full

Type	Numeric (Double)
Description	PGC Alcohol Dependence 2019 Full

Valid	Invalid	Minimum	Maximum	Mean	StdDev
9130	0	-3.488867	3.7447975	4E-10	0.9998356...

### PSNEURO3 - CTG\_Neuroticism\_2018

Type	Numeric (Double)
Description	CTG Neuroticism 2018

Valid	Invalid	Minimum	Maximum	Mean	StdDev
9130	0	-3.9936562	3.8140008	-1.77E-10	0.9998356...

### PSEVRSK3 - GSCAN\_EvrSmk\_2019

Type	Numeric (Double)
Description	GSCAN Ever Smoked 2019

Valid	Invalid	Minimum	Maximum	Mean	StdDev
9130	0	-3.3059053	4.513433	-4.1E-10	0.9998356...

### PSINTELL - CTG\_Intelligence\_2018

Type	Numeric (Double)
Description	CTG Intelligence 2018

Valid	Invalid	Minimum	Maximum	Mean	StdDev
9130	0	-4.0671215	4.6447363	-2.17E-10	0.9998356...

### PSDIABT2 - DIAGRAM\_Diabetes\_2012

Type	Numeric (Double)
Description	DIAGRAM Diabetes 2012

Valid	Invalid	Minimum	Maximum	Mean	StdDev
9130	0	-4.4078531	4.6811757	-1.33E-10	0.9998356...

### PSWCSTD - GIANT\_WC

Type	Numeric (Double)
Description	GIANT WC

Valid	Invalid	Minimum	Maximum	Mean	StdDev
9130	0	-4.3628831	3.5197206	2.69E-10	0.9998356...

### PSADAANR - PGC\_AlcDep\_2018\_AA\_NoRel

Type	Numeric (Double)
Description	PGC Alcohol Dependence 2018 AA No Rel

Valid	Invalid	Minimum	Maximum	Mean	StdDev
1975	0	-3.6099329	3.2773216	9.65E-10	1E+0



Type	Numeric (Double)
Description	Repo Gen Menarche 2014

Valid	Invalid	Minimum	Maximum	Mean	StdDev
9130	0	-3.6898525	4.2170019	-1.89E-10	0.9998356...



Type	Numeric (Double)
Description	ICBP DBP

Valid	Invalid	Minimum	Maximum	Mean	StdDev
9130	0	-4.4179792	3.5970147	5.93E-10	0.9998356...



Type	Numeric (Double)
Description	GSCAN DPW 2019

Valid	Invalid	Minimum	Maximum	Mean	StdDev
9130	0	-3.8991261	3.6613426	-4.65E-10	0.9998356...



Type	Numeric (Double)
Description	IGAP AD 2013

Valid	Invalid	Minimum	Maximum	Mean	StdDev
9130	0	-4.0387135	3.4905732	-2.9E-10	0.9998356...



Type	Numeric (Double)
Description	CTG Insomnia 2019 Doizing

Valid	Invalid	Minimum	Maximum	Mean	StdDev
9130	0	-3.9420581	3.8774166	-8.48E-10	0.9998356...



Type	Numeric (Double)
Description	SSGAC Risk 2019 NSP



Valid	Invalid	Minimum	Maximum	Mean	StdDev
9130	0	-4.1560645	3.6804054	3.77E-10	0.9998356...

### PSEDU2 - SSGAC\_EDU\_2016

Type	Numeric (Double)
Description	SSGAC EDU 2016

Valid	Invalid	Minimum	Maximum	Mean	StdDev
9130	0	-3.4067049	4.2281504	-2.84E-11	0.9998356...

### PSMORN - CTG\_Insomnia\_2019\_Morning

Type	Numeric (Double)
Description	CTG Insomnia 2019 Morning

Valid	Invalid	Minimum	Maximum	Mean	StdDev
9130	0	-3.5757303	3.9667819	-1.69E-10	0.9998356...

### PSSTOPSK - GSCAN\_StopSmk\_2019

Type	Numeric (Double)
Description	GSCAN Stop Smk 2019

Valid	Invalid	Minimum	Maximum	Mean	StdDev
9130	0	-4.1419477	3.574147	5.76E-10	0.9998356...

### PSNAPPNG - CTG\_Insomnia\_2019\_Napping

Type	Numeric (Double)
Description	CTG Insomnia 2019 Napping

Valid	Invalid	Minimum	Maximum	Mean	StdDev
9130	0	-4.4158549	3.4393451	1.76E-10	0.9998356...

### PSAFBSTD - SocioGen\_AFB\_2016

Type	Numeric (Double)
Description	Socio Gen AFB 2016

Valid	Invalid	Minimum	Maximum	Mean	StdDev
9130	0	-4.0401912	4.0449209	-7.57E-10	0.9998356...

### PSLONELY - PGC\_Social\_2018\_Lonely

Type	Numeric (Double)
Description	PGC Social 2018 Lonely

Valid	Invalid	Minimum	Maximum	Mean	StdDev
9130	0	-4.4104271	3.8934937	1.74E-10	0.9998356...

### 

Type	Numeric (Double)
Description	PGC PTSD 2018 EA

			Frequency
Missing	.	missing	3399

Valid	Invalid
0	3399

### 

Type	Numeric (Double)
Description	PGC Alcohol Dependence 2018 EA

			Frequency
Missing	.	missing	3399

Valid	Invalid
0	3399

### 

Type	Numeric (Double)
Description	PGC Alcohol Dependence 2018 EA No Rel

			Frequency
Missing	.	missing	3399

Valid	Invalid
0	3399

### 

Type	Numeric (Double)
Description	Principal Component 1

Valid	Invalid	Minimum	Maximum	Mean	StdDev
9130	0	-0.75045502	0.36444101	-5.97E-7	0.0215008...

 PSPC2 - Principal component 2

Type	Numeric (Double)
Description	Principal Component 2

Valid	Invalid	Minimum	Maximum	Mean	StdDev
9130	0	-0.36500499	0.768758	1.12E-6	0.0214416...

 PSPC3 - Principal component 3

Type	Numeric (Double)
Description	Principal Component 3

Valid	Invalid	Minimum	Maximum	Mean	StdDev
9130	0	-0.691971	0.092295602	1.78E-6	0.0229365...

 PSPC4 - Principal component 4

Type	Numeric (Double)
Description	Principal Component 4

Valid	Invalid	Minimum	Maximum	Mean	StdDev
9130	0	-0.447559	0.651012	3.96E-7	0.0212014...

 PSPC5 - Principal component 5

Type	Numeric (Double)
Description	Principal Component 5

Valid	Invalid	Minimum	Maximum	Mean	StdDev
9130	0	-0.21810199	0.26438501	1.91E-6	0.0225203...

 PSPC6 - Principal component 6

Type	Numeric (Double)
Description	Principal Component 6

Valid	Invalid	Minimum	Maximum	Mean	StdDev
9130	0	-0.745646	0.563923	2.51E-7	0.0211469...

 PSPC7 - Principal component 7

Type	Numeric (Double)
Description	Principal Component 7

Valid	Invalid	Minimum	Maximum	Mean	StdDev
9130	0	-0.64249599	0.68146098	3.56E-7	0.0211229...

### PSPC8 - Principal component 8

Type	Numeric (Double)
Description	Principal Component 8

Valid	Invalid	Minimum	Maximum	Mean	StdDev
9130	0	-0.68448198	0.51667899	-8.86E-7	0.0211420...

### PSPC9 - Principal component 9

Type	Numeric (Double)
Description	Principal Component 9

Valid	Invalid	Minimum	Maximum	Mean	StdDev
9130	0	-0.85806298	0.47616899	-2.84E-6	0.0211354...

### PSPC10 - Principal component 10

Type	Numeric (Double)
Description	Principal Component 10

Valid	Invalid	Minimum	Maximum	Mean	StdDev
9130	0	-0.65149802	0.820342	1.1E-7	0.0211394...

### PSPC11 - Principal component 11

Type	Numeric (Double)
Description	Principal Component 11

Valid	Invalid	Minimum	Maximum	Mean	StdDev
9130	0	-0.50272	0.77649599	1.79E-6	0.0211239...

### PSPC12 - Principal component 12

Type	Numeric (Double)
Description	Principal Component 12

Valid	Invalid	Minimum	Maximum	Mean	StdDev
9130	0	-0.57504499	0.55496299	-1.36E-7	0.0211381...

### PSPC13 - Principal component 13

Type	Numeric (Double)
Description	Principal Component 13

Valid	Invalid	Minimum	Maximum	Mean	StdDev
9130	0	-0.63001299	0.62010401	-9.6E-7	0.0211112...

### PSPC14 - Principal component 14

Type	Numeric (Double)
Description	Principal Component 14

Valid	Invalid	Minimum	Maximum	Mean	StdDev
9130	0	-0.509363	0.85926503	-1.32E-6	0.0211527...

### PSPC15 - Principal component 15

Type	Numeric (Double)
Description	Principal Component 15

Valid	Invalid	Minimum	Maximum	Mean	StdDev
9130	0	-0.50296402	0.55198699	1.38E-6	0.0211551...

### PSPC16 - Principal component 16

Type	Numeric (Double)
Description	Principal Component 16

Valid	Invalid	Minimum	Maximum	Mean	StdDev
9130	0	-0.89614201	0.65704203	-1.56E-6	0.0211242...

### PSPC17 - Principal component 17

Type	Numeric (Double)
Description	Principal Component 17

Valid	Invalid	Minimum	Maximum	Mean	StdDev
9130	0	-0.49781299	0.77998	6.54E-7	0.0211197...

### PSPC18 - Principal component 18

Type	Numeric (Double)
Description	Principal Component 18

Valid	Invalid	Minimum	Maximum	Mean	StdDev
9130	0	-0.88875097	0.39566001	1.01E-7	0.0211118...



Type	Numeric (Double)
Description	Principal Component 19

Valid	Invalid	Minimum	Maximum	Mean	StdDev
9130	0	-0.49646801	0.590159	3.09E-7	0.0211147...



Type	Numeric (Double)
Description	Principal Component 20

Valid	Invalid	Minimum	Maximum	Mean	StdDev
9130	0	-0.65224302	0.621315	8.3E-7	0.0211301...



Type	Code
Measurement Unit	Text
Description	Add Health Genetic Ancestry

			Frequency	% of total	% of valid
Valid	African ancestry	African ancestry	1975	21.63%	21.63%
	East Asian ancest	East Asian ancestry	437	4.79%	4.79%
	European ancestry	European ancestry	5731	62.77%	62.77%
	Hispanic ancestry	Hispanic ancestry	987	10.81%	10.81%
		Total	9,130	100%	100%

Valid	Invalid
9130	0



Type	Code
Measurement Unit	Text
Description	Race Five Categories

			Frequency	% of total	% of valid
Valid	Asian	Asian	449	4.92%	4.92%
	Hispanic	Hispanic	963	10.55%	10.55%
	Nat. Am.	Native American	22	0.24%	0.24%
	NHB	Non-Hispanic Black	1939	21.24%	21.24%
	NHW	Non-Hispanic White	5755	63.03%	63.03%
		Total	9,130	100%	100%

Valid	Invalid
9130	0