B Wave III Section 18: Compiling a Table of Pregnancies

Title	Wave III Section 18: Compiling a Table of Pregnancies
File Name	w3sect18.sas7bdat
Case Quantity	7422
Variable Count	6

% RRELNO - S17 RELATIONSHIP NUMBER-W3

Туре		Numeric (Do	Numeric (Double)			
RRELNO		Romantic rel	ationship number			
Valid	Invalid	Minimum	Maximum	Mean	StdDev	
7422	0	1	48	2.3071948	2.2923269	

% RPREGNO - RELATIONSHIP PREGNANCY NUMBER

Туре		Numeric (Double)				
RPREGNO		Relationship pregnancy number				
Valid	Invalid	Minimum	Maximum	Mean	StdDev	

valid	Invalid	winimum	waximum	wean	StaDev
7422	0	1	8	1.3403395	0.6761079

Matche Strain St

Туре	Code
Measurement Unit	numeric
НЗТР1	1. Next, please indicate the outcome of this pregnancy by selecting the appropriate response. If the pregnancy involved more than one baby, and all had the same outcome, indicate that outcome of example, a pregnancy involving twins who were both live births should be coded as live birth.

			Frequency	% of total	% of valid
Valid	1	misscarriage	1022	13.77%	13.82%
	2	abortion	1287	17.34%	17.41%
	3	signle, stillbirth	186	2.51%	2.52%
	4	live birth	4160	56.05%	56.26%
	5	pregnancy not yet ended	536	7.22%	7.25%
	6	multiple, no live birth	30	0.4%	0.41%
	7	multiple, involving both a live birth and another outcome	173	2.33%	2.34%
		Total	7,394	99.62%	100%

Missing	missing	28	0.38%	
	Total	28	0.38%	

Valid	Invalid	Minimum	Maximum
7394	28	1	7

MONTH PREGNANCY ENDED-W3

Туре	Code
Measurement Unit	numeric
НЗТР2М	2M. Please indicate the month (and year) in which this pregnancy ended or is expected to end [®] the due date. If you are not sure of an ending date, enter your best guess.

			Frequency	% of total	% of valid
Valid	1	January	613	8.26%	8.29%
	2	February	620	8.35%	8.39%
	3	March	611	8.23%	8.27%
	4	April	615	8.29%	8.32%
	5	May	629	8.47%	8.51%
	6	June	721	9.71%	9.76%
	7	July	572	7.71%	7.74%
	8	August	658	8.87%	8.9%
	9	September	661	8.91%	8.94%
	10	October	576	7.76%	7.79%
	11	November	560	7.55%	7.58%
	12	December	555	7.48%	7.51%
		Total	7,391	99.58%	100%
Missing	•	missing	31	0.42%	
		Total	31	0.42%	

Valid	Invalid	Minimum	Maximum
7391	31	1	12

SH3TP2Y - S18Q2Y YEAR PREGNANCY ENDED-W3

Туре	Code
Measurement Unit	numeric
НЗТР2Ү	2Y. Please indicate the (month and) year in which this pregnancy ended or is expected to end [®] the due date. If you are not sure of an ending date, enter your best guess.

Frequency % of total %

Valid	1977	1977	3	0.04%	0.04%
	1978	1978	1	0.01%	0.01%
	1979	1979	1	0.01%	0.01%
	1980	1980	1	0.01%	0.01%
	1981	1981	1	0.01%	0.01%
	1987	1987	1	0.01%	0.01%
	1988	1988	1	0.01%	0.01%
	1989	1989	1	0.01%	0.01%
	1990	1990	6	0.08%	0.08%
	1991	1991	4	0.05%	0.05%
	1992	1992	23	0.31%	0.31%
	1993	1993	59	0.79%	0.8%
	1994	1994	144	1.94%	1.96%
	1995	1995	360	4.85%	4.9%
	1996	1996	526	7.09%	7.15%
	1997	1997	760	10.24%	10.34%
	1998	1998	942	12.69%	12.81%
	1999	1999	1221	16.45%	16.61%
	2000	2000	1385	18.66%	18.84%
	2001	2001	1462	19.7%	19.89%
	2002	2002	450	6.06%	6.12%
		Total	7,352	99.06%	100%
Missing		missing	70	0.94%	
		Total	70	0.94%	

Valid	Invalid	Minimum	Maximum
7352	70	1977	2002

✤ H3TP3 - S18Q3 # LIVE BIRTHS FROM PREGNANCY-W3

Туре	Code
Measurement Unit	numeric
НЗТРЗ	3. Please indicate how many babies were born alive. For example, for twins who were both born alive enter 2, for twins of whom only one was born alive
	enter 1, for triplets who were all born a live enter 3, for a single birth enter 1.

			Frequency	% of total	% of valid
Valid	1	1 live birth	4055	54.63%	95.91%
	2	2 live births	133	1.79%	3.15%
	3	3 live births	34	0.46%	0.8%
	4	4live births	4	0.05%	0.09%
	6	6 live births	2	0.03%	0.05%

		Total	4,228	56.97%	100%
Missing		missing	105	1.41%	
	97	legitimate skip	3089	41.62%	
		Total	3,194	43.03%	

Valid	Invalid	Minimum	Maximum
4228	3194	1	6