


 Mortality Outcomes Surveillance, Part I Data**Title**

Mortality Outcomes Surveillance, Part I Data

 All Coded Causes of Death File, Including Entity-Axis Codes, 2019**Title**

All Coded Causes of Death File, Including Entity-Axis Codes, 2019

Abstract

This file contains all underlying cause of death and entity-axis codes appearing in the National Death Index (NDI) source file. Functioning as dummy variables, zero represents the absence of a code on the decedent's death certificate, while one denotes the presence of one.

Variables: 88

Observations: 540

Variables

 All Coded Causes of Death File, Including Entity-Axis Codes, 2019

- [NDIVS19 - SAMPLE MEMBERS VITAL STATUS, 2019](#)
- [NDI00119 - A00-A28/A50-B19/B25-B99](#)
- [NDI00219 - A30-A49](#)
- [NDI00319 - B20-B23](#)
- [NDI00419 - B24](#)
- [NDI00519 - C00-C14/C30-C75](#)
- [NDI00619 - C15-C26](#)
- [NDI00719 - C76-C80](#)
- [NDI00819 - C81-C96](#)
- [NDI00919 - D50-D89](#)
- [NDI01019 - E00-E07/E15-E65/E67-E90](#)
- [NDI01119 - E10-E14](#)
- [NDI01219 - E66](#)
- [NDI01319 - F00-F09/F20-F99](#)
- [NDI01419 - F10](#)
- [NDI01519 - F11-F17/F18-F19](#)

-
- NDI01619 - F17.9
 - NDI01719 - G00-G92/G94-G99
 - NDI01819 - G93
 - NDI01919 - I00-I09/I20/I22-I24/I25.2-I25.6/I25.8/I25.9/I26-I28/I70-I99
 - NDI02019 - I10
 - NDI02119 - I11-I15
 - NDI02219 - I21
 - NDI02319 - I25.0
 - NDI02419 - I25.1
 - NDI02519 - I30-I41/I43-I45/I46.0/I46.1/I47-I49/I52
 - NDI02619 - I42
 - NDI02719 - I46.9
 - NDI02819 - I50
 - NDI02919 - I51
 - NDI03019 - I60-I69
 - NDI03119 - J00-J06/J20-J94
 - NDI03219 - J09-J18
 - NDI03319 - J95-J99
 - NDI03419 - K00-K67/K80-K93
 - NDI03519 - K70-K77
 - NDI03619 - M30-M36
 - NDI03719 - N17/N19
 - NDI03819 - N18
 - NDI03919 - R00-R07/R10-R49/R70-R98
 - NDI04019 - R09
 - NDI04119 - R50-R69
 - NDI04219 - R99
 - NDI04319 - S00-S08/S09.0-S09.2/S09.7/S09.8
 - NDI04419 - S01.0-S01.5/S01.7/S01.8
 - NDI04519 - S01.9
 - NDI04619 - S09.9
 - NDI04719 - S10-S19
 - NDI04819 - S20/S22-S28/S29.0/S29.7/S29.8
 - NDI04919 - S21
 - NDI05019 - S29.9
 - NDI05119 - S30-S35/S37-S39
 - NDI05219 - S36
 - NDI05319 - S40-S99/T08/T10-T13/T15-T35/T79/T90-T98
 - NDI05419 - T07
 - NDI05519 - T09
 - NDI05619 - T14
 - NDI05719 - T36-T39/T41-T49/T50.0-T50.8
 - NDI05819 - T40.1
 - NDI05919 - T40.2

- NDI06019 - T40.3/T40.6-T40.9
- NDI06119 - T40.4
- NDI06219 - T40.5
- NDI06319 - T50.9
- NDI06419 - T51-T65
- NDI06519 - T66-T70/T73-T78
- NDI06619 - T71
- NDI06719 - T80-T88
- NDI06819 - V01-V09
- NDI06919 - V10-V39/V50-V79/V90-V99
- NDI07019 - V40-V48
- NDI07119 - V49
- NDI07219 - V87
- NDI07319 - V89.2
- NDI07419 - W00-X39/X50-X59
- NDI07519 - X40-X41/X43/X46-X49
- NDI07619 - X42
- NDI07719 - X44
- NDI07819 - X45
- NDI07919 - X60-X69/X71-X73/X75-X84
- NDI08019 - X70
- NDI08119 - X74
- NDI08219 - X85-X94/X96-Y09
- NDI08319 - X95
- NDI08419 - Y10-Y36/Y85-Y98
- NDI08519 - Y40-Y84
- NDI08619 - 996: SUPPRESSED

 NDIVS19 - SAMPLE MEMBERS VITAL STATUS, 2019

Type	Code
Measurement Unit	numeric
NDIVS19	Sample members vital status, 2019
1	Deceased
0	Alive

 NDI00119 - A00-A28/A50-B19/B25-B99


Type	Code
Measurement Unit	numeric
NDI00119	A00-A28/A50-B19/B25-B99
0	Absent
1	Present

 NDI00219 - A30-A49

Type	Code
Measurement Unit	numeric
NDI00219	A30-A49
0	Absent
1	Present

 NDI00319 - B20-B23

Type	Code
Measurement Unit	numeric
NDI00319	B20-B23
0	Absent
1	Present

 NDI00419 - B24

Type	Code
Measurement Unit	numeric
NDI00419	B24
0	Absent
1	Present

 NDI00519 - C00-C14/C30-C75

Type	Code
Measurement Unit	numeric
NDI00519	C00-C14/C30-C75
0	Absent
1	Present

 NDI00619 - C15-C26

Type	Code
Measurement Unit	numeric
NDI00619	C15-C26
0	Absent
1	Present

 NDI00719 - C76-C80

Type	Code
Measurement Unit	numeric
NDI00719	C76-C80
0	Absent
1	Present

 NDI00819 - C81-C96

Type	Code
Measurement Unit	numeric
NDI00819	C81-C96
0	Absent
1	Present

 NDI00919 - D50-D89

Type	Code
Measurement Unit	numeric
NDI00919	D50-D89
0	Absent
1	Present

 NDI01019 - E00-E07/E15-E65/E67-E90

Type	Code
Measurement Unit	numeric
NDI01019	E00-E07/E15-E65/E67-E90
0	Absent
1	Present

 NDI01119 - E10-E14


Type	Code
Measurement Unit	numeric
NDI01119	E10-E14
0	Absent
1	Present

 NDI01219 - E66

Type	Code
Measurement Unit	numeric
NDI01219	E66
0 Absent	
1 Present	

 NDI01319 - F00-F09/F20-F99

Type	Code
Measurement Unit	numeric
NDI01319	F00-F09/F20-F99
0 Absent	
1 Present	

 NDI01419 - F10

Type	Code
Measurement Unit	numeric
NDI01419	F10
0 Absent	
1 Present	

 NDI01519 - F11-F17/F18-F19

Type	Code
Measurement Unit	numeric
NDI01519	F11-F17/F18-F19
0 Absent	
1 Present	

 NDI01619 - F17.9


Type	Code
Measurement Unit	numeric
NDI01619	F17.9
0 Absent	
1 Present	

 NDI01719 - G00-G92/G94-G99

Type	Code
Measurement Unit	numeric
NDI01719	G00-G92/G94-G99
0 Absent	
1 Present	

 NDI01819 - G93

Type	Code
Measurement Unit	numeric
NDI01819	G93
0 Absent	
1 Present	

 NDI01919 - I00-I09/I20/I22-I24/I25.2-I25.6/I25.8/I25.9/I26-I28/I70-I99

Type	Code
Measurement Unit	numeric
NDI01919	I00-I09/I20/I22-I24/I25.2-I25.6/I25.8/I25.9/I26-I28/I70-I99
0 Absent	
1 Present	

 NDI02019 - I10


Type	Code
Measurement Unit	numeric
NDI02019	I10
0 Absent	
1 Present	

 NDI02119 - I11-I15


Type	Code
Measurement Unit	numeric
NDI02119	I11-I15
0 Absent	
1 Present	

 NDI02219 - I21


Type	Code
Measurement Unit	numeric
NDI02219	I21
0 Absent	
1 Present	

 NDI02319 - I25.0


Type	Code
Measurement Unit	numeric
NDI02319	I25.0
0 Absent	
1 Present	

 NDI02419 - I25.1


Type	Code
Measurement Unit	numeric
NDI02419	I25.1
0 Absent	
1 Present	

 NDI02519 - I30-I41/I43-I45/I46.0/I46.1/I47-I49/I52


Type	Code
Measurement Unit	numeric
NDI02519	I30-I41/I43-I45/I46.0/I46.1/I47-I49/I52
0 Absent	
1 Present	

 NDI02619 - I42


Type	Code
Measurement Unit	numeric
NDI02619	I42
0 Absent	
1 Present	

 NDI02719 - I46.9


Type	Code
Measurement Unit	numeric
NDI02719	I46.9
0 Absent	
1 Present	

 NDI02819 - I50

Type	Code
Measurement Unit	numeric
NDI02819	I50
0 Absent	
1 Present	

 NDI02919 - I51

Type	Code
Measurement Unit	numeric
NDI02919	I51
0 Absent	
1 Present	

 NDI03019 - I60-I69

Type	Code
Measurement Unit	numeric
NDI03019	I60-I69
0 Absent	
1 Present	

 NDI03119 - J00-J06/J20-J94


Type	Code
Measurement Unit	numeric
NDI03119	J00-J06/J20-J94
0 Absent	
1 Present	

 NDI03219 - J09-J18

Type	Code
Measurement Unit	numeric
NDI03219	J09-J18
0 Absent	
1 Present	

 NDI03319 - J95-J99


Type	Code
Measurement Unit	numeric
NDI03319	J95-J99
0 Absent	
1 Present	

 NDI03419 - K00-K67/K80-K93

Type	Code
Measurement Unit	numeric
NDI03419	K00-K67/K80-K93
0 Absent	
1 Present	

 NDI03519 - K70-K77

Type	Code
Measurement Unit	numeric
NDI03519	K70-K77
0 Absent	
1 Present	

 NDI03619 - M30-M36

Type	Code
Measurement Unit	numeric
NDI03619	M30-M36
0 Absent	
1 Present	

 NDI03719 - N17/N19


Type	Code
Measurement Unit	numeric
NDI03719	N17/N19
0 Absent	
1 Present	

 NDI03819 - N18

Type	Code
Measurement Unit	numeric
NDI03819	N18
0 Absent	
1 Present	

 NDI03919 - R00-R07/R10-R49/R70-R98


Type	Code
Measurement Unit	numeric
NDI03919	R00-R07/R10-R49/R70-R98
0 Absent	
1 Present	

 NDI04019 - R09

Type	Code
Measurement Unit	numeric
NDI04019	R09
0 Absent	
1 Present	

 NDI04119 - R50-R69

Type	Code
Measurement Unit	numeric
NDI04119	R50-R69
0 Absent	
1 Present	

 NDI04219 - R99

Type	Code
Measurement Unit	numeric
NDI04219	R99
0	Absent
1	Present

 NDI04319 - S00-S08/S09.0-S09.2/S09.7/S09.8

Type	Code
Measurement Unit	numeric
NDI04319	S00-S08/S09.0-S09.2/S09.7/S09.8
0	Absent
1	Present

 NDI04419 - S01.0-S01.5/S01.7/S01.8

Type	Code
Measurement Unit	numeric
NDI04419	S01.0-S01.5/S01.7/S01.8
0	Absent
1	Present

 NDI04519 - S01.9


Type	Code
Measurement Unit	numeric
NDI04519	S01.9
0	Absent
1	Present

 NDI04619 - S09.9


Type	Code
Measurement Unit	numeric
NDI04619	S09.9
0	Absent
1	Present

 NDI04719 - S10-S19


Type	Code
Measurement Unit	numeric
NDI04719	S10-S19
0 Absent	
1 Present	

 NDI04819 - S20/S22-S28/S29.0/S29.7/S29.8

Type	Code
Measurement Unit	numeric
NDI04819	S20/S22-S28/S29.0/S29.7/S29.8
0 Absent	
1 Present	

 NDI04919 - S21

Type	Code
Measurement Unit	numeric
NDI04919	S21
0 Absent	
1 Present	

 NDI05019 - S29.9

Type	Code
Measurement Unit	numeric
NDI05019	S29.9
0 Absent	
1 Present	

 NDI05119 - S30-S35/S37-S39


Type	Code
Measurement Unit	numeric
NDI05119	S30-S35/S37-S39
0 Absent	
1 Present	

 NDI05219 - S36

Type	Code
Measurement Unit	numeric
NDI05219	S36
0 Absent	
1 Present	

 NDI05319 - S40-S99/T08/T10-T13/T15-T35/T79/T90-T98


Type	Code
Measurement Unit	numeric
NDI05319	S40-S99/T08/T10-T13/T15-T35/T79/T90-T98
0 Absent	
1 Present	

 NDI05419 - T07


Type	Code
Measurement Unit	numeric
NDI05419	T07
0 Absent	
1 Present	

 NDI05519 - T09

Type	Code
Measurement Unit	numeric
NDI05519	T09
0 Absent	
1 Present	

 NDI05619 - T14

Type	Code
Measurement Unit	numeric
NDI05619	T14
0 Absent	
1 Present	

 NDI05719 - T36-T39/T41-T49/T50.0-T50.8


Type	Code
Measurement Unit	numeric
NDI05719	T36-T39/T41-T49/T50.0-T50.8
0 Absent	
1 Present	

 NDI05819 - T40.1

Type	Code
Measurement Unit	numeric
NDI05819	T40.1
0 Absent	
1 Present	

 NDI05919 - T40.2

Type	Code
Measurement Unit	numeric
NDI05919	T40.2
0 Absent	
1 Present	

 NDI06019 - T40.3/T40.6-T40.9

Type	Code
Measurement Unit	numeric
NDI06019	T40.3/T40.6-T40.9
0 Absent	
1 Present	

 NDI06119 - T40.4

Type	Code
Measurement Unit	numeric
NDI06119	T40.4
0 Absent	
1 Present	

 NDI06219 - T40.5


Type	Code
Measurement Unit	numeric
NDI06219	T40.5
0 Absent	
1 Present	

 NDI06319 - T50.9


Type	Code
Measurement Unit	numeric
NDI06319	T50.9
0 Absent	
1 Present	

 NDI06419 - T51-T65

Type	Code
Measurement Unit	numeric
NDI06419	T51-T65
0 Absent	
1 Present	

 NDI06519 - T66-T70/T73-T78

Type	Code
Measurement Unit	numeric
NDI06519	T66-T70/T73-T78
0 Absent	
1 Present	

 NDI06619 - T71

Type	Code
Measurement Unit	numeric
NDI06619	T71
0 Absent	
1 Present	

 NDI06719 - T80-T88

Type	Code
Measurement Unit	numeric
NDI06719	T80-T88
0	Absent
1	Present

 NDI06819 - V01-V09

Type	Code
Measurement Unit	numeric
NDI06819	V01-V09
0	Absent
1	Present

 NDI06919 - V10-V39/V50-V79/V90-V99

Type	Code
Measurement Unit	numeric
NDI06919	V10-V39/V50-V79/V90-V99
0	Absent
1	Present

 NDI07019 - V40-V48


Type	Code
Measurement Unit	numeric
NDI07019	V40-V48
0	Absent
1	Present

 NDI07119 - V49

Type	Code
Measurement Unit	numeric
NDI07119	V49
0	Absent
1	Present

 NDI07219 - V87


Type	Code
Measurement Unit	numeric
NDI07219	V87
0	Absent
1	Present

 NDI07319 - V89.2


Type	Code
Measurement Unit	numeric
NDI07319	V89.2
0	Absent
1	Present

 NDI07419 - W00-X39/X50-X59

Type	Code
Measurement Unit	numeric
NDI07419	W00-X39/X50-X59
0	Absent
1	Present

 NDI07519 - X40-X41/X43/X46-X49

Type	Code
Measurement Unit	numeric
NDI07519	X40-X41/X43/X46-X49
0	Absent
1	Present

 NDI07619 - X42


Type	Code
Measurement Unit	numeric
NDI07619	X42
0	Absent
1	Present

 NDI07719 - X44

Type	Code
Measurement Unit	numeric
NDI07719	X44
0 Absent	
1 Present	

 NDI07819 - X45

Type	Code
Measurement Unit	numeric
NDI07819	X45
0 Absent	
1 Present	

 NDI07919 - X60-X69/X71-X73/X75-X84

Type	Code
Measurement Unit	numeric
NDI07919	X60-X69/X71-X73/X75-X84
0 Absent	
1 Present	

 NDI08019 - X70

Type	Code
Measurement Unit	numeric
NDI08019	X70
0 Absent	
1 Present	

 NDI08119 - X74

Type	Code
Measurement Unit	numeric
NDI08119	X74
0 Absent	
1 Present	

 NDI08219 - X85-X94/X96-Y09

Type	Code
Measurement Unit	numeric
NDI08219	X85-X94/X96-Y09
0 Absent	
1 Present	

 NDI08319 - X95

Type	Code
Measurement Unit	numeric
NDI08319	X95
0 Absent	
1 Present	

 NDI08419 - Y10-Y36/Y85-Y98

Type	Code
Measurement Unit	numeric
NDI08419	Y10-Y36/Y85-Y98
0 Absent	
1 Present	

 NDI08519 - Y40-Y84

Type	Code
Measurement Unit	numeric
NDI08519	Y40-Y84
0 Absent	
1 Present	

 NDI08619 - 996: SUPPRESSED

Type	Code
Measurement Unit	numeric
NDI08619	996: SUPPRESSED
0 Absent	
1 Present	

Logical Products

 All Coded Causes of Death File, Including Entity-Axis Codes, 2019


Data Layouts

 All Coded Causes of Death File, Including Entity-Axis Codes, 2019

All Coded Causes of Death File, Including Entity-Axis Codes, 2019

 NDIVS19 - SAMPLE MEMBERS VITAL STATUS, 2019

Type	Code
Measurement Unit	numeric
NDIVS19	Sample members vital status, 2019
1	Deceased
0	Alive

 NDI00119 - A00-A28/A50-B19/B25-B99


Type	Code
Measurement Unit	numeric
NDI00119	A00-A28/A50-B19/B25-B99
0	Absent
1	Present

 NDI00219 - A30-A49


Type	Code
Measurement Unit	numeric
NDI00219	A30-A49
0	Absent
1	Present

 NDI00319 - B20-B23

Type	Code
Measurement Unit	numeric
NDI00319	B20-B23
0	Absent
1	Present

 NDI00419 - B24

Type	Code
Measurement Unit	numeric
NDI00419	B24
0	Absent
1	Present

 NDI00519 - C00-C14/C30-C75

Type	Code
Measurement Unit	numeric
NDI00519	C00-C14/C30-C75
0	Absent
1	Present

 NDI00619 - C15-C26

Type	Code
Measurement Unit	numeric
NDI00619	C15-C26
0	Absent
1	Present

 NDI00719 - C76-C80

Type	Code
Measurement Unit	numeric
NDI00719	C76-C80
0	Absent
1	Present

 NDI00819 - C81-C96

Type	Code
Measurement Unit	numeric
NDI00819	C81-C96
0	Absent
1	Present

 NDI00919 - D50-D89

Type	Code
Measurement Unit	numeric
NDI00919	D50-D89
0 Absent	
1 Present	

 NDI01019 - E00-E07/E15-E65/E67-E90


Type	Code
Measurement Unit	numeric
NDI01019	E00-E07/E15-E65/E67-E90
0 Absent	
1 Present	

 NDI01119 - E10-E14


Type	Code
Measurement Unit	numeric
NDI01119	E10-E14
0 Absent	
1 Present	

 NDI01219 - E66


Type	Code
Measurement Unit	numeric
NDI01219	E66
0 Absent	
1 Present	

 NDI01319 - F00-F09/F20-F99

Type	Code
Measurement Unit	numeric
NDI01319	F00-F09/F20-F99
0 Absent	
1 Present	

 NDI01419 - F10

Type	Code
Measurement Unit	numeric
NDI01419	F10
0 Absent	
1 Present	

 NDI01519 - F11-F17/F18-F19

Type	Code
Measurement Unit	numeric
NDI01519	F11-F17/F18-F19
0 Absent	
1 Present	

 NDI01619 - F17.9

Type	Code
Measurement Unit	numeric
NDI01619	F17.9
0 Absent	
1 Present	

 NDI01719 - G00-G92/G94-G99


Type	Code
Measurement Unit	numeric
NDI01719	G00-G92/G94-G99
0 Absent	
1 Present	

 NDI01819 - G93

Type	Code
Measurement Unit	numeric
NDI01819	G93
0 Absent	
1 Present	

 NDI01919 - I00-I09/I20/I22-I24/I25.2-I25.6/I25.8/I25.9/I26-I28/I70-I99

Type	Code
Measurement Unit	numeric
NDI01919	I00-I09/I20/I22-I24/I25.2-I25.6/I25.8/I25.9/I26-I28/I70-I99
0 Absent	
1 Present	

 NDI02019 - I10

Type	Code
Measurement Unit	numeric
NDI02019	I10
0 Absent	
1 Present	

 NDI02119 - I11-I15

Type	Code
Measurement Unit	numeric
NDI02119	I11-I15
0 Absent	
1 Present	

 NDI02219 - I21


Type	Code
Measurement Unit	numeric
NDI02219	I21
0 Absent	
1 Present	

 NDI02319 - I25.0


Type	Code
Measurement Unit	numeric
NDI02319	I25.0
0 Absent	
1 Present	

 NDI02419 - I25.1

Type	Code
Measurement Unit	numeric
NDI02419	I25.1
0	Absent
1	Present

 NDI02519 - I30-I41/I43-I45/I46.0/I46.1/I47-I49/I52


Type	Code
Measurement Unit	numeric
NDI02519	I30-I41/I43-I45/I46.0/I46.1/I47-I49/I52
0	Absent
1	Present

 NDI02619 - I42

Type	Code
Measurement Unit	numeric
NDI02619	I42
0	Absent
1	Present

 NDI02719 - I46.9

Type	Code
Measurement Unit	numeric
NDI02719	I46.9
0	Absent
1	Present

 NDI02819 - I50

Type	Code
Measurement Unit	numeric
NDI02819	I50
0	Absent
1	Present

 NDI02919 - I51


Type	Code
Measurement Unit	numeric
NDI02919	I51
0	Absent
1	Present

 NDI03019 - I60-I69

Type	Code
Measurement Unit	numeric
NDI03019	I60-I69
0	Absent
1	Present

 NDI03119 - J00-J06/J20-J94


Type	Code
Measurement Unit	numeric
NDI03119	J00-J06/J20-J94
0	Absent
1	Present

 NDI03219 - J09-J18

Type	Code
Measurement Unit	numeric
NDI03219	J09-J18
0	Absent
1	Present

 NDI03319 - J95-J99


Type	Code
Measurement Unit	numeric
NDI03319	J95-J99
0	Absent
1	Present

 NDI03419 - K00-K67/K80-K93

Type	Code
Measurement Unit	numeric
NDI03419	K00-K67/K80-K93
0	Absent
1	Present

 NDI03519 - K70-K77

Type	Code
Measurement Unit	numeric
NDI03519	K70-K77
0	Absent
1	Present

 NDI03619 - M30-M36


Type	Code
Measurement Unit	numeric
NDI03619	M30-M36
0	Absent
1	Present

 NDI03719 - N17/N19


Type	Code
Measurement Unit	numeric
NDI03719	N17/N19
0	Absent
1	Present

 NDI03819 - N18

Type	Code
Measurement Unit	numeric
NDI03819	N18
0	Absent
1	Present

 NDI03919 - R00-R07/R10-R49/R70-R98


Type	Code
Measurement Unit	numeric
NDI03919	R00-R07/R10-R49/R70-R98
0	Absent
1	Present

 NDI04019 - R09

Type	Code
Measurement Unit	numeric
NDI04019	R09
0	Absent
1	Present

 NDI04119 - R50-R69

Type	Code
Measurement Unit	numeric
NDI04119	R50-R69
0	Absent
1	Present

 NDI04219 - R99


Type	Code
Measurement Unit	numeric
NDI04219	R99
0	Absent
1	Present

 NDI04319 - S00-S08/S09.0-S09.2/S09.7/S09.8


Type	Code
Measurement Unit	numeric
NDI04319	S00-S08/S09.0-S09.2/S09.7/S09.8
0	Absent
1	Present

 NDI04419 - S01.0-S01.5/S01.7/S01.8

Type	Code
Measurement Unit	numeric
NDI04419	S01.0-S01.5/S01.7/S01.8
0 Absent	
1 Present	

 NDI04519 - S01.9


Type	Code
Measurement Unit	numeric
NDI04519	S01.9
0 Absent	
1 Present	

 NDI04619 - S09.9


Type	Code
Measurement Unit	numeric
NDI04619	S09.9
0 Absent	
1 Present	

 NDI04719 - S10-S19


Type	Code
Measurement Unit	numeric
NDI04719	S10-S19
0 Absent	
1 Present	

 NDI04819 - S20/S22-S28/S29.0/S29.7/S29.8

Type	Code
Measurement Unit	numeric
NDI04819	S20/S22-S28/S29.0/S29.7/S29.8
0 Absent	
1 Present	

 NDI04919 - S21

Type	Code
Measurement Unit	numeric
NDI04919	S21
0	Absent
1	Present

 NDI05019 - S29.9

Type	Code
Measurement Unit	numeric
NDI05019	S29.9
0	Absent
1	Present

 NDI05119 - S30-S35/S37-S39


Type	Code
Measurement Unit	numeric
NDI05119	S30-S35/S37-S39
0	Absent
1	Present

 NDI05219 - S36

Type	Code
Measurement Unit	numeric
NDI05219	S36
0	Absent
1	Present

 NDI05319 - S40-S99/T08/T10-T13/T15-T35/T79/T90-T98


Type	Code
Measurement Unit	numeric
NDI05319	S40-S99/T08/T10-T13/T15-T35/T79/T90-T98
0	Absent
1	Present

 NDI05419 - T07

Type	Code
Measurement Unit	numeric
NDI05419	T07
0	Absent
1	Present

 NDI05519 - T09

Type	Code
Measurement Unit	numeric
NDI05519	T09
0	Absent
1	Present

 NDI05619 - T14

Type	Code
Measurement Unit	numeric
NDI05619	T14
0	Absent
1	Present

 NDI05719 - T36-T39/T41-T49/T50.0-T50.8


Type	Code
Measurement Unit	numeric
NDI05719	T36-T39/T41-T49/T50.0-T50.8
0	Absent
1	Present

 NDI05819 - T40.1

Type	Code
Measurement Unit	numeric
NDI05819	T40.1
0	Absent
1	Present

 NDI05919 - T40.2

Type	Code
Measurement Unit	numeric
NDI05919	T40.2
0	Absent
1	Present

 NDI06019 - T40.3/T40.6-T40.9

Type	Code
Measurement Unit	numeric
NDI06019	T40.3/T40.6-T40.9
0	Absent
1	Present

 NDI06119 - T40.4

Type	Code
Measurement Unit	numeric
NDI06119	T40.4
0	Absent
1	Present

 NDI06219 - T40.5


Type	Code
Measurement Unit	numeric
NDI06219	T40.5
0	Absent
1	Present

 NDI06319 - T50.9


Type	Code
Measurement Unit	numeric
NDI06319	T50.9
0	Absent
1	Present

 NDI06419 - T51-T65

Type	Code
Measurement Unit	numeric
NDI06419	T51-T65
0	Absent
1	Present

 NDI06519 - T66-T70/T73-T78

Type	Code
Measurement Unit	numeric
NDI06519	T66-T70/T73-T78
0	Absent
1	Present

 NDI06619 - T71

Type	Code
Measurement Unit	numeric
NDI06619	T71
0	Absent
1	Present

 NDI06719 - T80-T88

Type	Code
Measurement Unit	numeric
NDI06719	T80-T88
0	Absent
1	Present

 NDI06819 - V01-V09

Type	Code
Measurement Unit	numeric
NDI06819	V01-V09
0	Absent
1	Present

 NDI06919 - V10-V39/V50-V79/V90-V99

Type	Code
Measurement Unit	numeric
NDI06919	V10-V39/V50-V79/V90-V99
0	Absent
1	Present

 NDI07019 - V40-V48

Type	Code
Measurement Unit	numeric
NDI07019	V40-V48
0	Absent
1	Present

 NDI07119 - V49

Type	Code
Measurement Unit	numeric
NDI07119	V49
0	Absent
1	Present

 NDI07219 - V87

Type	Code
Measurement Unit	numeric
NDI07219	V87
0	Absent
1	Present

 NDI07319 - V89.2


Type	Code
Measurement Unit	numeric
NDI07319	V89.2
0	Absent
1	Present

 NDI07419 - W00-X39/X50-X59


Type	Code
Measurement Unit	numeric
NDI07419	W00-X39/X50-X59
0	Absent
1	Present

 NDI07519 - X40-X41/X43/X46-X49

Type	Code
Measurement Unit	numeric
NDI07519	X40-X41/X43/X46-X49
0	Absent
1	Present

 NDI07619 - X42

Type	Code
Measurement Unit	numeric
NDI07619	X42
0	Absent
1	Present

 NDI07719 - X44


Type	Code
Measurement Unit	numeric
NDI07719	X44
0	Absent
1	Present

 NDI07819 - X45

Type	Code
Measurement Unit	numeric
NDI07819	X45
0	Absent
1	Present

 NDI07919 - X60-X69/X71-X73/X75-X84

Type	Code
Measurement Unit	numeric
NDI07919	X60-X69/X71-X73/X75-X84
0 Absent	
1 Present	

 NDI08019 - X70

Type	Code
Measurement Unit	numeric
NDI08019	X70
0 Absent	
1 Present	

 NDI08119 - X74

Type	Code
Measurement Unit	numeric
NDI08119	X74
0 Absent	
1 Present	

 NDI08219 - X85-X94/X96-Y09

Type	Code
Measurement Unit	numeric
NDI08219	X85-X94/X96-Y09
0 Absent	
1 Present	

 NDI08319 - X95


Type	Code
Measurement Unit	numeric
NDI08319	X95
0 Absent	
1 Present	

 NDI08419 - Y10-Y36/Y85-Y98

Type	Code
Measurement Unit	numeric
NDI08419	Y10-Y36/Y85-Y98
0	Absent
1	Present

 NDI08519 - Y40-Y84

Type	Code
Measurement Unit	numeric
NDI08519	Y40-Y84
0	Absent
1	Present

 NDI08619 - 996: SUPPRESSED

Type	Code
Measurement Unit	numeric
NDI08619	996: SUPPRESSED
0	Absent
1	Present

Physical Instances

 All Coded Causes of Death File, Including Entity-Axis Codes, 2019

Title	All Coded Causes of Death File, Including Entity-Axis Codes, 2019
File Name	ndi19p1.sas7bdat
Case Quantity	540
Variable Count	87


 NDIVS19 - SAMPLE MEMBERS VITAL STATUS, 2019

Type	Code
Measurement Unit	numeric
NDIVS19	Sample members vital status, 2019

			Frequency	% of total	% of valid
Valid	0	Alive	0	0%	0%
	1	Deceased	540	100%	100%

		Total	540	100%	100%
--	--	-------	-----	------	------

Valid	Invalid	Minimum	Maximum
540	0	1	1

 NDI00119 - A00-A28/A50-B19/B25-B99

Type	Code
Measurement Unit	numeric
NDI00119	A00-A28/A50-B19/B25-B99

			Frequency	% of total	% of valid
Valid	0	Absent	526	97.41%	97.59%
	1	Present	13	2.41%	2.41%
Total			539	99.81%	100%
Missing	92	Missing in source	1	0.19%	
	Total		1	0.19%	


Valid	Invalid	Minimum	Maximum
539	1	0	1

 NDI00219 - A30-A49

Type	Code
Measurement Unit	numeric
NDI00219	A30-A49

			Frequency	% of total	% of valid
Valid	0	Absent	512	94.81%	94.99%
	1	Present	27	5%	5.01%
Total			539	99.81%	100%
Missing	92	Missing in source	1	0.19%	
	Total		1	0.19%	

Valid	Invalid	Minimum	Maximum
539	1	0	1

 NDI00319 - B20-B23

Type	Code
Measurement Unit	numeric
NDI00319	B20-B23

			Frequency	% of total	% of valid
--	--	--	-----------	------------	------------

Valid	0	Absent	530	98.15%	98.33%
	1	Present	9	1.67%	1.67%
		Total	539	99.81%	100%
Missing	92	Missing in source	1	0.19%	
		Total	1	0.19%	

Valid	Invalid	Minimum	Maximum
539	1	0	1

NDI00419 - B24

Type	Code
Measurement Unit	numeric
NDI00419	B24

			Frequency	% of total	% of valid
Valid	0	Absent	526	97.41%	97.59%
	1	Present	13	2.41%	2.41%
		Total	539	99.81%	100%
Missing	92	Missing in source	1	0.19%	
		Total	1	0.19%	

Valid	Invalid	Minimum	Maximum
539	1	0	1

NDI00519 - C00-C14/C30-C75

Type	Code
Measurement Unit	numeric
NDI00519	C00-C14/C30-C75

			Frequency	% of total	% of valid
Valid	0	Absent	515	95.37%	95.55%
	1	Present	24	4.44%	4.45%
		Total	539	99.81%	100%
Missing	92	Missing in source	1	0.19%	
		Total	1	0.19%	

Valid	Invalid	Minimum	Maximum
539	1	0	1

NDI00619 - C15-C26

Type	Code
Measurement Unit	numeric

NDI00619	C15-C26
----------	---------

			Frequency	% of total	% of valid
Valid	0	Absent	527	97.59%	97.77%
	1	Present	12	2.22%	2.23%
		Total	539	99.81%	100%
Missing	92	Missing in source	1	0.19%	
		Total	1	0.19%	

Valid	Invalid	Minimum	Maximum
539	1	0	1

NDI00719 - C76-C80

Type	Code
Measurement Unit	numeric
NDI00719	C76-C80

			Frequency	% of total	% of valid
Valid	0	Absent	531	98.33%	98.52%
	1	Present	8	1.48%	1.48%
		Total	539	99.81%	100%
Missing	92	Missing in source	1	0.19%	
		Total	1	0.19%	

Valid	Invalid	Minimum	Maximum
539	1	0	1

NDI00819 - C81-C96

Type	Code
Measurement Unit	numeric
NDI00819	C81-C96

			Frequency	% of total	% of valid
Valid	0	Absent	526	97.41%	97.59%
	1	Present	13	2.41%	2.41%
		Total	539	99.81%	100%
Missing	92	Missing in source	1	0.19%	
		Total	1	0.19%	

Valid	Invalid	Minimum	Maximum
539	1	0	1

 NDI00919 - D50-D89

Type	Code
Measurement Unit	numeric
NDI00919	D50-D89

			Frequency	% of total	% of valid
Valid	0	Absent	526	97.41%	97.59%
	1	Present	13	2.41%	2.41%
		Total	539	99.81%	100%
Missing	92	Missing in source	1	0.19%	
		Total	1	0.19%	

Valid	Invalid	Minimum	Maximum
539	1	0	1

 NDI01019 - E00-E07/E15-E65/E67-E90

Type	Code
Measurement Unit	numeric
NDI01019	E00-E07/E15-E65/E67-E90

			Frequency	% of total	% of valid
Valid	0	Absent	528	97.78%	97.96%
	1	Present	11	2.04%	2.04%
		Total	539	99.81%	100%
Missing	92	Missing in source	1	0.19%	
		Total	1	0.19%	

Valid	Invalid	Minimum	Maximum
539	1	0	1

 NDI01119 - E10-E14

Type	Code
Measurement Unit	numeric
NDI01119	E10-E14

			Frequency	% of total	% of valid
Valid	0	Absent	520	96.3%	96.47%
	1	Present	19	3.52%	3.53%
		Total	539	99.81%	100%
Missing	92	Missing in source	1	0.19%	
		Total	1	0.19%	

Valid	Invalid	Minimum	Maximum
539	1	0	1

NDI01219 - E66

Type	Code
Measurement Unit	numeric
NDI01219	E66

			Frequency	% of total	% of valid
Valid	0	Absent	515	95.37%	95.55%
	1	Present	24	4.44%	4.45%
	Total		539	99.81%	100%
Missing	92	Missing in source	1	0.19%	
		Total	1	0.19%	

Valid	Invalid	Minimum	Maximum
539	1	0	1

NDI01319 - F00-F09/F20-F99

Type	Code
Measurement Unit	numeric
NDI01319	F00-F09/F20-F99

			Frequency	% of total	% of valid
Valid	0	Absent	529	97.96%	98.14%
	1	Present	10	1.85%	1.86%
	Total		539	99.81%	100%
Missing	92	Missing in source	1	0.19%	
		Total	1	0.19%	

Valid	Invalid	Minimum	Maximum
539	1	0	1

NDI01419 - F10

Type	Code
Measurement Unit	numeric
NDI01419	F10

			Frequency	% of total	% of valid
Valid	0	Absent	525	97.22%	97.4%
	1	Present	14	2.59%	2.6%
	Total		539	99.81%	100%

Missing	92	Missing in source	1	0.19%	
		Total	1	0.19%	

Valid	Invalid	Minimum	Maximum
539	1	0	1

NDI01519 - F11-F17/F18-F19

Type	Code
Measurement Unit	numeric
NDI01519	F11-F17/F18-F19

			Frequency	% of total	% of valid
Valid	0	Absent	505	93.52%	93.69%
	1	Present	34	6.3%	6.31%
		Total	539	99.81%	100%
Missing	92	Missing in source	1	0.19%	
		Total	1	0.19%	

Valid	Invalid	Minimum	Maximum
539	1	0	1

NDI01619 - F17.9

Type	Code
Measurement Unit	numeric
NDI01619	F17.9

			Frequency	% of total	% of valid
Valid	0	Absent	527	97.59%	97.77%
	1	Present	12	2.22%	2.23%
		Total	539	99.81%	100%
Missing	92	Missing in source	1	0.19%	
		Total	1	0.19%	

Valid	Invalid	Minimum	Maximum
539	1	0	1

NDI01719 - G00-G92/G94-G99

Type	Code
Measurement Unit	numeric
NDI01719	G00-G92/G94-G99

			Frequency	% of total	% of valid
--	--	--	-----------	------------	------------

Valid	0	Absent	524	97.04%	97.22%
	1	Present	15	2.78%	2.78%
		Total	539	99.81%	100%
Missing	92	Missing in source	1	0.19%	
		Total	1	0.19%	

Valid	Invalid	Minimum	Maximum
539	1	0	1

NDI01819 - G93

Type	Code
Measurement Unit	numeric
NDI01819	G93

			Frequency	% of total	% of valid
Valid	0	Absent	525	97.22%	97.4%
	1	Present	14	2.59%	2.6%
		Total	539	99.81%	100%
Missing	92	Missing in source	1	0.19%	
		Total	1	0.19%	

Valid	Invalid	Minimum	Maximum
539	1	0	1

NDI01919 - I00-I09/I20/I22-I24/I25.2-I25.6/I25.8/I25.9/I26-I28/I70-I99

Type	Code
Measurement Unit	numeric
NDI01919	I00-I09/I20/I22-I24/I25.2-I25.6/I25.8/I25.9/I26-I28/I70-I99

			Frequency	% of total	% of valid
Valid	0	Absent	522	96.67%	96.85%
	1	Present	17	3.15%	3.15%
		Total	539	99.81%	100%
Missing	92	Missing in source	1	0.19%	
		Total	1	0.19%	

Valid	Invalid	Minimum	Maximum
539	1	0	1

NDI02019 - I10

Type	Code
Measurement Unit	numeric

NDI02019	I10
----------	-----

			Frequency	% of total	% of valid
Valid	0	Absent	522	96.67%	96.85%
	1	Present	17	3.15%	3.15%
		Total	539	99.81%	100%
Missing	92	Missing in source	1	0.19%	
			Total	1	0.19%

Valid	Invalid	Minimum	Maximum
539	1	0	1

NDI02119 - I11-I15

Type	Code
Measurement Unit	numeric
NDI02119	I11-I15

			Frequency	% of total	% of valid
Valid	0	Absent	528	97.78%	97.96%
	1	Present	11	2.04%	2.04%
		Total	539	99.81%	100%
Missing	92	Missing in source	1	0.19%	
			Total	1	0.19%

Valid	Invalid	Minimum	Maximum
539	1	0	1

NDI02219 - I21

Type	Code
Measurement Unit	numeric
NDI02219	I21

			Frequency	% of total	% of valid
Valid	0	Absent	529	97.96%	98.14%
	1	Present	10	1.85%	1.86%
		Total	539	99.81%	100%
Missing	92	Missing in source	1	0.19%	
			Total	1	0.19%


Valid	Invalid	Minimum	Maximum
539	1	0	1

 NDI02319 - I25.0

Type	Code
Measurement Unit	numeric
NDI02319	I25.0

			Frequency	% of total	% of valid
Valid	0	Absent	529	97.96%	98.14%
	1	Present	10	1.85%	1.86%
		Total	539	99.81%	100%
Missing	92	Missing in source	1	0.19%	
		Total	1	0.19%	


Valid	Invalid	Minimum	Maximum
539	1	0	1

 NDI02419 - I25.1

Type	Code
Measurement Unit	numeric
NDI02419	I25.1

			Frequency	% of total	% of valid
Valid	0	Absent	529	97.96%	98.14%
	1	Present	10	1.85%	1.86%
		Total	539	99.81%	100%
Missing	92	Missing in source	1	0.19%	
		Total	1	0.19%	


Valid	Invalid	Minimum	Maximum
539	1	0	1

 NDI02519 - I30-I41/I43-I45/I46.0/I46.1/I47-I49/I52

Type	Code
Measurement Unit	numeric
NDI02519	I30-I41/I43-I45/I46.0/I46.1/I47-I49/I52

			Frequency	% of total	% of valid
Valid	0	Absent	521	96.48%	96.66%
	1	Present	18	3.33%	3.34%
		Total	539	99.81%	100%
Missing	92	Missing in source	1	0.19%	
		Total	1	0.19%	


Valid	Invalid	Minimum	Maximum
539	1	0	1

 NDI02619 - I42

Type	Code
Measurement Unit	numeric
NDI02619	I42

			Frequency	% of total	% of valid
Valid	0	Absent	523	96.85%	97.03%
	1	Present	16	2.96%	2.97%
	Total		539	99.81%	100%
Missing	92	Missing in source	1	0.19%	
		Total	1	0.19%	

Valid	Invalid	Minimum	Maximum
539	1	0	1

 NDI02719 - I46.9

Type	Code
Measurement Unit	numeric
NDI02719	I46.9

			Frequency	% of total	% of valid
Valid	0	Absent	490	90.74%	90.91%
	1	Present	49	9.07%	9.09%
	Total		539	99.81%	100%
Missing	92	Missing in source	1	0.19%	
		Total	1	0.19%	

Valid	Invalid	Minimum	Maximum
539	1	0	1


 NDI02819 - I50

Type	Code
Measurement Unit	numeric
NDI02819	I50

			Frequency	% of total	% of valid
Valid	0	Absent	525	97.22%	97.4%
	1	Present	14	2.59%	2.6%
	Total		539	99.81%	100%

Missing	92	Missing in source	1	0.19%	
		Total	1	0.19%	


Valid	Invalid	Minimum	Maximum
539	1	0	1

 NDI02919 - I51

Type	Code
Measurement Unit	numeric
NDI02919	I51

			Frequency	% of total	% of valid
Valid	0	Absent	528	97.78%	97.96%
	1	Present	11	2.04%	2.04%
		Total	539	99.81%	100%
Missing	92	Missing in source	1	0.19%	
		Total	1	0.19%	

Valid	Invalid	Minimum	Maximum
539	1	0	1

 NDI03019 - I60-I69

Type	Code
Measurement Unit	numeric
NDI03019	I60-I69

			Frequency	% of total	% of valid
Valid	0	Absent	524	97.04%	97.22%
	1	Present	15	2.78%	2.78%
		Total	539	99.81%	100%
Missing	92	Missing in source	1	0.19%	
		Total	1	0.19%	

Valid	Invalid	Minimum	Maximum
539	1	0	1

 NDI03119 - J00-J06/J20-J94

Type	Code
Measurement Unit	numeric
NDI03119	J00-J06/J20-J94

			Frequency	% of total	% of valid
--	--	--	-----------	------------	------------

Valid	0	Absent	522	96.67%	96.85%
	1	Present	17	3.15%	3.15%
		Total	539	99.81%	100%
Missing	92	Missing in source	1	0.19%	
		Total	1	0.19%	

Valid	Invalid	Minimum	Maximum
539	1	0	1

NDI03219 - J09-J18

Type	Code
Measurement Unit	numeric
NDI03219	J09-J18

			Frequency	% of total	% of valid
Valid	0	Absent	520	96.3%	96.47%
	1	Present	19	3.52%	3.53%
		Total	539	99.81%	100%
Missing	92	Missing in source	1	0.19%	
		Total	1	0.19%	

Valid	Invalid	Minimum	Maximum
539	1	0	1

NDI03319 - J95-J99

Type	Code
Measurement Unit	numeric
NDI03319	J95-J99

			Frequency	% of total	% of valid
Valid	0	Absent	519	96.11%	96.29%
	1	Present	20	3.7%	3.71%
		Total	539	99.81%	100%
Missing	92	Missing in source	1	0.19%	
		Total	1	0.19%	

Valid	Invalid	Minimum	Maximum
539	1	0	1

NDI03419 - K00-K67/K80-K93

Type	Code
Measurement Unit	numeric

NDI03419	K00-K67/K80-K93
----------	-----------------

			Frequency	% of total	% of valid
Valid	0	Absent	527	97.59%	97.77%
	1	Present	12	2.22%	2.23%
		Total	539	99.81%	100%
Missing	92	Missing in source	1	0.19%	
			Total	1	0.19%

Valid	Invalid	Minimum	Maximum
539	1	0	1

NDI03519 - K70-K77

Type	Code
Measurement Unit	numeric
NDI03519	K70-K77

			Frequency	% of total	% of valid
Valid	0	Absent	524	97.04%	97.22%
	1	Present	15	2.78%	2.78%
		Total	539	99.81%	100%
Missing	92	Missing in source	1	0.19%	
			Total	1	0.19%


Valid	Invalid	Minimum	Maximum
539	1	0	1

NDI03619 - M30-M36

Type	Code
Measurement Unit	numeric
NDI03619	M30-M36

			Frequency	% of total	% of valid
Valid	0	Absent	530	98.15%	98.33%
	1	Present	9	1.67%	1.67%
		Total	539	99.81%	100%
Missing	92	Missing in source	1	0.19%	
			Total	1	0.19%

Valid	Invalid	Minimum	Maximum
539	1	0	1

 NDI03719 - N17/N19

Type	Code
Measurement Unit	numeric
NDI03719	N17/N19

			Frequency	% of total	% of valid
Valid	0	Absent	527	97.59%	97.77%
	1	Present	12	2.22%	2.23%
		Total	539	99.81%	100%
Missing	92	Missing in source	1	0.19%	
			Total	1	0.19%

Valid	Invalid	Minimum	Maximum
539	1	0	1

 NDI03819 - N18

Type	Code
Measurement Unit	numeric
NDI03819	N18

			Frequency	% of total	% of valid
Valid	0	Absent	528	97.78%	97.96%
	1	Present	11	2.04%	2.04%
		Total	539	99.81%	100%
Missing	92	Missing in source	1	0.19%	
			Total	1	0.19%

Valid	Invalid	Minimum	Maximum
539	1	0	1

 NDI03919 - R00-R07/R10-R49/R70-R98

Type	Code
Measurement Unit	numeric
NDI03919	R00-R07/R10-R49/R70-R98

			Frequency	% of total	% of valid
Valid	0	Absent	528	97.78%	97.96%
	1	Present	11	2.04%	2.04%
		Total	539	99.81%	100%
Missing	92	Missing in source	1	0.19%	
			Total	1	0.19%

Valid	Invalid	Minimum	Maximum
539	1	0	1

NDI04019 - R09

Type	Code
Measurement Unit	numeric
NDI04019	R09

			Frequency	% of total	% of valid
Valid	0	Absent	527	97.59%	97.77%
	1	Present	12	2.22%	2.23%
	Total		539	99.81%	100%
Missing	92	Missing in source	1	0.19%	
		Total	1	0.19%	

Valid	Invalid	Minimum	Maximum
539	1	0	1

NDI04119 - R50-R69

Type	Code
Measurement Unit	numeric
NDI04119	R50-R69

			Frequency	% of total	% of valid
Valid	0	Absent	513	95%	95.18%
	1	Present	26	4.81%	4.82%
	Total		539	99.81%	100%
Missing	92	Missing in source	1	0.19%	
		Total	1	0.19%	

Valid	Invalid	Minimum	Maximum
539	1	0	1


NDI04219 - R99

Type	Code
Measurement Unit	numeric
NDI04219	R99

			Frequency	% of total	% of valid
Valid	0	Absent	528	97.78%	97.96%
	1	Present	11	2.04%	2.04%
	Total		539	99.81%	100%

Missing	92	Missing in source	1	0.19%	
		Total	1	0.19%	


Valid	Invalid	Minimum	Maximum
539	1	0	1

 NDI04319 - S00-S08/S09.0-S09.2/S09.7/S09.8

Type	Code
Measurement Unit	numeric
NDI04319	S00-S08/S09.0-S09.2/S09.7/S09.8

			Frequency	% of total	% of valid
Valid	0	Absent	508	94.07%	94.25%
	1	Present	31	5.74%	5.75%
		Total	539	99.81%	100%
Missing	92	Missing in source	1	0.19%	
		Total	1	0.19%	

Valid	Invalid	Minimum	Maximum
539	1	0	1

 NDI04419 - S01.0-S01.5/S01.7/S01.8

Type	Code
Measurement Unit	numeric
NDI04419	S01.0-S01.5/S01.7/S01.8

			Frequency	% of total	% of valid
Valid	0	Absent	528	97.78%	97.96%
	1	Present	11	2.04%	2.04%
		Total	539	99.81%	100%
Missing	92	Missing in source	1	0.19%	
		Total	1	0.19%	

Valid	Invalid	Minimum	Maximum
539	1	0	1

 NDI04519 - S01.9

Type	Code
Measurement Unit	numeric
NDI04519	S01.9

			Frequency	% of total	% of valid
--	--	--	-----------	------------	------------

Valid	0	Absent	505	93.52%	93.69%
	1	Present	34	6.3%	6.31%
		Total	539	99.81%	100%
Missing	92	Missing in source	1	0.19%	
		Total	1	0.19%	

Valid	Invalid	Minimum	Maximum
539	1	0	1

NDI04619 - S09.9

Type	Code
Measurement Unit	numeric
NDI04619	S09.9

			Frequency	% of total	% of valid
Valid	0	Absent	502	92.96%	93.14%
	1	Present	37	6.85%	6.86%
		Total	539	99.81%	100%
Missing	92	Missing in source	1	0.19%	
		Total	1	0.19%	

Valid	Invalid	Minimum	Maximum
539	1	0	1

NDI04719 - S10-S19

Type	Code
Measurement Unit	numeric
NDI04719	S10-S19

			Frequency	% of total	% of valid
Valid	0	Absent	525	97.22%	97.4%
	1	Present	14	2.59%	2.6%
		Total	539	99.81%	100%
Missing	92	Missing in source	1	0.19%	
		Total	1	0.19%	

Valid	Invalid	Minimum	Maximum
539	1	0	1

NDI04819 - S20/S22-S28/S29.0/S29.7/S29.8

Type	Code
Measurement Unit	numeric

NDI04819	S20/S22-S28/S29.0/S29.7/S29.8
----------	-------------------------------

			Frequency	% of total	% of valid
Valid	0	Absent	529	97.96%	98.14%
	1	Present	10	1.85%	1.86%
		Total	539	99.81%	100%
Missing	92	Missing in source	1	0.19%	
		Total	1	0.19%	

Valid	Invalid	Minimum	Maximum
539	1	0	1

NDI04919 - S21

Type	Code
Measurement Unit	numeric
NDI04919	S21

			Frequency	% of total	% of valid
Valid	0	Absent	522	96.67%	96.85%
	1	Present	17	3.15%	3.15%
		Total	539	99.81%	100%
Missing	92	Missing in source	1	0.19%	
		Total	1	0.19%	

Valid	Invalid	Minimum	Maximum
539	1	0	1

NDI05019 - S29.9

Type	Code
Measurement Unit	numeric
NDI05019	S29.9

			Frequency	% of total	% of valid
Valid	0	Absent	529	97.96%	98.14%
	1	Present	10	1.85%	1.86%
		Total	539	99.81%	100%
Missing	92	Missing in source	1	0.19%	
		Total	1	0.19%	

Valid	Invalid	Minimum	Maximum
539	1	0	1

 NDI05119 - S30-S35/S37-S39

Type	Code
Measurement Unit	numeric
NDI05119	S30-S35/S37-S39

			Frequency	% of total	% of valid
Valid	0	Absent	530	98.15%	98.33%
	1	Present	9	1.67%	1.67%
		Total	539	99.81%	100%
Missing	92	Missing in source	1	0.19%	
		Total	1	0.19%	

Valid	Invalid	Minimum	Maximum
539	1	0	1

 NDI05219 - S36

Type	Code
Measurement Unit	numeric
NDI05219	S36

			Frequency	% of total	% of valid
Valid	0	Absent	528	97.78%	97.96%
	1	Present	11	2.04%	2.04%
		Total	539	99.81%	100%
Missing	92	Missing in source	1	0.19%	
		Total	1	0.19%	


Valid	Invalid	Minimum	Maximum
539	1	0	1

 NDI05319 - S40-S99/T08/T10-T13/T15-T35/T79/T90-T98

Type	Code
Measurement Unit	numeric
NDI05319	S40-S99/T08/T10-T13/T15-T35/T79/T90-T98

			Frequency	% of total	% of valid
Valid	0	Absent	527	97.59%	97.77%
	1	Present	12	2.22%	2.23%
		Total	539	99.81%	100%
Missing	92	Missing in source	1	0.19%	
		Total	1	0.19%	

Valid	Invalid	Minimum	Maximum
539	1	0	1

 NDI05419 - T07

Type	Code
Measurement Unit	numeric
NDI05419	T07

			Frequency	% of total	% of valid
Valid	0	Absent	504	93.33%	93.51%
	1	Present	35	6.48%	6.49%
	Total		539	99.81%	100%
Missing	92	Missing in source	1	0.19%	
		Total	1	0.19%	


Valid	Invalid	Minimum	Maximum
539	1	0	1

 NDI05519 - T09

Type	Code
Measurement Unit	numeric
NDI05519	T09

			Frequency	% of total	% of valid
Valid	0	Absent	528	97.78%	97.96%
	1	Present	11	2.04%	2.04%
	Total		539	99.81%	100%
Missing	92	Missing in source	1	0.19%	
		Total	1	0.19%	

Valid	Invalid	Minimum	Maximum
539	1	0	1

 NDI05619 - T14

Type	Code
Measurement Unit	numeric
NDI05619	T14

			Frequency	% of total	% of valid
Valid	0	Absent	481	89.07%	89.24%
	1	Present	58	10.74%	10.76%
	Total		539	99.81%	100%

Missing	92	Missing in source	1	0.19%	
		Total	1	0.19%	


Valid	Invalid	Minimum	Maximum
539	1	0	1

 NDI05719 - T36-T39/T41-T49/T50.0-T50.8

Type	Code
Measurement Unit	numeric
NDI05719	T36-T39/T41-T49/T50.0-T50.8

			Frequency	% of total	% of valid
Valid	0	Absent	507	93.89%	94.06%
	1	Present	32	5.93%	5.94%
		Total	539	99.81%	100%
Missing	92	Missing in source	1	0.19%	
		Total	1	0.19%	

Valid	Invalid	Minimum	Maximum
539	1	0	1

 NDI05819 - T40.1

Type	Code
Measurement Unit	numeric
NDI05819	T40.1

			Frequency	% of total	% of valid
Valid	0	Absent	526	97.41%	97.59%
	1	Present	13	2.41%	2.41%
		Total	539	99.81%	100%
Missing	92	Missing in source	1	0.19%	
		Total	1	0.19%	

Valid	Invalid	Minimum	Maximum
539	1	0	1

 NDI05919 - T40.2

Type	Code
Measurement Unit	numeric
NDI05919	T40.2

			Frequency	% of total	% of valid
--	--	--	-----------	------------	------------

Valid	0	Absent	518	95.93%	96.1%
	1	Present	21	3.89%	3.9%
		Total	539	99.81%	100%
Missing	92	Missing in source	1	0.19%	
		Total	1	0.19%	

Valid	Invalid	Minimum	Maximum
539	1	0	1

NDI06019 - T40.3/T40.6-T40.9

Type	Code
Measurement Unit	numeric
NDI06019	T40.3/T40.6-T40.9

			Frequency	% of total	% of valid
Valid	0	Absent	526	97.41%	97.59%
	1	Present	13	2.41%	2.41%
		Total	539	99.81%	100%
Missing	92	Missing in source	1	0.19%	
		Total	1	0.19%	

Valid	Invalid	Minimum	Maximum
539	1	0	1

NDI06119 - T40.4

Type	Code
Measurement Unit	numeric
NDI06119	T40.4

			Frequency	% of total	% of valid
Valid	0	Absent	523	96.85%	97.03%
	1	Present	16	2.96%	2.97%
		Total	539	99.81%	100%
Missing	92	Missing in source	1	0.19%	
		Total	1	0.19%	

Valid	Invalid	Minimum	Maximum
539	1	0	1

NDI06219 - T40.5

Type	Code
Measurement Unit	numeric

NDI06219	T40.5
----------	-------

			Frequency	% of total	% of valid
Valid	0	Absent	523	96.85%	97.03%
	1	Present	16	2.96%	2.97%
		Total	539	99.81%	100%
Missing	92	Missing in source	1	0.19%	
			Total	1	0.19%

Valid	Invalid	Minimum	Maximum
539	1	0	1

NDI06319 - T50.9

Type	Code
Measurement Unit	numeric
NDI06319	T50.9

			Frequency	% of total	% of valid
Valid	0	Absent	497	92.04%	92.21%
	1	Present	42	7.78%	7.79%
		Total	539	99.81%	100%
Missing	92	Missing in source	1	0.19%	
			Total	1	0.19%

Valid	Invalid	Minimum	Maximum
539	1	0	1

NDI06419 - T51-T65

Type	Code
Measurement Unit	numeric
NDI06419	T51-T65

			Frequency	% of total	% of valid
Valid	0	Absent	517	95.74%	95.92%
	1	Present	22	4.07%	4.08%
		Total	539	99.81%	100%
Missing	92	Missing in source	1	0.19%	
			Total	1	0.19%


Valid	Invalid	Minimum	Maximum
539	1	0	1

 NDI06519 - T66-T70/T73-T78

Type	Code
Measurement Unit	numeric
NDI06519	T66-T70/T73-T78

			Frequency	% of total	% of valid
Valid	0	Absent	527	97.59%	97.77%
	1	Present	12	2.22%	2.23%
		Total	539	99.81%	100%
Missing	92	Missing in source	1	0.19%	
		Total	1	0.19%	

Valid	Invalid	Minimum	Maximum
539	1	0	1

 NDI06619 - T71

Type	Code
Measurement Unit	numeric
NDI06619	T71

			Frequency	% of total	% of valid
Valid	0	Absent	513	95%	95.18%
	1	Present	26	4.81%	4.82%
		Total	539	99.81%	100%
Missing	92	Missing in source	1	0.19%	
		Total	1	0.19%	

Valid	Invalid	Minimum	Maximum
539	1	0	1

 NDI06719 - T80-T88

Type	Code
Measurement Unit	numeric
NDI06719	T80-T88

			Frequency	% of total	% of valid
Valid	0	Absent	530	98.15%	98.33%
	1	Present	9	1.67%	1.67%
		Total	539	99.81%	100%
Missing	92	Missing in source	1	0.19%	
		Total	1	0.19%	

Valid	Invalid	Minimum	Maximum
539	1	0	1

 NDI06819 - V01-V09

Type	Code
Measurement Unit	numeric
NDI06819	V01-V09

			Frequency	% of total	% of valid
Valid	0	Absent	528	97.78%	97.96%
	1	Present	11	2.04%	2.04%
	Total		539	99.81%	100%
Missing	92	Missing in source	1	0.19%	
		Total	1	0.19%	

Valid	Invalid	Minimum	Maximum
539	1	0	1

 NDI06919 - V10-V39/V50-V79/V90-V99

Type	Code
Measurement Unit	numeric
NDI06919	V10-V39/V50-V79/V90-V99

			Frequency	% of total	% of valid
Valid	0	Absent	524	97.04%	97.22%
	1	Present	15	2.78%	2.78%
	Total		539	99.81%	100%
Missing	92	Missing in source	1	0.19%	
		Total	1	0.19%	

Valid	Invalid	Minimum	Maximum
539	1	0	1


 NDI07019 - V40-V48

Type	Code
Measurement Unit	numeric
NDI07019	V40-V48

			Frequency	% of total	% of valid
Valid	0	Absent	521	96.48%	96.66%
	1	Present	18	3.33%	3.34%
	Total		539	99.81%	100%

Missing	92	Missing in source	1	0.19%	
		Total	1	0.19%	


Valid	Invalid	Minimum	Maximum
539	1	0	1

 NDI07119 - V49

Type	Code
Measurement Unit	numeric
NDI07119	V49

			Frequency	% of total	% of valid
Valid	0	Absent	524	97.04%	97.22%
	1	Present	15	2.78%	2.78%
		Total	539	99.81%	100%
Missing	92	Missing in source	1	0.19%	
		Total	1	0.19%	


Valid	Invalid	Minimum	Maximum
539	1	0	1

 NDI07219 - V87

Type	Code
Measurement Unit	numeric
NDI07219	V87

			Frequency	% of total	% of valid
Valid	0	Absent	527	97.59%	97.77%
	1	Present	12	2.22%	2.23%
		Total	539	99.81%	100%
Missing	92	Missing in source	1	0.19%	
		Total	1	0.19%	

Valid	Invalid	Minimum	Maximum
539	1	0	1

 NDI07319 - V89.2

Type	Code
Measurement Unit	numeric
NDI07319	V89.2

			Frequency	% of total	% of valid
--	--	--	-----------	------------	------------

Valid	0	Absent	514	95.19%	95.36%
	1	Present	25	4.63%	4.64%
		Total	539	99.81%	100%
Missing	92	Missing in source	1	0.19%	
		Total	1	0.19%	

Valid	Invalid	Minimum	Maximum
539	1	0	1

NDI07419 - W00-X39/X50-X59

Type	Code
Measurement Unit	numeric
NDI07419	W00-X39/X50-X59

			Frequency	% of total	% of valid
Valid	0	Absent	517	95.74%	95.92%
	1	Present	22	4.07%	4.08%
		Total	539	99.81%	100%
Missing	92	Missing in source	1	0.19%	
		Total	1	0.19%	

Valid	Invalid	Minimum	Maximum
539	1	0	1

NDI07519 - X40-X41/X43/X46-X49

Type	Code
Measurement Unit	numeric
NDI07519	X40-X41/X43/X46-X49

			Frequency	% of total	% of valid
Valid	0	Absent	529	97.96%	98.14%
	1	Present	10	1.85%	1.86%
		Total	539	99.81%	100%
Missing	92	Missing in source	1	0.19%	
		Total	1	0.19%	

Valid	Invalid	Minimum	Maximum
539	1	0	1

NDI07619 - X42

Type	Code
Measurement Unit	numeric

NDI07619	X42
----------	-----

			Frequency	% of total	% of valid
Valid	0	Absent	505	93.52%	93.69%
	1	Present	34	6.3%	6.31%
		Total	539	99.81%	100%
Missing	92	Missing in source	1	0.19%	
	Total		1	0.19%	

Valid	Invalid	Minimum	Maximum
539	1	0	1

NDI07719 - X44

Type	Code
Measurement Unit	numeric
NDI07719	X44

			Frequency	% of total	% of valid
Valid	0	Absent	501	92.78%	92.95%
	1	Present	38	7.04%	7.05%
		Total	539	99.81%	100%
Missing	92	Missing in source	1	0.19%	
	Total		1	0.19%	


Valid	Invalid	Minimum	Maximum
539	1	0	1

NDI07819 - X45

Type	Code
Measurement Unit	numeric
NDI07819	X45

			Frequency	% of total	% of valid
Valid	0	Absent	525	97.22%	97.4%
	1	Present	14	2.59%	2.6%
		Total	539	99.81%	100%
Missing	92	Missing in source	1	0.19%	
	Total		1	0.19%	


Valid	Invalid	Minimum	Maximum
539	1	0	1

 NDI07919 - X60-X69/X71-X73/X75-X84

Type	Code
Measurement Unit	numeric
NDI07919	X60-X69/X71-X73/X75-X84

			Frequency	% of total	% of valid
Valid	0	Absent	516	95.56%	95.73%
	1	Present	23	4.26%	4.27%
		Total	539	99.81%	100%
Missing	92	Missing in source	1	0.19%	
			Total	1	0.19%

Valid	Invalid	Minimum	Maximum
539	1	0	1

 NDI08019 - X70

Type	Code
Measurement Unit	numeric
NDI08019	X70

			Frequency	% of total	% of valid
Valid	0	Absent	521	96.48%	96.66%
	1	Present	18	3.33%	3.34%
		Total	539	99.81%	100%
Missing	92	Missing in source	1	0.19%	
			Total	1	0.19%

Valid	Invalid	Minimum	Maximum
539	1	0	1

 NDI08119 - X74

Type	Code
Measurement Unit	numeric
NDI08119	X74

			Frequency	% of total	% of valid
Valid	0	Absent	521	96.48%	96.66%
	1	Present	18	3.33%	3.34%
		Total	539	99.81%	100%
Missing	92	Missing in source	1	0.19%	
			Total	1	0.19%

Valid	Invalid	Minimum	Maximum
539	1	0	1

NDI08219 - X85-X94/X96-Y09

Type	Code
Measurement Unit	numeric
NDI08219	X85-X94/X96-Y09

			Frequency	% of total	% of valid
Valid	0	Absent	529	97.96%	98.14%
	1	Present	10	1.85%	1.86%
	Total		539	99.81%	100%
Missing	92	Missing in source	1	0.19%	
		Total	1	0.19%	

Valid	Invalid	Minimum	Maximum
539	1	0	1

NDI08319 - X95

Type	Code
Measurement Unit	numeric
NDI08319	X95

			Frequency	% of total	% of valid
Valid	0	Absent	510	94.44%	94.62%
	1	Present	29	5.37%	5.38%
	Total		539	99.81%	100%
Missing	92	Missing in source	1	0.19%	
		Total	1	0.19%	

Valid	Invalid	Minimum	Maximum
539	1	0	1

NDI08419 - Y10-Y36/Y85-Y98

Type	Code
Measurement Unit	numeric
NDI08419	Y10-Y36/Y85-Y98

			Frequency	% of total	% of valid
Valid	0	Absent	525	97.22%	97.4%
	1	Present	14	2.59%	2.6%
	Total		539	99.81%	100%

Missing	92	Missing in source	1	0.19%	
		Total	1	0.19%	

Valid	Invalid	Minimum	Maximum
539	1	0	1

NDI08519 - Y40-Y84

Type	Code
Measurement Unit	numeric
NDI08519	Y40-Y84

			Frequency	% of total	% of valid
Valid	0	Absent	529	97.96%	98.14%
	1	Present	10	1.85%	1.86%
		Total	539	99.81%	100%
Missing	92	Missing in source	1	0.19%	
		Total	1	0.19%	

Valid	Invalid	Minimum	Maximum
539	1	0	1

NDI08619 - 996: SUPPRESSED

Type	Code
Measurement Unit	numeric
NDI08619	996: SUPPRESSED

			Frequency	% of total	% of valid
Valid	0	Absent	496	91.85%	92.02%
	1	Present	43	7.96%	7.98%
		Total	539	99.81%	100%
Missing	92	Missing in source	1	0.19%	
		Total	1	0.19%	

Valid	Invalid	Minimum	Maximum
539	1	0	1

All Coded Causes of Death File, Including Record-Axis Codes, 2019

Title

All Coded Causes of Death File, Including Record-Axis Codes, 2019

Abstract

This file contains all underlying cause of death and record-axis codes appearing in the National Death Index (NDI) source file. Functioning as dummy variables, zero represents the absence of a code on the decedent's death certificate, while one denotes the presence of one.

Variables: 83

Observations=540

Variables



All Coded Causes of Death File, Including Record-Axis Codes, 2019

- [NDIVS19 - SAMPLE MEMBERS VITAL STATUS, 2019](#)
- [NDI00119 - A00-A28/A50-B19/B25-B99](#)
- [NDI00219 - A30-A49](#)
- [NDI00319 - B20-B24](#)
- [NDI00419 - C00-C14/C30-C75](#)
- [NDI00519 - C15-C26](#)
- [NDI00619 - C76-C80](#)
- [NDI00719 - C81-C96](#)
- [NDI00819 - D50-D89](#)
- [NDI00919 - E00-E07/E15-E65/E67-E90](#)
- [NDI01019 - E14](#)
- [NDI01119 - E66](#)
- [NDI01219 - F00-F09/F20-F99](#)
- [NDI01319 - F10](#)
- [NDI01419 - F11-F17/F18-F19](#)
- [NDI01519 - F17.9](#)
- [NDI01619 - G00-G92/G94-G99](#)
- [NDI01719 - G93](#)
- [NDI01819 - I00-I09/I26-I28/I70-I99](#)
- [NDI01919 - I10](#)
- [NDI02019 - I11-I15](#)
- [NDI02119 - I20-I24/I25.2-I25.6/I25.8/I25.9](#)
- [NDI02219 - I25.0](#)
- [NDI02319 - I25.1](#)
- [NDI02419 - I30-I41/I43-I45/I46.0/I46.1/I47-I49/I52](#)
- [NDI02519 - I42](#)
- [NDI02619 - I46.9](#)
- [NDI02719 - I50](#)
- [NDI02819 - I51](#)
- [NDI02919 - I60-I69](#)

- NDI03019 - J00-J06/J20-J94
- NDI03119 - J18
- NDI03219 - J95-J99
- NDI03319 - K00-K67/K80-K93
- NDI03419 - K70-K77
- NDI03519 - N17-N19
- NDI03619 - R00-R07/R10-R49/R70-R98
- NDI03719 - R09
- NDI03819 - R50-R69
- NDI03919 - R99
- NDI04019 - S00-S08/S09.0-S09.2/S09.7/S09.8
- NDI04119 - S01.0-S01.5/S01.7/S01.8
- NDI04219 - S01.9
- NDI04319 - S09.9
- NDI04419 - S10-S19
- NDI04519 - S20/S22-S28/S29.0/S29.7/S29.8
- NDI04619 - S21
- NDI04719 - S29.9
- NDI04819 - S30-S35/S37-S39
- NDI04919 - S36
- NDI05019 - S40-S99/T08/T10-T13/T15-T35/T79-T98
- NDI05119 - T07
- NDI05219 - T09
- NDI05319 - T14
- NDI05419 - T36-T39/T41-T49/T50.0-T50.8
- NDI05519 - T40.1
- NDI05619 - T40.2
- NDI05719 - T40.3/T40.6-T40.9
- NDI05819 - T40.4
- NDI05919 - T40.5
- NDI06019 - T50.9
- NDI06119 - T51-T65
- NDI06219 - T66-T70/T73-T78
- NDI06319 - T71
- NDI06419 - V01-V09
- NDI06519 - V10-V39/V50-V79/V90-V99
- NDI06619 - V40-V48
- NDI06719 - V49
- NDI06819 - V87
- NDI06919 - V89.2
- NDI07019 - W00-X39/X50-X59
- NDI07119 - X40-X41/X43/X46-X49
- NDI07219 - X42
- NDI07319 - X44

- [NDI07419 - X45](#)
- [NDI07519 - X60-X69/X71-X73/X75-X84](#)
- [NDI07619 - X70](#)
- [NDI07719 - X74](#)
- [NDI07819 - X85-X94/X96-Y09](#)
- [NDI07919 - X95](#)
- [NDI08019 - Y10-Y98](#)
- [NDI08119 - 996: SUPPRESSED](#)

 NDIVS19 - SAMPLE MEMBERS VITAL STATUS, 2019

Type	Code
Measurement Unit	numeric
NDIVS19	Sample members vital status, 2019
1	Deceased
0	Alive

 NDI00119 - A00-A28/A50-B19/B25-B99

Type	Code
Measurement Unit	numeric
NDI00119	A00-A28/A50-B19/B25-B99
0	Absent
1	Present

 NDI00219 - A30-A49

Type	Code
Measurement Unit	numeric
NDI00219	A30-A49
0	Absent
1	Present

 NDI00319 - B20-B24

Type	Code
Measurement Unit	numeric
NDI00319	B20-B24
0	Absent
1	Present

 NDI00419 - C00-C14/C30-C75

Type	Code
Measurement Unit	numeric
NDI00419	C00-C14/C30-C75
0	Absent
1	Present

 NDI00519 - C15-C26

Type	Code
Measurement Unit	numeric
NDI00519	C15-C26
0	Absent
1	Present

 NDI00619 - C76-C80

Type	Code
Measurement Unit	numeric
NDI00619	C76-C80
0	Absent
1	Present

 NDI00719 - C81-C96

Type	Code
Measurement Unit	numeric
NDI00719	C81-C96
0	Absent
1	Present

 NDI00819 - D50-D89

Type	Code
Measurement Unit	numeric
NDI00819	D50-D89
0	Absent
1	Present

 NDI00919 - E00-E07/E15-E65/E67-E90

Type	Code
Measurement Unit	numeric
NDI00919	E00-E07/E15-E65/E67-E90
0 Absent	
1 Present	

 NDI01019 - E14

Type	Code
Measurement Unit	numeric
NDI01019	E14
0 Absent	
1 Present	

 NDI01119 - E66

Type	Code
Measurement Unit	numeric
NDI01119	E66
0 Absent	
1 Present	

 NDI01219 - F00-F09/F20-F99

Type	Code
Measurement Unit	numeric
NDI01219	F00-F09/F20-F99
0 Absent	
1 Present	

 NDI01319 - F10

Type	Code
Measurement Unit	numeric
NDI01319	F10
0 Absent	
1 Present	

 NDI01419 - F11-F17/F18-F19

Type	Code
Measurement Unit	numeric
NDI01419	F11-F17/F18-F19
0 Absent	
1 Present	

 NDI01519 - F17.9

Type	Code
Measurement Unit	numeric
NDI01519	F17.9
0 Absent	
1 Present	

 NDI01619 - G00-G92/G94-G99

Type	Code
Measurement Unit	numeric
NDI01619	G00-G92/G94-G99
0 Absent	
1 Present	

 NDI01719 - G93

Type	Code
Measurement Unit	numeric
NDI01719	G93
0 Absent	
1 Present	

 NDI01819 - I00-I09/I26-I28/I70-I99

Type	Code
Measurement Unit	numeric
NDI01819	I00-I09/I26-I28/I70-I99
0 Absent	
1 Present	

 NDI01919 - I10


Type	Code
Measurement Unit	numeric
NDI01919	I10
0 Absent	
1 Present	

 NDI02019 - I11-I15

Type	Code
Measurement Unit	numeric
NDI02019	I11-I15
0 Absent	
1 Present	

 NDI02119 - I20-I24/I25.2-I25.6/I25.8/I25.9


Type	Code
Measurement Unit	numeric
NDI02119	I20-I24/I25.2-I25.6/I25.8/I25.9
0 Absent	
1 Present	

 NDI02219 - I25.0

Type	Code
Measurement Unit	numeric
NDI02219	I25.0
0 Absent	
1 Present	

 NDI02319 - I25.1


Type	Code
Measurement Unit	numeric
NDI02319	I25.1
0 Absent	
1 Present	

 NDI02419 - I30-I41/I43-I45/I46.0/I46.1/I47-I49/I52


Type	Code
Measurement Unit	numeric
NDI02419	I30-I41/I43-I45/I46.0/I46.1/I47-I49/I52
0 Absent	
1 Present	

 NDI02519 - I42

Type	Code
Measurement Unit	numeric
NDI02519	I42
0 Absent	
1 Present	

 NDI02619 - I46.9

Type	Code
Measurement Unit	numeric
NDI02619	I46.9
0 Absent	
1 Present	

 NDI02719 - I50

Type	Code
Measurement Unit	numeric
NDI02719	I50
0 Absent	
1 Present	

 NDI02819 - I51

Type	Code
Measurement Unit	numeric
NDI02819	I51
0 Absent	
1 Present	

 NDI02919 - I60-I69


Type	Code
Measurement Unit	numeric
NDI02919	I60-I69
0 Absent	
1 Present	

 NDI03019 - J00-J06/J20-J94


Type	Code
Measurement Unit	numeric
NDI03019	J00-J06/J20-J94
0 Absent	
1 Present	

 NDI03119 - J18

Type	Code
Measurement Unit	numeric
NDI03119	J18
0 Absent	
1 Present	

 NDI03219 - J95-J99

Type	Code
Measurement Unit	numeric
NDI03219	J95-J99
0 Absent	
1 Present	

 NDI03319 - K00-K67/K80-K93

Type	Code
Measurement Unit	numeric
NDI03319	K00-K67/K80-K93
0 Absent	
1 Present	

 NDI03419 - K70-K77

Type	Code
Measurement Unit	numeric
NDI03419	K70-K77
0 Absent	
1 Present	

 NDI03519 - N17-N19

Type	Code
Measurement Unit	numeric
NDI03519	N17-N19
0 Absent	
1 Present	

 NDI03619 - R00-R07/R10-R49/R70-R98


Type	Code
Measurement Unit	numeric
NDI03619	R00-R07/R10-R49/R70-R98
0 Absent	
1 Present	

 NDI03719 - R09

Type	Code
Measurement Unit	numeric
NDI03719	R09
0 Absent	
1 Present	

 NDI03819 - R50-R69


Type	Code
Measurement Unit	numeric
NDI03819	R50-R69
0 Absent	
1 Present	

 NDI03919 - R99

Type	Code
Measurement Unit	numeric
NDI03919	R99
0	Absent
1	Present

 NDI04019 - S00-S08/S09.0-S09.2/S09.7/S09.8

Type	Code
Measurement Unit	numeric
NDI04019	S00-S08/S09.0-S09.2/S09.7/S09.8
0	Absent
1	Present

 NDI04119 - S01.0-S01.5/S01.7/S01.8


Type	Code
Measurement Unit	numeric
NDI04119	S01.0-S01.5/S01.7/S01.8
0	Absent
1	Present

 NDI04219 - S01.9


Type	Code
Measurement Unit	numeric
NDI04219	S01.9
0	Absent
1	Present

 NDI04319 - S09.9


Type	Code
Measurement Unit	numeric
NDI04319	S09.9
0	Absent
1	Present

 NDI04419 - S10-S19

Type	Code
Measurement Unit	numeric
NDI04419	S10-S19
0 Absent	
1 Present	

 NDI04519 - S20/S22-S28/S29.0/S29.7/S29.8

Type	Code
Measurement Unit	numeric
NDI04519	S20/S22-S28/S29.0/S29.7/S29.8
0 Absent	
1 Present	

 NDI04619 - S21


Type	Code
Measurement Unit	numeric
NDI04619	S21
0 Absent	
1 Present	

 NDI04719 - S29.9

Type	Code
Measurement Unit	numeric
NDI04719	S29.9
0 Absent	
1 Present	

 NDI04819 - S30-S35/S37-S39

Type	Code
Measurement Unit	numeric
NDI04819	S30-S35/S37-S39
0 Absent	
1 Present	

 NDI04919 - S36

Type	Code
Measurement Unit	numeric
NDI04919	S36
0 Absent	
1 Present	

 NDI05019 - S40-S99/T08/T10-T13/T15-T35/T79-T98

Type	Code
Measurement Unit	numeric
NDI05019	S40-S99/T08/T10-T13/T15-T35/T79-T98
0 Absent	
1 Present	

 NDI05119 - T07

Type	Code
Measurement Unit	numeric
NDI05119	T07
0 Absent	
1 Present	

 NDI05219 - T09

Type	Code
Measurement Unit	numeric
NDI05219	T09
0 Absent	
1 Present	

 NDI05319 - T14


Type	Code
Measurement Unit	numeric
NDI05319	T14
0 Absent	
1 Present	

 NDI05419 - T36-T39/T41-T49/T50.0-T50.8


Type	Code
Measurement Unit	numeric
NDI05419	T36-T39/T41-T49/T50.0-T50.8
0 Absent	
1 Present	

 NDI05519 - T40.1

Type	Code
Measurement Unit	numeric
NDI05519	T40.1
0 Absent	
1 Present	

 NDI05619 - T40.2

Type	Code
Measurement Unit	numeric
NDI05619	T40.2
0 Absent	
1 Present	

 NDI05719 - T40.3/T40.6-T40.9

Type	Code
Measurement Unit	numeric
NDI05719	T40.3/T40.6-T40.9
0 Absent	
1 Present	

 NDI05819 - T40.4

Type	Code
Measurement Unit	numeric
NDI05819	T40.4
0 Absent	
1 Present	

 NDI05919 - T40.5


Type	Code
Measurement Unit	numeric
NDI05919	T40.5
0 Absent	
1 Present	

 NDI06019 - T50.9

Type	Code
Measurement Unit	numeric
NDI06019	T50.9
0 Absent	
1 Present	

 NDI06119 - T51-T65

Type	Code
Measurement Unit	numeric
NDI06119	T51-T65
0 Absent	
1 Present	

 NDI06219 - T66-T70/T73-T78

Type	Code
Measurement Unit	numeric
NDI06219	T66-T70/T73-T78
0 Absent	
1 Present	

 NDI06319 - T71

Type	Code
Measurement Unit	numeric
NDI06319	T71
0 Absent	
1 Present	

 NDI06419 - V01-V09

Type	Code
Measurement Unit	numeric
NDI06419	V01-V09
0	Absent
1	Present

 NDI06519 - V10-V39/V50-V79/V90-V99

Type	Code
Measurement Unit	numeric
NDI06519	V10-V39/V50-V79/V90-V99
0	Absent
1	Present

 NDI06619 - V40-V48

Type	Code
Measurement Unit	numeric
NDI06619	V40-V48
0	Absent
1	Present

 NDI06719 - V49

Type	Code
Measurement Unit	numeric
NDI06719	V49
0	Absent
1	Present

 NDI06819 - V87

Type	Code
Measurement Unit	numeric
NDI06819	V87
0	Absent
1	Present

 NDI06919 - V89.2

Type	Code
Measurement Unit	numeric
NDI06919	V89.2
0 Absent	
1 Present	

 NDI07019 - W00-X39/X50-X59

Type	Code
Measurement Unit	numeric
NDI07019	W00-X39/X50-X59
0 Absent	
1 Present	

 NDI07119 - X40-X41/X43/X46-X49


Type	Code
Measurement Unit	numeric
NDI07119	X40-X41/X43/X46-X49
0 Absent	
1 Present	

 NDI07219 - X42


Type	Code
Measurement Unit	numeric
NDI07219	X42
0 Absent	
1 Present	

 NDI07319 - X44

Type	Code
Measurement Unit	numeric
NDI07319	X44
0 Absent	
1 Present	

 NDI07419 - X45


Type	Code
Measurement Unit	numeric
NDI07419	X45
0 Absent	
1 Present	

 NDI07519 - X60-X69/X71-X73/X75-X84

Type	Code
Measurement Unit	numeric
NDI07519	X60-X69/X71-X73/X75-X84
0 Absent	
1 Present	

 NDI07619 - X70


Type	Code
Measurement Unit	numeric
NDI07619	X70
0 Absent	
1 Present	

 NDI07719 - X74

Type	Code
Measurement Unit	numeric
NDI07719	X74
0 Absent	
1 Present	

 NDI07819 - X85-X94/X96-Y09


Type	Code
Measurement Unit	numeric
NDI07819	X85-X94/X96-Y09
0 Absent	
1 Present	

 NDI07919 - X95

Type	Code
Measurement Unit	numeric
NDI07919	X95
0	Absent
1	Present

 NDI08019 - Y10-Y98

Type	Code
Measurement Unit	numeric
NDI08019	Y10-Y98
0	Absent
1	Present

 NDI08119 - 996: SUPPRESSED

Type	Code
Measurement Unit	numeric
NDI08119	996: SUPPRESSED
0	Absent
1	Present

Logical Products

 All Coded Causes of Death File, Including Record-Axis Codes, 2019


Data Layouts

 All Coded Causes of Death File, Including Record-Axis Codes, 2019

All Coded Causes of Death File, Including Record-Axis Codes, 2019

 NDIVS19 - SAMPLE MEMBERS VITAL STATUS, 2019


Type	Code
Measurement Unit	numeric
NDIVS19	Sample members vital status, 2019
1	Deceased
0	Alive

 NDI00119 - A00-A28/A50-B19/B25-B99

Type	Code
Measurement Unit	numeric
NDI00119	A00-A28/A50-B19/B25-B99
0	Absent
1	Present

 NDI00219 - A30-A49


Type	Code
Measurement Unit	numeric
NDI00219	A30-A49
0	Absent
1	Present

 NDI00319 - B20-B24

Type	Code
Measurement Unit	numeric
NDI00319	B20-B24
0	Absent
1	Present

 NDI00419 - C00-C14/C30-C75

Type	Code
Measurement Unit	numeric
NDI00419	C00-C14/C30-C75
0	Absent
1	Present

 NDI00519 - C15-C26

Type	Code
Measurement Unit	numeric
NDI00519	C15-C26
0	Absent
1	Present

 NDI00619 - C76-C80

Type	Code
Measurement Unit	numeric
NDI00619	C76-C80
0	Absent
1	Present

 NDI00719 - C81-C96

Type	Code
Measurement Unit	numeric
NDI00719	C81-C96
0	Absent
1	Present

 NDI00819 - D50-D89

Type	Code
Measurement Unit	numeric
NDI00819	D50-D89
0	Absent
1	Present

 NDI00919 - E00-E07/E15-E65/E67-E90


Type	Code
Measurement Unit	numeric
NDI00919	E00-E07/E15-E65/E67-E90
0	Absent
1	Present

 NDI01019 - E14

Type	Code
Measurement Unit	numeric
NDI01019	E14
0	Absent
1	Present

 NDI01119 - E66

Type	Code
Measurement Unit	numeric
NDI01119	E66
0	Absent
1	Present

 NDI01219 - F00-F09/F20-F99


Type	Code
Measurement Unit	numeric
NDI01219	F00-F09/F20-F99
0	Absent
1	Present

 NDI01319 - F10


Type	Code
Measurement Unit	numeric
NDI01319	F10
0	Absent
1	Present

 NDI01419 - F11-F17/F18-F19

Type	Code
Measurement Unit	numeric
NDI01419	F11-F17/F18-F19
0	Absent
1	Present

 NDI01519 - F17.9


Type	Code
Measurement Unit	numeric
NDI01519	F17.9
0	Absent
1	Present

 NDI01619 - G00-G92/G94-G99

Type	Code
Measurement Unit	numeric
NDI01619	G00-G92/G94-G99
0	Absent
1	Present

 NDI01719 - G93

Type	Code
Measurement Unit	numeric
NDI01719	G93
0	Absent
1	Present

 NDI01819 - I00-I09/I26-I28/I70-I99


Type	Code
Measurement Unit	numeric
NDI01819	I00-I09/I26-I28/I70-I99
0	Absent
1	Present

 NDI01919 - I10

Type	Code
Measurement Unit	numeric
NDI01919	I10
0	Absent
1	Present

 NDI02019 - I11-I15

Type	Code
Measurement Unit	numeric
NDI02019	I11-I15
0	Absent
1	Present

 NDI02119 - I20-I24/I25.2-I25.6/I25.8/I25.9

Type	Code
Measurement Unit	numeric
NDI02119	I20-I24/I25.2-I25.6/I25.8/I25.9
0 Absent	
1 Present	

 NDI02219 - I25.0


Type	Code
Measurement Unit	numeric
NDI02219	I25.0
0 Absent	
1 Present	

 NDI02319 - I25.1

Type	Code
Measurement Unit	numeric
NDI02319	I25.1
0 Absent	
1 Present	

 NDI02419 - I30-I41/I43-I45/I46.0/I46.1/I47-I49/I52


Type	Code
Measurement Unit	numeric
NDI02419	I30-I41/I43-I45/I46.0/I46.1/I47-I49/I52
0 Absent	
1 Present	

 NDI02519 - I42


Type	Code
Measurement Unit	numeric
NDI02519	I42
0 Absent	
1 Present	

 NDI02619 - I46.9

Type	Code
Measurement Unit	numeric
NDI02619	I46.9
0 Absent	
1 Present	

 NDI02719 - I50

Type	Code
Measurement Unit	numeric
NDI02719	I50
0 Absent	
1 Present	

 NDI02819 - I51

Type	Code
Measurement Unit	numeric
NDI02819	I51
0 Absent	
1 Present	

 NDI02919 - I60-I69

Type	Code
Measurement Unit	numeric
NDI02919	I60-I69
0 Absent	
1 Present	

 NDI03019 - J00-J06/J20-J94


Type	Code
Measurement Unit	numeric
NDI03019	J00-J06/J20-J94
0 Absent	
1 Present	

 NDI03119 - J18


Type	Code
Measurement Unit	numeric
NDI03119	J18
0 Absent	
1 Present	

 NDI03219 - J95-J99

Type	Code
Measurement Unit	numeric
NDI03219	J95-J99
0 Absent	
1 Present	

 NDI03319 - K00-K67/K80-K93

Type	Code
Measurement Unit	numeric
NDI03319	K00-K67/K80-K93
0 Absent	
1 Present	

 NDI03419 - K70-K77


Type	Code
Measurement Unit	numeric
NDI03419	K70-K77
0 Absent	
1 Present	

 NDI03519 - N17-N19

Type	Code
Measurement Unit	numeric
NDI03519	N17-N19
0 Absent	
1 Present	

 NDI03619 - R00-R07/R10-R49/R70-R98

Type	Code
Measurement Unit	numeric
NDI03619	R00-R07/R10-R49/R70-R98
0 Absent	
1 Present	

 NDI03719 - R09

Type	Code
Measurement Unit	numeric
NDI03719	R09
0 Absent	
1 Present	

 NDI03819 - R50-R69

Type	Code
Measurement Unit	numeric
NDI03819	R50-R69
0 Absent	
1 Present	

 NDI03919 - R99

Type	Code
Measurement Unit	numeric
NDI03919	R99
0 Absent	
1 Present	

 NDI04019 - S00-S08/S09.0-S09.2/S09.7/S09.8

Type	Code
Measurement Unit	numeric
NDI04019	S00-S08/S09.0-S09.2/S09.7/S09.8
0 Absent	
1 Present	

 NDI04119 - S01.0-S01.5/S01.7/S01.8

Type	Code
Measurement Unit	numeric
NDI04119	S01.0-S01.5/S01.7/S01.8
0 Absent	
1 Present	

 NDI04219 - S01.9


Type	Code
Measurement Unit	numeric
NDI04219	S01.9
0 Absent	
1 Present	

 NDI04319 - S09.9


Type	Code
Measurement Unit	numeric
NDI04319	S09.9
0 Absent	
1 Present	

 NDI04419 - S10-S19


Type	Code
Measurement Unit	numeric
NDI04419	S10-S19
0 Absent	
1 Present	

 NDI04519 - S20/S22-S28/S29.0/S29.7/S29.8


Type	Code
Measurement Unit	numeric
NDI04519	S20/S22-S28/S29.0/S29.7/S29.8
0 Absent	
1 Present	

 NDI04619 - S21


Type	Code
Measurement Unit	numeric
NDI04619	S21
0 Absent	
1 Present	

 NDI04719 - S29.9

Type	Code
Measurement Unit	numeric
NDI04719	S29.9
0 Absent	
1 Present	

 NDI04819 - S30-S35/S37-S39

Type	Code
Measurement Unit	numeric
NDI04819	S30-S35/S37-S39
0 Absent	
1 Present	

 NDI04919 - S36

Type	Code
Measurement Unit	numeric
NDI04919	S36
0 Absent	
1 Present	

 NDI05019 - S40-S99/T08/T10-T13/T15-T35/T79-T98

Type	Code
Measurement Unit	numeric
NDI05019	S40-S99/T08/T10-T13/T15-T35/T79-T98
0 Absent	
1 Present	

 NDI05119 - T07

Type	Code
Measurement Unit	numeric
NDI05119	T07
0 Absent	
1 Present	

 NDI05219 - T09

Type	Code
Measurement Unit	numeric
NDI05219	T09
0 Absent	
1 Present	

 NDI05319 - T14

Type	Code
Measurement Unit	numeric
NDI05319	T14
0 Absent	
1 Present	

 NDI05419 - T36-T39/T41-T49/T50.0-T50.8


Type	Code
Measurement Unit	numeric
NDI05419	T36-T39/T41-T49/T50.0-T50.8
0 Absent	
1 Present	

 NDI05519 - T40.1

Type	Code
Measurement Unit	numeric
NDI05519	T40.1
0 Absent	
1 Present	

 NDI05619 - T40.2


Type	Code
Measurement Unit	numeric
NDI05619	T40.2
0	Absent
1	Present

 NDI05719 - T40.3/T40.6-T40.9

Type	Code
Measurement Unit	numeric
NDI05719	T40.3/T40.6-T40.9
0	Absent
1	Present

 NDI05819 - T40.4

Type	Code
Measurement Unit	numeric
NDI05819	T40.4
0	Absent
1	Present

 NDI05919 - T40.5


Type	Code
Measurement Unit	numeric
NDI05919	T40.5
0	Absent
1	Present

 NDI06019 - T50.9


Type	Code
Measurement Unit	numeric
NDI06019	T50.9
0	Absent
1	Present

 NDI06119 - T51-T65

Type	Code
Measurement Unit	numeric
NDI06119	T51-T65
0	Absent
1	Present

 NDI06219 - T66-T70/T73-T78

Type	Code
Measurement Unit	numeric
NDI06219	T66-T70/T73-T78
0	Absent
1	Present

 NDI06319 - T71

Type	Code
Measurement Unit	numeric
NDI06319	T71
0	Absent
1	Present

 NDI06419 - V01-V09


Type	Code
Measurement Unit	numeric
NDI06419	V01-V09
0	Absent
1	Present

 NDI06519 - V10-V39/V50-V79/V90-V99


Type	Code
Measurement Unit	numeric
NDI06519	V10-V39/V50-V79/V90-V99
0	Absent
1	Present

 NDI06619 - V40-V48


Type	Code
Measurement Unit	numeric
NDI06619	V40-V48
0	Absent
1	Present

 NDI06719 - V49

Type	Code
Measurement Unit	numeric
NDI06719	V49
0	Absent
1	Present

 NDI06819 - V87

Type	Code
Measurement Unit	numeric
NDI06819	V87
0	Absent
1	Present

 NDI06919 - V89.2

Type	Code
Measurement Unit	numeric
NDI06919	V89.2
0	Absent
1	Present

 NDI07019 - W00-X39/X50-X59

Type	Code
Measurement Unit	numeric
NDI07019	W00-X39/X50-X59
0	Absent
1	Present

 NDI07119 - X40-X41/X43/X46-X49


Type	Code
Measurement Unit	numeric
NDI07119	X40-X41/X43/X46-X49
0 Absent	
1 Present	

 NDI07219 - X42

Type	Code
Measurement Unit	numeric
NDI07219	X42
0 Absent	
1 Present	

 NDI07319 - X44


Type	Code
Measurement Unit	numeric
NDI07319	X44
0 Absent	
1 Present	

 NDI07419 - X45


Type	Code
Measurement Unit	numeric
NDI07419	X45
0 Absent	
1 Present	

 NDI07519 - X60-X69/X71-X73/X75-X84


Type	Code
Measurement Unit	numeric
NDI07519	X60-X69/X71-X73/X75-X84
0 Absent	
1 Present	

 NDI07619 - X70


Type	Code
Measurement Unit	numeric
NDI07619	X70
0	Absent
1	Present

 NDI07719 - X74

Type	Code
Measurement Unit	numeric
NDI07719	X74
0	Absent
1	Present

 NDI07819 - X85-X94/X96-Y09


Type	Code
Measurement Unit	numeric
NDI07819	X85-X94/X96-Y09
0	Absent
1	Present

 NDI07919 - X95

Type	Code
Measurement Unit	numeric
NDI07919	X95
0	Absent
1	Present

 NDI08019 - Y10-Y98

Type	Code
Measurement Unit	numeric
NDI08019	Y10-Y98
0	Absent
1	Present

 NDI08119 - 996: SUPPRESSED

Type	Code
Measurement Unit	numeric
NDI08119	996: SUPPRESSED
0 Absent	
1 Present	

Physical Instances

 All Coded Causes of Death File, Including Record-Axis Codes, 2019

Title	All Coded Causes of Death File, Including Record-Axis Codes, 2019
File Name	ndi19p2.sas7bdat
Case Quantity	540
Variable Count	82

 NDIVS19 - SAMPLE MEMBERS VITAL STATUS, 2019

Type	Code
Measurement Unit	numeric
NDIVS19	Sample members vital status, 2019

			Frequency	% of total	% of valid
Valid	0	Alive	0	0%	0%
	1	Deceased	540	100%	100%
Total			540	100%	100%

Valid	Invalid	Minimum	Maximum
540	0	1	1

 NDI00119 - A00-A28/A50-B19/B25-B99

Type	Code
Measurement Unit	numeric
NDI00119	A00-A28/A50-B19/B25-B99

			Frequency	% of total	% of valid
Valid	0	Absent	528	97.78%	97.96%
	1	Present	11	2.04%	2.04%
Total			539	99.81%	100%
Missing	92	Missing in source	1	0.19%	
		Total	1	0.19%	

Valid	Invalid	Minimum	Maximum
539	1	0	1

 NDI00219 - A30-A49

Type	Code
Measurement Unit	numeric
NDI00219	A30-A49

			Frequency	% of total	% of valid
Valid	0	Absent	514	95.19%	95.36%
	1	Present	25	4.63%	4.64%
	Total		539	99.81%	100%
Missing	92	Missing in source	1	0.19%	
		Total	1	0.19%	

Valid	Invalid	Minimum	Maximum
539	1	0	1

 NDI00319 - B20-B24

Type	Code
Measurement Unit	numeric
NDI00319	B20-B24

			Frequency	% of total	% of valid
Valid	0	Absent	526	97.41%	97.59%
	1	Present	13	2.41%	2.41%
	Total		539	99.81%	100%
Missing	92	Missing in source	1	0.19%	
		Total	1	0.19%	

Valid	Invalid	Minimum	Maximum
539	1	0	1

 NDI00419 - C00-C14/C30-C75

Type	Code
Measurement Unit	numeric
NDI00419	C00-C14/C30-C75

			Frequency	% of total	% of valid
Valid	0	Absent	516	95.56%	95.73%
	1	Present	23	4.26%	4.27%
	Total		539	99.81%	100%

Missing	92	Missing in source	1	0.19%	
		Total	1	0.19%	

Valid	Invalid	Minimum	Maximum
539	1	0	1

NDI00519 - C15-C26

Type	Code
Measurement Unit	numeric
NDI00519	C15-C26

			Frequency	% of total	% of valid
Valid	0	Absent	527	97.59%	97.77%
	1	Present	12	2.22%	2.23%
		Total	539	99.81%	100%
Missing	92	Missing in source	1	0.19%	
		Total	1	0.19%	

Valid	Invalid	Minimum	Maximum
539	1	0	1

NDI00619 - C76-C80

Type	Code
Measurement Unit	numeric
NDI00619	C76-C80

			Frequency	% of total	% of valid
Valid	0	Absent	531	98.33%	98.52%
	1	Present	8	1.48%	1.48%
		Total	539	99.81%	100%
Missing	92	Missing in source	1	0.19%	
		Total	1	0.19%	

Valid	Invalid	Minimum	Maximum
539	1	0	1

NDI00719 - C81-C96

Type	Code
Measurement Unit	numeric
NDI00719	C81-C96

			Frequency	% of total	% of valid
--	--	--	-----------	------------	------------

Valid	0	Absent	527	97.59%	97.77%
	1	Present	12	2.22%	2.23%
		Total	539	99.81%	100%
Missing	92	Missing in source	1	0.19%	
		Total	1	0.19%	

Valid	Invalid	Minimum	Maximum
539	1	0	1

NDI00819 - D50-D89

Type	Code
Measurement Unit	numeric
NDI00819	D50-D89

			Frequency	% of total	% of valid
Valid	0	Absent	526	97.41%	97.59%
	1	Present	13	2.41%	2.41%
		Total	539	99.81%	100%
Missing	92	Missing in source	1	0.19%	
		Total	1	0.19%	

Valid	Invalid	Minimum	Maximum
539	1	0	1

NDI00919 - E00-E07/E15-E65/E67-E90

Type	Code
Measurement Unit	numeric
NDI00919	E00-E07/E15-E65/E67-E90

			Frequency	% of total	% of valid
Valid	0	Absent	529	97.96%	98.14%
	1	Present	10	1.85%	1.86%
		Total	539	99.81%	100%
Missing	92	Missing in source	1	0.19%	
		Total	1	0.19%	

Valid	Invalid	Minimum	Maximum
539	1	0	1

NDI01019 - E14

Type	Code
Measurement Unit	numeric

NDI01019	E14
----------	-----

			Frequency	% of total	% of valid
Valid	0	Absent	526	97.41%	97.59%
	1	Present	13	2.41%	2.41%
		Total	539	99.81%	100%
Missing	92	Missing in source	1	0.19%	
			Total	1	0.19%

Valid	Invalid	Minimum	Maximum
539	1	0	1

NDI01119 - E66

Type	Code
Measurement Unit	numeric
NDI01119	E66

			Frequency	% of total	% of valid
Valid	0	Absent	515	95.37%	95.55%
	1	Present	24	4.44%	4.45%
		Total	539	99.81%	100%
Missing	92	Missing in source	1	0.19%	
			Total	1	0.19%

Valid	Invalid	Minimum	Maximum
539	1	0	1

NDI01219 - F00-F09/F20-F99

Type	Code
Measurement Unit	numeric
NDI01219	F00-F09/F20-F99

			Frequency	% of total	% of valid
Valid	0	Absent	529	97.96%	98.14%
	1	Present	10	1.85%	1.86%
		Total	539	99.81%	100%
Missing	92	Missing in source	1	0.19%	
			Total	1	0.19%

Valid	Invalid	Minimum	Maximum
539	1	0	1

 NDI01319 - F10

Type	Code
Measurement Unit	numeric
NDI01319	F10

			Frequency	% of total	% of valid
Valid	0	Absent	529	97.96%	98.14%
	1	Present	10	1.85%	1.86%
		Total	539	99.81%	100%
Missing	92	Missing in source	1	0.19%	
		Total	1	0.19%	

Valid	Invalid	Minimum	Maximum
539	1	0	1

 NDI01419 - F11-F17/F18-F19

Type	Code
Measurement Unit	numeric
NDI01419	F11-F17/F18-F19

			Frequency	% of total	% of valid
Valid	0	Absent	505	93.52%	93.69%
	1	Present	34	6.3%	6.31%
		Total	539	99.81%	100%
Missing	92	Missing in source	1	0.19%	
		Total	1	0.19%	

Valid	Invalid	Minimum	Maximum
539	1	0	1

 NDI01519 - F17.9

Type	Code
Measurement Unit	numeric
NDI01519	F17.9

			Frequency	% of total	% of valid
Valid	0	Absent	527	97.59%	97.77%
	1	Present	12	2.22%	2.23%
		Total	539	99.81%	100%
Missing	92	Missing in source	1	0.19%	
		Total	1	0.19%	

Valid	Invalid	Minimum	Maximum
539	1	0	1

NDI01619 - G00-G92/G94-G99

Type	Code
Measurement Unit	numeric
NDI01619	G00-G92/G94-G99

			Frequency	% of total	% of valid
Valid	0	Absent	524	97.04%	97.22%
	1	Present	15	2.78%	2.78%
	Total		539	99.81%	100%
Missing	92	Missing in source	1	0.19%	
		Total	1	0.19%	

Valid	Invalid	Minimum	Maximum
539	1	0	1

NDI01719 - G93

Type	Code
Measurement Unit	numeric
NDI01719	G93

			Frequency	% of total	% of valid
Valid	0	Absent	525	97.22%	97.4%
	1	Present	14	2.59%	2.6%
	Total		539	99.81%	100%
Missing	92	Missing in source	1	0.19%	
		Total	1	0.19%	

Valid	Invalid	Minimum	Maximum
539	1	0	1

NDI01819 - I00-I09/I26-I28/I70-I99

Type	Code
Measurement Unit	numeric
NDI01819	I00-I09/I26-I28/I70-I99

			Frequency	% of total	% of valid
Valid	0	Absent	524	97.04%	97.22%
	1	Present	15	2.78%	2.78%
	Total		539	99.81%	100%

Missing	92	Missing in source	1	0.19%	
		Total	1	0.19%	

Valid	Invalid	Minimum	Maximum
539	1	0	1

NDI01919 - I10

Type	Code
Measurement Unit	numeric
NDI01919	I10

			Frequency	% of total	% of valid
Valid	0	Absent	523	96.85%	97.03%
	1	Present	16	2.96%	2.97%
		Total	539	99.81%	100%
Missing	92	Missing in source	1	0.19%	
		Total	1	0.19%	

Valid	Invalid	Minimum	Maximum
539	1	0	1

NDI02019 - I11-I15

Type	Code
Measurement Unit	numeric
NDI02019	I11-I15

			Frequency	% of total	% of valid
Valid	0	Absent	529	97.96%	98.14%
	1	Present	10	1.85%	1.86%
		Total	539	99.81%	100%
Missing	92	Missing in source	1	0.19%	
		Total	1	0.19%	

Valid	Invalid	Minimum	Maximum
539	1	0	1

NDI02119 - I20-I24/I25.2-I25.6/I25.8/I25.9

Type	Code
Measurement Unit	numeric
NDI02119	I20-I24/I25.2-I25.6/I25.8/I25.9

			Frequency	% of total	% of valid
--	--	--	-----------	------------	------------

Valid	0	Absent	530	98.15%	98.33%
	1	Present	9	1.67%	1.67%
		Total	539	99.81%	100%
Missing	92	Missing in source	1	0.19%	
		Total	1	0.19%	

Valid	Invalid	Minimum	Maximum
539	1	0	1

NDI02219 - I25.0

Type	Code
Measurement Unit	numeric
NDI02219	I25.0

			Frequency	% of total	% of valid
Valid	0	Absent	529	97.96%	98.14%
	1	Present	10	1.85%	1.86%
		Total	539	99.81%	100%
Missing	92	Missing in source	1	0.19%	
		Total	1	0.19%	

Valid	Invalid	Minimum	Maximum
539	1	0	1

NDI02319 - I25.1

Type	Code
Measurement Unit	numeric
NDI02319	I25.1

			Frequency	% of total	% of valid
Valid	0	Absent	529	97.96%	98.14%
	1	Present	10	1.85%	1.86%
		Total	539	99.81%	100%
Missing	92	Missing in source	1	0.19%	
		Total	1	0.19%	

Valid	Invalid	Minimum	Maximum
539	1	0	1

NDI02419 - I30-I41/I43-I45/I46.0/I46.1/I47-I49/I52

Type	Code
Measurement Unit	numeric

NDI02419	I30-I41/I43-I45/I46.0/I46.1/I47-I49/I52
----------	---

			Frequency	% of total	% of valid
Valid	0	Absent	521	96.48%	96.66%
	1	Present	18	3.33%	3.34%
		Total	539	99.81%	100%
Missing	92	Missing in source	1	0.19%	
		Total	1	0.19%	

Valid	Invalid	Minimum	Maximum
539	1	0	1

NDI02519 - I42

Type	Code
Measurement Unit	numeric
NDI02519	I42

			Frequency	% of total	% of valid
Valid	0	Absent	523	96.85%	97.03%
	1	Present	16	2.96%	2.97%
		Total	539	99.81%	100%
Missing	92	Missing in source	1	0.19%	
		Total	1	0.19%	


Valid	Invalid	Minimum	Maximum
539	1	0	1

NDI02619 - I46.9

Type	Code
Measurement Unit	numeric
NDI02619	I46.9

			Frequency	% of total	% of valid
Valid	0	Absent	490	90.74%	90.91%
	1	Present	49	9.07%	9.09%
		Total	539	99.81%	100%
Missing	92	Missing in source	1	0.19%	
		Total	1	0.19%	

Valid	Invalid	Minimum	Maximum
539	1	0	1

 NDI02719 - I50

Type	Code
Measurement Unit	numeric
NDI02719	I50

			Frequency	% of total	% of valid
Valid	0	Absent	526	97.41%	97.59%
	1	Present	13	2.41%	2.41%
		Total	539	99.81%	100%
Missing	92	Missing in source	1	0.19%	
		Total	1	0.19%	

Valid	Invalid	Minimum	Maximum
539	1	0	1

 NDI02819 - I51

Type	Code
Measurement Unit	numeric
NDI02819	I51

			Frequency	% of total	% of valid
Valid	0	Absent	529	97.96%	98.14%
	1	Present	10	1.85%	1.86%
		Total	539	99.81%	100%
Missing	92	Missing in source	1	0.19%	
		Total	1	0.19%	

Valid	Invalid	Minimum	Maximum
539	1	0	1

 NDI02919 - I60-I69

Type	Code
Measurement Unit	numeric
NDI02919	I60-I69

			Frequency	% of total	% of valid
Valid	0	Absent	524	97.04%	97.22%
	1	Present	15	2.78%	2.78%
		Total	539	99.81%	100%
Missing	92	Missing in source	1	0.19%	
		Total	1	0.19%	

Valid	Invalid	Minimum	Maximum
539	1	0	1

NDI03019 - J00-J06/J20-J94

Type	Code
Measurement Unit	numeric
NDI03019	J00-J06/J20-J94

			Frequency	% of total	% of valid
Valid	0	Absent	523	96.85%	97.03%
	1	Present	16	2.96%	2.97%
	Total		539	99.81%	100%
Missing	92	Missing in source	1	0.19%	
		Total	1	0.19%	

Valid	Invalid	Minimum	Maximum
539	1	0	1

NDI03119 - J18

Type	Code
Measurement Unit	numeric
NDI03119	J18

			Frequency	% of total	% of valid
Valid	0	Absent	526	97.41%	97.59%
	1	Present	13	2.41%	2.41%
	Total		539	99.81%	100%
Missing	92	Missing in source	1	0.19%	
		Total	1	0.19%	

Valid	Invalid	Minimum	Maximum
539	1	0	1

NDI03219 - J95-J99

Type	Code
Measurement Unit	numeric
NDI03219	J95-J99

			Frequency	% of total	% of valid
Valid	0	Absent	520	96.3%	96.47%
	1	Present	19	3.52%	3.53%
	Total		539	99.81%	100%

Missing	92	Missing in source	1	0.19%	
		Total	1	0.19%	

Valid	Invalid	Minimum	Maximum
539	1	0	1

NDI03319 - K00-K67/K80-K93

Type	Code
Measurement Unit	numeric
NDI03319	K00-K67/K80-K93

			Frequency	% of total	% of valid
Valid	0	Absent	528	97.78%	97.96%
	1	Present	11	2.04%	2.04%
		Total	539	99.81%	100%
Missing	92	Missing in source	1	0.19%	
		Total	1	0.19%	

Valid	Invalid	Minimum	Maximum
539	1	0	1

NDI03419 - K70-K77

Type	Code
Measurement Unit	numeric
NDI03419	K70-K77

			Frequency	% of total	% of valid
Valid	0	Absent	525	97.22%	97.4%
	1	Present	14	2.59%	2.6%
		Total	539	99.81%	100%
Missing	92	Missing in source	1	0.19%	
		Total	1	0.19%	

Valid	Invalid	Minimum	Maximum
539	1	0	1

NDI03519 - N17-N19

Type	Code
Measurement Unit	numeric
NDI03519	N17-N19

			Frequency	% of total	% of valid
--	--	--	-----------	------------	------------

Valid	0	Absent	521	96.48%	96.66%
	1	Present	18	3.33%	3.34%
		Total	539	99.81%	100%
Missing	92	Missing in source	1	0.19%	
		Total	1	0.19%	

Valid	Invalid	Minimum	Maximum
539	1	0	1

NDI03619 - R00-R07/R10-R49/R70-R98

Type	Code
Measurement Unit	numeric
NDI03619	R00-R07/R10-R49/R70-R98

			Frequency	% of total	% of valid
Valid	0	Absent	528	97.78%	97.96%
	1	Present	11	2.04%	2.04%
		Total	539	99.81%	100%
Missing	92	Missing in source	1	0.19%	
		Total	1	0.19%	

Valid	Invalid	Minimum	Maximum
539	1	0	1

NDI03719 - R09

Type	Code
Measurement Unit	numeric
NDI03719	R09

			Frequency	% of total	% of valid
Valid	0	Absent	527	97.59%	97.77%
	1	Present	12	2.22%	2.23%
		Total	539	99.81%	100%
Missing	92	Missing in source	1	0.19%	
		Total	1	0.19%	

Valid	Invalid	Minimum	Maximum
539	1	0	1

NDI03819 - R50-R69

Type	Code
Measurement Unit	numeric

NDI03819	R50-R69
----------	---------

			Frequency	% of total	% of valid
Valid	0	Absent	513	95%	95.18%
	1	Present	26	4.81%	4.82%
		Total	539	99.81%	100%
Missing	92	Missing in source	1	0.19%	
			Total	1	0.19%

Valid	Invalid	Minimum	Maximum
539	1	0	1

NDI03919 - R99

Type	Code
Measurement Unit	numeric
NDI03919	R99

			Frequency	% of total	% of valid
Valid	0	Absent	524	97.04%	97.22%
	1	Present	15	2.78%	2.78%
		Total	539	99.81%	100%
Missing	92	Missing in source	1	0.19%	
			Total	1	0.19%


Valid	Invalid	Minimum	Maximum
539	1	0	1

NDI04019 - S00-S08/S09.0-S09.2/S09.7/S09.8

Type	Code
Measurement Unit	numeric
NDI04019	S00-S08/S09.0-S09.2/S09.7/S09.8

			Frequency	% of total	% of valid
Valid	0	Absent	508	94.07%	94.25%
	1	Present	31	5.74%	5.75%
		Total	539	99.81%	100%
Missing	92	Missing in source	1	0.19%	
			Total	1	0.19%

Valid	Invalid	Minimum	Maximum
539	1	0	1

 NDI04119 - S01.0-S01.5/S01.7/S01.8

Type	Code
Measurement Unit	numeric
NDI04119	S01.0-S01.5/S01.7/S01.8

			Frequency	% of total	% of valid
Valid	0	Absent	528	97.78%	97.96%
	1	Present	11	2.04%	2.04%
		Total	539	99.81%	100%
Missing	92	Missing in source	1	0.19%	
		Total	1	0.19%	


Valid	Invalid	Minimum	Maximum
539	1	0	1

 NDI04219 - S01.9

Type	Code
Measurement Unit	numeric
NDI04219	S01.9

			Frequency	% of total	% of valid
Valid	0	Absent	505	93.52%	93.69%
	1	Present	34	6.3%	6.31%
		Total	539	99.81%	100%
Missing	92	Missing in source	1	0.19%	
		Total	1	0.19%	

Valid	Invalid	Minimum	Maximum
539	1	0	1

 NDI04319 - S09.9

Type	Code
Measurement Unit	numeric
NDI04319	S09.9

			Frequency	% of total	% of valid
Valid	0	Absent	502	92.96%	93.14%
	1	Present	37	6.85%	6.86%
		Total	539	99.81%	100%
Missing	92	Missing in source	1	0.19%	
		Total	1	0.19%	

Valid	Invalid	Minimum	Maximum
539	1	0	1

NDI04419 - S10-S19

Type	Code
Measurement Unit	numeric
NDI04419	S10-S19

			Frequency	% of total	% of valid
Valid	0	Absent	525	97.22%	97.4%
	1	Present	14	2.59%	2.6%
	Total		539	99.81%	100%
Missing	92	Missing in source	1	0.19%	
		Total	1	0.19%	

Valid	Invalid	Minimum	Maximum
539	1	0	1

NDI04519 - S20/S22-S28/S29.0/S29.7/S29.8

Type	Code
Measurement Unit	numeric
NDI04519	S20/S22-S28/S29.0/S29.7/S29.8

			Frequency	% of total	% of valid
Valid	0	Absent	529	97.96%	98.14%
	1	Present	10	1.85%	1.86%
	Total		539	99.81%	100%
Missing	92	Missing in source	1	0.19%	
		Total	1	0.19%	

Valid	Invalid	Minimum	Maximum
539	1	0	1


NDI04619 - S21

Type	Code
Measurement Unit	numeric
NDI04619	S21

			Frequency	% of total	% of valid
Valid	0	Absent	522	96.67%	96.85%
	1	Present	17	3.15%	3.15%
	Total		539	99.81%	100%

Missing	92	Missing in source	1	0.19%	
		Total	1	0.19%	


Valid	Invalid	Minimum	Maximum
539	1	0	1

 NDI04719 - S29.9

Type	Code
Measurement Unit	numeric
NDI04719	S29.9

			Frequency	% of total	% of valid
Valid	0	Absent	528	97.78%	97.96%
	1	Present	11	2.04%	2.04%
		Total	539	99.81%	100%
Missing	92	Missing in source	1	0.19%	
		Total	1	0.19%	

Valid	Invalid	Minimum	Maximum
539	1	0	1

 NDI04819 - S30-S35/S37-S39

Type	Code
Measurement Unit	numeric
NDI04819	S30-S35/S37-S39

			Frequency	% of total	% of valid
Valid	0	Absent	530	98.15%	98.33%
	1	Present	9	1.67%	1.67%
		Total	539	99.81%	100%
Missing	92	Missing in source	1	0.19%	
		Total	1	0.19%	

Valid	Invalid	Minimum	Maximum
539	1	0	1

 NDI04919 - S36

Type	Code
Measurement Unit	numeric
NDI04919	S36

			Frequency	% of total	% of valid
--	--	--	-----------	------------	------------

Valid	0	Absent	528	97.78%	97.96%
	1	Present	11	2.04%	2.04%
		Total	539	99.81%	100%
Missing	92	Missing in source	1	0.19%	
		Total	1	0.19%	

Valid	Invalid	Minimum	Maximum
539	1	0	1

NDI05019 - S40-S99/T08/T10-T13/T15-T35/T79-T98

Type	Code
Measurement Unit	numeric
NDI05019	S40-S99/T08/T10-T13/T15-T35/T79-T98

			Frequency	% of total	% of valid
Valid	0	Absent	520	96.3%	96.47%
	1	Present	19	3.52%	3.53%
		Total	539	99.81%	100%
Missing	92	Missing in source	1	0.19%	
		Total	1	0.19%	

Valid	Invalid	Minimum	Maximum
539	1	0	1

NDI05119 - T07

Type	Code
Measurement Unit	numeric
NDI05119	T07

			Frequency	% of total	% of valid
Valid	0	Absent	504	93.33%	93.51%
	1	Present	35	6.48%	6.49%
		Total	539	99.81%	100%
Missing	92	Missing in source	1	0.19%	
		Total	1	0.19%	

Valid	Invalid	Minimum	Maximum
539	1	0	1

NDI05219 - T09

Type	Code
Measurement Unit	numeric

NDI05219	T09
----------	-----

			Frequency	% of total	% of valid
Valid	0	Absent	528	97.78%	97.96%
	1	Present	11	2.04%	2.04%
		Total	539	99.81%	100%
Missing	92	Missing in source	1	0.19%	
			Total	1	0.19%

Valid	Invalid	Minimum	Maximum
539	1	0	1

NDI05319 - T14

Type	Code
Measurement Unit	numeric
NDI05319	T14

			Frequency	% of total	% of valid
Valid	0	Absent	481	89.07%	89.24%
	1	Present	58	10.74%	10.76%
		Total	539	99.81%	100%
Missing	92	Missing in source	1	0.19%	
			Total	1	0.19%

Valid	Invalid	Minimum	Maximum
539	1	0	1

NDI05419 - T36-T39/T41-T49/T50.0-T50.8

Type	Code
Measurement Unit	numeric
NDI05419	T36-T39/T41-T49/T50.0-T50.8

			Frequency	% of total	% of valid
Valid	0	Absent	509	94.26%	94.43%
	1	Present	30	5.56%	5.57%
		Total	539	99.81%	100%
Missing	92	Missing in source	1	0.19%	
			Total	1	0.19%


Valid	Invalid	Minimum	Maximum
539	1	0	1

 NDI05519 - T40.1

Type	Code
Measurement Unit	numeric
NDI05519	T40.1

			Frequency	% of total	% of valid
Valid	0	Absent	526	97.41%	97.59%
	1	Present	13	2.41%	2.41%
		Total	539	99.81%	100%
Missing	92	Missing in source	1	0.19%	
		Total	1	0.19%	


Valid	Invalid	Minimum	Maximum
539	1	0	1

 NDI05619 - T40.2

Type	Code
Measurement Unit	numeric
NDI05619	T40.2

			Frequency	% of total	% of valid
Valid	0	Absent	520	96.3%	96.47%
	1	Present	19	3.52%	3.53%
		Total	539	99.81%	100%
Missing	92	Missing in source	1	0.19%	
		Total	1	0.19%	

Valid	Invalid	Minimum	Maximum
539	1	0	1

 NDI05719 - T40.3/T40.6-T40.9

Type	Code
Measurement Unit	numeric
NDI05719	T40.3/T40.6-T40.9

			Frequency	% of total	% of valid
Valid	0	Absent	526	97.41%	97.59%
	1	Present	13	2.41%	2.41%
		Total	539	99.81%	100%
Missing	92	Missing in source	1	0.19%	
		Total	1	0.19%	

Valid	Invalid	Minimum	Maximum
539	1	0	1

NDI05819 - T40.4

Type	Code
Measurement Unit	numeric
NDI05819	T40.4

			Frequency	% of total	% of valid
Valid	0	Absent	523	96.85%	97.03%
	1	Present	16	2.96%	2.97%
	Total		539	99.81%	100%
Missing	92	Missing in source	1	0.19%	
		Total	1	0.19%	

Valid	Invalid	Minimum	Maximum
539	1	0	1

NDI05919 - T40.5

Type	Code
Measurement Unit	numeric
NDI05919	T40.5

			Frequency	% of total	% of valid
Valid	0	Absent	523	96.85%	97.03%
	1	Present	16	2.96%	2.97%
	Total		539	99.81%	100%
Missing	92	Missing in source	1	0.19%	
		Total	1	0.19%	

Valid	Invalid	Minimum	Maximum
539	1	0	1

NDI06019 - T50.9

Type	Code
Measurement Unit	numeric
NDI06019	T50.9

			Frequency	% of total	% of valid
Valid	0	Absent	499	92.41%	92.58%
	1	Present	40	7.41%	7.42%
	Total		539	99.81%	100%

Missing	92	Missing in source	1	0.19%	
		Total	1	0.19%	

Valid	Invalid	Minimum	Maximum
539	1	0	1

NDI06119 - T51-T65

Type	Code
Measurement Unit	numeric
NDI06119	T51-T65

			Frequency	% of total	% of valid
Valid	0	Absent	518	95.93%	96.1%
	1	Present	21	3.89%	3.9%
		Total	539	99.81%	100%
Missing	92	Missing in source	1	0.19%	
		Total	1	0.19%	

Valid	Invalid	Minimum	Maximum
539	1	0	1

NDI06219 - T66-T70/T73-T78

Type	Code
Measurement Unit	numeric
NDI06219	T66-T70/T73-T78

			Frequency	% of total	% of valid
Valid	0	Absent	527	97.59%	97.77%
	1	Present	12	2.22%	2.23%
		Total	539	99.81%	100%
Missing	92	Missing in source	1	0.19%	
		Total	1	0.19%	

Valid	Invalid	Minimum	Maximum
539	1	0	1

NDI06319 - T71

Type	Code
Measurement Unit	numeric
NDI06319	T71

			Frequency	% of total	% of valid
--	--	--	-----------	------------	------------

Valid	0	Absent	513	95%	95.18%
	1	Present	26	4.81%	4.82%
		Total	539	99.81%	100%
Missing	92	Missing in source	1	0.19%	
		Total	1	0.19%	

Valid	Invalid	Minimum	Maximum
539	1	0	1

NDI06419 - V01-V09

Type	Code
Measurement Unit	numeric
NDI06419	V01-V09

			Frequency	% of total	% of valid
Valid	0	Absent	528	97.78%	97.96%
	1	Present	11	2.04%	2.04%
		Total	539	99.81%	100%
Missing	92	Missing in source	1	0.19%	
		Total	1	0.19%	

Valid	Invalid	Minimum	Maximum
539	1	0	1

NDI06519 - V10-V39/V50-V79/V90-V99

Type	Code
Measurement Unit	numeric
NDI06519	V10-V39/V50-V79/V90-V99

			Frequency	% of total	% of valid
Valid	0	Absent	524	97.04%	97.22%
	1	Present	15	2.78%	2.78%
		Total	539	99.81%	100%
Missing	92	Missing in source	1	0.19%	
		Total	1	0.19%	

Valid	Invalid	Minimum	Maximum
539	1	0	1

NDI06619 - V40-V48

Type	Code
Measurement Unit	numeric

NDI06619	V40-V48
----------	---------

			Frequency	% of total	% of valid
Valid	0	Absent	521	96.48%	96.66%
	1	Present	18	3.33%	3.34%
		Total	539	99.81%	100%
Missing	92	Missing in source	1	0.19%	
			Total	1	0.19%

Valid	Invalid	Minimum	Maximum
539	1	0	1

NDI06719 - V49

Type	Code
Measurement Unit	numeric
NDI06719	V49

			Frequency	% of total	% of valid
Valid	0	Absent	523	96.85%	97.03%
	1	Present	16	2.96%	2.97%
		Total	539	99.81%	100%
Missing	92	Missing in source	1	0.19%	
			Total	1	0.19%

Valid	Invalid	Minimum	Maximum
539	1	0	1

NDI06819 - V87

Type	Code
Measurement Unit	numeric
NDI06819	V87

			Frequency	% of total	% of valid
Valid	0	Absent	527	97.59%	97.77%
	1	Present	12	2.22%	2.23%
		Total	539	99.81%	100%
Missing	92	Missing in source	1	0.19%	
			Total	1	0.19%

Valid	Invalid	Minimum	Maximum
539	1	0	1

 NDI06919 - V89.2

Type	Code
Measurement Unit	numeric
NDI06919	V89.2

			Frequency	% of total	% of valid
Valid	0	Absent	514	95.19%	95.36%
	1	Present	25	4.63%	4.64%
		Total	539	99.81%	100%
Missing	92	Missing in source	1	0.19%	
		Total	1	0.19%	

Valid	Invalid	Minimum	Maximum
539	1	0	1

 NDI07019 - W00-X39/X50-X59

Type	Code
Measurement Unit	numeric
NDI07019	W00-X39/X50-X59

			Frequency	% of total	% of valid
Valid	0	Absent	517	95.74%	95.92%
	1	Present	22	4.07%	4.08%
		Total	539	99.81%	100%
Missing	92	Missing in source	1	0.19%	
		Total	1	0.19%	


Valid	Invalid	Minimum	Maximum
539	1	0	1

 NDI07119 - X40-X41/X43/X46-X49

Type	Code
Measurement Unit	numeric
NDI07119	X40-X41/X43/X46-X49

			Frequency	% of total	% of valid
Valid	0	Absent	529	97.96%	98.14%
	1	Present	10	1.85%	1.86%
		Total	539	99.81%	100%
Missing	92	Missing in source	1	0.19%	
		Total	1	0.19%	


Valid	Invalid	Minimum	Maximum
539	1	0	1

 NDI07219 - X42

Type	Code
Measurement Unit	numeric
NDI07219	X42

			Frequency	% of total	% of valid
Valid	0	Absent	505	93.52%	93.69%
	1	Present	34	6.3%	6.31%
	Total		539	99.81%	100%
Missing	92	Missing in source	1	0.19%	
		Total	1	0.19%	


Valid	Invalid	Minimum	Maximum
539	1	0	1

 NDI07319 - X44

Type	Code
Measurement Unit	numeric
NDI07319	X44

			Frequency	% of total	% of valid
Valid	0	Absent	501	92.78%	92.95%
	1	Present	38	7.04%	7.05%
	Total		539	99.81%	100%
Missing	92	Missing in source	1	0.19%	
		Total	1	0.19%	

Valid	Invalid	Minimum	Maximum
539	1	0	1


 NDI07419 - X45

Type	Code
Measurement Unit	numeric
NDI07419	X45

			Frequency	% of total	% of valid
Valid	0	Absent	525	97.22%	97.4%
	1	Present	14	2.59%	2.6%
	Total		539	99.81%	100%

Missing	92	Missing in source	1	0.19%	
		Total	1	0.19%	


Valid	Invalid	Minimum	Maximum
539	1	0	1

 NDI07519 - X60-X69/X71-X73/X75-X84

Type	Code
Measurement Unit	numeric
NDI07519	X60-X69/X71-X73/X75-X84

			Frequency	% of total	% of valid
Valid	0	Absent	516	95.56%	95.73%
	1	Present	23	4.26%	4.27%
		Total	539	99.81%	100%
Missing	92	Missing in source	1	0.19%	
		Total	1	0.19%	

Valid	Invalid	Minimum	Maximum
539	1	0	1

 NDI07619 - X70

Type	Code
Measurement Unit	numeric
NDI07619	X70

			Frequency	% of total	% of valid
Valid	0	Absent	521	96.48%	96.66%
	1	Present	18	3.33%	3.34%
		Total	539	99.81%	100%
Missing	92	Missing in source	1	0.19%	
		Total	1	0.19%	

Valid	Invalid	Minimum	Maximum
539	1	0	1

 NDI07719 - X74

Type	Code
Measurement Unit	numeric
NDI07719	X74

			Frequency	% of total	% of valid
--	--	--	-----------	------------	------------

Valid	0	Absent	521	96.48%	96.66%
	1	Present	18	3.33%	3.34%
		Total	539	99.81%	100%
Missing	92	Missing in source	1	0.19%	
		Total	1	0.19%	

Valid	Invalid	Minimum	Maximum
539	1	0	1

NDI07819 - X85-X94/X96-Y09

Type	Code
Measurement Unit	numeric
NDI07819	X85-X94/X96-Y09

			Frequency	% of total	% of valid
Valid	0	Absent	529	97.96%	98.14%
	1	Present	10	1.85%	1.86%
		Total	539	99.81%	100%
Missing	92	Missing in source	1	0.19%	
		Total	1	0.19%	

Valid	Invalid	Minimum	Maximum
539	1	0	1

NDI07919 - X95

Type	Code
Measurement Unit	numeric
NDI07919	X95

			Frequency	% of total	% of valid
Valid	0	Absent	510	94.44%	94.62%
	1	Present	29	5.37%	5.38%
		Total	539	99.81%	100%
Missing	92	Missing in source	1	0.19%	
		Total	1	0.19%	

Valid	Invalid	Minimum	Maximum
539	1	0	1


NDI08019 - Y10-Y98

Type	Code
Measurement Unit	numeric

NDI08019	Y10-Y98
----------	---------

			Frequency	% of total	% of valid
Valid	0	Absent	517	95.74%	95.92%
	1	Present	22	4.07%	4.08%
Total			539	99.81%	100%
Missing	92	Missing in source	1	0.19%	
	Total		1	0.19%	

Valid	Invalid	Minimum	Maximum
539	1	0	1

 NDI08119 - 996: SUPPRESSED

Type	Code
Measurement Unit	numeric
NDI08119	996: SUPPRESSED

			Frequency	% of total	% of valid
Valid	0	Absent	482	89.26%	89.42%
	1	Present	57	10.56%	10.58%
Total			539	99.81%	100%
Missing	92	Missing in source	1	0.19%	
	Total		1	0.19%	

Valid	Invalid	Minimum	Maximum
539	1	0	1

Individual Vital Status and Underlying Cause of Death File, 2019

Title

Individual Vital Status and Underlying Cause of Death File, 2019

Abstract

This file contains one record for each of the 20,745 Add Health sample members from Wave I. It provides the vital status of each sample member as well as the National Death Index-provided underlying cause of death code in ICD-10 format for each decedent. The month and year of the most recent Add Health interview are provided for living sample members, while the month and year of death are provided for decedents.

Variables: 12

Observations: 20,745

Variables

 Individual Vital Status and Underlying Cause of Death File, 2019

- [NDIVS19 - SAMPLE MEMBERS VITAL STATUS, 2019](#)
- [NDIDD19M - DATE OF DEATH MM, 2019](#)
- [NDIDD19Y - DATE OF DEATH YYYY, 2019](#)
- [NDIDI19M - MOST RECENT INTERVIEW DATE MM, 2019](#)
- [NDIDI19Y - MOST RECENT INTERVIEW DATE YYYY, 2019](#)
- [NDIDS19M - MOST RECENT NDI SEARCH DATE MM, 2019](#)
- [NDIDS19Y - MOST RECENT NDI SEARCH DATE YYYY, 2019](#)
- [NDICV919 - ICD-9 VERSION CONVERTED TO ICD-10, 2019](#)
- [NDICOD19 - UNDERLYING CAUSE OF DEATH CODE, 2019](#)
- [NDIET19 - NUMBER OF ENTITY AXIS CONDITIONS, 2019](#)
- [NDIRT19 - NUMBER OF RECORD AXIS CONDITIONS, 2019](#)

 NDIVS19 - SAMPLE MEMBERS VITAL STATUS, 2019

Type	Code
Measurement Unit	numeric
NDIVS19	Sample members vital status, 2019
1	Deceased
0	Alive

 NDIDD19M - DATE OF DEATH MM, 2019

Type	Numeric (Double)
NDIDD19M	Date of death (month), 2019

 NDIDD19Y - DATE OF DEATH YYYY, 2019

Type	Numeric (Double)
NDIDD19Y	Date of death (year), 2019

 NDIDI19M - MOST RECENT INTERVIEW DATE MM, 2019

Type	Numeric (Double)
NDIDI19M	Most recent Add Health interview date (month), 2019

 NDIDI19Y - MOST RECENT INTERVIEW DATE YYYY, 2019

Type	Numeric (Double)
NDIDI19Y	Most recent Add Health interview date (year), 2019

 NDIDS19M - MOST RECENT NDI SEARCH DATE MM, 2019

Type	Numeric (Double)
NDIDS19M	Most recent NDI search date (month), 2019

 NDIDS19Y - MOST RECENT NDI SEARCH DATE YYYY, 2019

Type	Numeric (Double)
NDIDS19Y	Most recent NDI search date (year), 2019

 NDICV919 - ICD-9 VERSION CONVERTED TO ICD-10, 2019

Type	Code
Measurement Unit	numeric
NDICV919	ICD-9 Code converted to ICD-10 Code version, 2019
0	not converted
1	converted from 9th to 10th version

 NDICOD19 - UNDERLYING CAUSE OF DEATH CODE, 2019

Type	Code
Measurement Unit	numeric
NDICOD19	Underlying Cause of Death Code: ICD codes (10th Revision), 2019
1	A00-B19/B25-B99
2	B20-B24
3	C00-C14/C30-C75
4	C15-C26
5	C81-C96
6	E00-E07/E15-E90
7	E10-E14
8	I00-I15/I26-I28/I60-I99
9	I20-I25
10	I30-I52
11	J00-J99
12	K00-K93
13	R00-R99
14	V01-V09

15	V10-V39/V50-V79/V90-V99
16	V40-V48
17	V49
18	V87
19	V89.2
20	W00-X39/X50-X59
21	X40-X41/X43/X45-X49
22	X42
23	X44
24	X60-X69/X71-X73/X75-X84
25	X70
26	X74
27	X85-X94/X96-Y09
28	X95
29	Y10-Y98

NDIET19 - NUMBER OF ENTITY AXIS CONDITIONS, 2019

Type	Numeric (Double)
NDIET19	Number of Entity-Axis Conditions, 2019

NDIRT19 - NUMBER OF RECORD AXIS CONDITIONS, 2019

Type	Numeric (Double)
NDIRT19	Number of Record Axis Conditions, 2019

Logical Products

Individual Vital Status and Underlying Cause of Death File, 2019

Data Layouts

Individual Vital Status and Underlying Cause of Death File, 2019

Individual Vital Status and Underlying Cause of Death File, 2019

NDIVS19 - SAMPLE MEMBERS VITAL STATUS, 2019

Type	Code
Measurement Unit	numeric

NDIVS19	Sample members vital status, 2019
1	Deceased
0	Alive

NDIDD19M - DATE OF DEATH MM, 2019

Type	Numeric (Double)
NDIDD19M	Date of death (month), 2019

NDIDD19Y - DATE OF DEATH YYYY, 2019

Type	Numeric (Double)
NDIDD19Y	Date of death (year), 2019

NDIDI19M - MOST RECENT INTERVIEW DATE MM, 2019

Type	Numeric (Double)
NDIDI19M	Most recent Add Health interview date (month), 2019

NDIDI19Y - MOST RECENT INTERVIEW DATE YYYY, 2019

Type	Numeric (Double)
NDIDI19Y	Most recent Add Health interview date (year), 2019

NDIDS19M - MOST RECENT NDI SEARCH DATE MM, 2019

Type	Numeric (Double)
NDIDS19M	Most recent NDI search date (month), 2019

NDIDS19Y - MOST RECENT NDI SEARCH DATE YYYY, 2019

Type	Numeric (Double)
NDIDS19Y	Most recent NDI search date (year), 2019

NDICV919 - ICD-9 VERSION CONVERTED TO ICD-10, 2019

Type	Code
Measurement Unit	numeric
NDICV919	ICD-9 Code converted to ICD-10 Code version, 2019
0	not converted
1	converted from 9th to 10th version

NDICOD19 - UNDERLYING CAUSE OF DEATH CODE, 2019

Type	Code
Measurement Unit	numeric

NDICOD19	Underlying Cause of Death Code: ICD codes (10th Revision), 2019
1	A00-B19/B25-B99
2	B20-B24
3	C00-C14/C30-C75
4	C15-C26
5	C81-C96
6	E00-E07/E15-E90
7	E10-E14
8	I00-I15/I26-I28/I60-I99
9	I20-I25
10	I30-I52
11	J00-J99
12	K00-K93
13	R00-R99
14	V01-V09
15	V10-V39/V50-V79/V90-V99
16	V40-V48
17	V49
18	V87
19	V89.2
20	W00-X39/X50-X59
21	X40-X41/X43/X45-X49
22	X42
23	X44
24	X60-X69/X71-X73/X75-X84
25	X70
26	X74
27	X85-X94/X96-Y09
28	X95
29	Y10-Y98

 NDIET19 - NUMBER OF ENTITY AXIS CONDITIONS, 2019

Type	Numeric (Double)
NDIET19	Number of Entity-Axis Conditions, 2019

 NDIRT19 - NUMBER OF RECORD AXIS CONDITIONS, 2019

Type	Numeric (Double)
NDIRT19	Number of Record Axis Conditions, 2019

Physical Instances

 Individual Vital Status and Underlying Cause of Death File, 2019

Title	Individual Vital Status and Underlying Cause of Death File, 2019
File Name	ndi19i.sas7bdat
Case Quantity	20745
Variable Count	11

 NDIVS19 - SAMPLE MEMBERS VITAL STATUS, 2019

Type	Code
Measurement Unit	numeric
NDIVS19	Sample members vital status, 2019

			Frequency	% of total	% of valid
Valid	0	Alive	20205	97.4%	97.4%
	1	Deceased	540	2.6%	2.6%
Total			20,745	100%	100%

Valid	Invalid	Minimum	Maximum
20745	0	0	1

 NDIDD19M - DATE OF DEATH MM, 2019

Type	Numeric (Double)
NDIDD19M	Date of death (month), 2019

			Frequency	% of total	% of valid
Missing	997	not applicable	20205	97.4%	
	Total		20,205	97.4%	

Valid	Invalid	Minimum	Maximum	Mean	StdDev
540	20205	1	12	6.7481481...	3.3507809...

 NDIDD19Y - DATE OF DEATH YYYY, 2019

Type	Numeric (Double)
NDIDD19Y	Date of death (year), 2019

			Frequency	% of total	% of valid
Missing	99997	not applicable	20205	97.4%	
Total			20,205	97.4%	

Valid	Invalid	Minimum	Maximum	Mean	StdDev
540	20205	1995	2019	2009.8240...	6.9847816...

NDIDI19M - MOST RECENT INTERVIEW DATE MM, 2019

Type	Numeric (Double)
NDIDI19M	Most recent Add Health interview date (month), 2019

Valid	Invalid	Minimum	Maximum	Mean	StdDev
20745	0	1	12	6.6799710...	2.7159909...

NDIDI19Y - MOST RECENT INTERVIEW DATE YYYY, 2019

Type	Numeric (Double)
NDIDI19Y	Most recent Add Health interview date (year), 2019

Valid	Invalid	Minimum	Maximum	Mean	StdDev
20745	0	1995	2019	2011.4272...	7.5125374...

NDIDS19M - MOST RECENT NDI SEARCH DATE MM, 2019

Type	Numeric (Double)
NDIDS19M	Most recent NDI search date (month), 2019

Valid	Invalid	Minimum	Maximum	Mean	StdDev
20745	0	12	12	12	0

NDIDS19Y - MOST RECENT NDI SEARCH DATE YYYY, 2019

Type	Numeric (Double)
NDIDS19Y	Most recent NDI search date (year), 2019

Valid	Invalid	Minimum	Maximum	Mean	StdDev
20745	0	2019	2019	2019	0

NDICV919 - ICD-9 VERSION CONVERTED TO ICD-10, 2019

Type	Code
Measurement Unit	numeric
NDICV919	ICD-9 Code converted to ICD-10 Code version, 2019

			Frequency	% of total	% of valid
--	--	--	-----------	------------	------------

Valid	0	not converted	498	2.4%	92.22%
	1	converted from 9th to 10th version	42	0.2%	7.78%
		Total	540	2.6%	100%
Missing	97	not applicable	20205	97.4%	
		Total	20,205	97.4%	

Valid	Invalid	Minimum	Maximum
540	20205	0	1

NDICOD19 - UNDERLYING CAUSE OF DEATH CODE, 2019

Type	Code
Measurement Unit	numeric
NDICOD19	Underlying Cause of Death Code: ICD codes (10th Revision), 2019

	Frequency	% of total	% of valid
--	-----------	------------	------------

Valid	1	A00-B19/B25-B99	10	0.05%	2.04%
	2	B20-B24	12	0.06%	2.44%
	3	C00-C14/C30-C75	21	0.1%	4.28%
	4	C15-C26	11	0.05%	2.24%
	5	C81-C96	11	0.05%	2.24%
	6	E00-E07/E15-E90	10	0.05%	2.04%
	7	E10-E14	13	0.06%	2.65%
	8	I00-I15/I26-I28/I60-I99	18	0.09%	3.67%
	9	I20-I25	17	0.08%	3.46%
	10	I30-I52	19	0.09%	3.87%
	11	J00-J99	13	0.06%	2.65%
	12	K00-K93	11	0.05%	2.24%
	13	R00-R99	13	0.06%	2.65%
	14	V01-V09	11	0.05%	2.24%
	15	V10-V39/V50-V79/V90-V99	15	0.07%	3.05%
	16	V40-V48	18	0.09%	3.67%
	17	V49	14	0.07%	2.85%
	18	V87	12	0.06%	2.44%
	19	V89.2	25	0.12%	5.09%
	20	W00-X39/X50-X59	19	0.09%	3.87%
	21	X40-X41/X43/X45-X49	10	0.05%	2.04%
	22	X42	32	0.15%	6.52%
	23	X44	34	0.16%	6.92%
	24	X60-X69/X71-X73/X75-X84	28	0.13%	5.7%
	25	X70	18	0.09%	3.67%
	26	X74	18	0.09%	3.67%
	27	X85-X94/X96-Y09	10	0.05%	2.04%
	28	X95	34	0.16%	6.92%
	29	Y10-Y98	14	0.07%	2.85%
		Total	491	2.37%	100%
Missing	996	Suppressed	49	0.24%	
	997	Not applicable	20205	97.4%	
		Total	20,254	97.63%	

Valid	Invalid	Minimum	Maximum
491	20254	1	29

NDIET19 - NUMBER OF ENTITY AXIS CONDITIONS, 2019

Type	Numeric (Double)
NDIET19	Number of Entity-Axis Conditions, 2019

	Frequency	% of total	% of valid
--	-----------	------------	------------

Missing	992	missing in source	3	0.01%	
	997	not applicable	20205	97.4%	
		Total	20,208	97.41%	

Valid	Invalid	Minimum	Maximum	Mean	StdDev
537	20208	1	12	3.2402234...	1.7179969...

NDIRT19 - NUMBER OF RECORD AXIS CONDITIONS, 2019

Type	Numeric (Double)
NDIRT19	Number of Record Axis Conditions, 2019

			Frequency	% of total	% of valid
Missing	992	missing in source	1	0%	
	997	not applicable	20205	97.4%	
		Total	20,206	97.4%	

Valid	Invalid	Minimum	Maximum	Mean	StdDev
539	20206	0	12	2.9703153...	1.6186213...

Ordered Cause of Death File, 2019

Title

Ordered Cause of Death File, 2019

Abstract

This file contains entity- and record-axis codes reported by the National Death Index (NDI) for each decedent in the Add Health sample. The file is arranged hierarchically, by axis code; therefore, each decedent may have multiple records depending on the maximum number of entity- and record-axis codes recorded by NDI. The sequence of the decedent's records reflects the order in which the entity- and record-axis codes were reported in the NDI record.

Variables: 7

Observations: 1,745

Variables

Ordered Cause of Death File, 2019

- [NDIVS19 - SAMPLE MEMBERS VITAL STATUS, 2019](#)
- [NDICV919 - ICD-9 VERSION CONVERTED TO ICD-10, 2019](#)
- [NDIEL19 - ENTITY AXIS PART/LINE NUMBER, 2019](#)
- [NDIES19 - ENTITY AXIS SEQ IN PART/LINE, 2019](#)

- [NDIEC19 - ENTITY AXIS CONDITION CODES, 2019](#)
- [NDIRC19 - RECORD AXIS CONDITION CODES, 2019](#)

 NDIVS19 - SAMPLE MEMBERS VITAL STATUS, 2019

Type	Code
Measurement Unit	numeric
NDIVS19	Sample members vital status, 2019
1	Deceased
0	Alive

 NDICV919 - ICD-9 VERSION CONVERTED TO ICD-10, 2019

Type	Code
Measurement Unit	numeric
NDICV919	ICD-9 Code converted to ICD-10 Code version, 2019
0	not converted
1	converted from 9th to 10th version

 NDIEL19 - ENTITY AXIS PART/LINE NUMBER, 2019

Type	Code
NDIEL19	Entity-Axis condition codes, Part/line number on certificate, 2019
1	Part I, line 1 (a)
2	Part I, line 2 (b)
3	Part I, line 3 (c)
4	Part I, line 4 (d)
5	Part I, line 5 (e)
6	Part II

 NDIES19 - ENTITY AXIS SEQ IN PART/LINE, 2019

Type	Numeric (Double)
Measurement Unit	numeric
NDIES19	Entity-Axis conditions code, Sequence of condition within part/line code range: 1-7, 2019

 NDIEC19 - ENTITY AXIS CONDITION CODES, 2019

Type	Text
NDIEC19	Entity-Axis condition code, 2019

 NDIRC19 - RECORD AXIS CONDITION CODES, 2019

Type	Text
NDIRC19	Record-Axis condition code, 2019

Logical Products

 Ordered Cause of Death File, 2019

Data Layouts

 Ordered Cause of Death File, 2019

Ordered Cause of Death File, 2019

 NDIVS19 - SAMPLE MEMBERS VITAL STATUS, 2019

Type	Code
Measurement Unit	numeric
NDIVS19	Sample members vital status, 2019
1	Deceased
0	Alive

 NDICV919 - ICD-9 VERSION CONVERTED TO ICD-10, 2019

Type	Code
Measurement Unit	numeric
NDICV919	ICD-9 Code converted to ICD-10 Code version, 2019
0	not converted
1	converted from 9th to 10th version

 NDIEL19 - ENTITY AXIS PART/LINE NUMBER, 2019

Type	Code
NDIEL19	Entity-Axis condition codes, Part/line number on certificate, 2019
1	Part I, line 1 (a)
2	Part I, line 2 (b)
3	Part I, line 3 (c)
4	Part I, line 4 (d)
5	Part I, line 5 (e)
6	Part II

 NDIES19 - ENTITY AXIS SEQ IN PART/LINE, 2019

Type	Numeric (Double)
Measurement Unit	numeric
NDIES19	Entity-Axis conditions code, Sequence of condition within part/line code range: 1-7, 2019

 NDIEC19 - ENTITY AXIS CONDITION CODES, 2019

Type	Text
NDIEC19	Entity-Axis condition code, 2019

 NDIRC19 - RECORD AXIS CONDITION CODES, 2019

Type	Text
NDIRC19	Record-Axis condition code, 2019

Physical Instances

 Ordered Cause of Death File, 2019

Title	Ordered Cause of Death File, 2019
File Name	ndi19c.sas7bdat
Case Quantity	1745
Variable Count	6

 NDIVS19 - SAMPLE MEMBERS VITAL STATUS, 2019

Type	Code
Measurement Unit	numeric
NDIVS19	Sample members vital status, 2019

			Frequency	% of total	% of valid
Valid	0	Alive	0	0%	0%
	1	Deceased	1745	100%	100%
Total			1,745	100%	100%

Valid	Invalid	Minimum	Maximum
1745	0	1	1

 NDICV919 - ICD-9 VERSION CONVERTED TO ICD-10, 2019

Type	Code
Measurement Unit	numeric
NDICV919	ICD-9 Code converted to ICD-10 Code version, 2019

			Frequency	% of total	% of valid
Valid	0	not converted	1625	93.12%	93.28%
	1	converted from 9th to 10th version	117	6.7%	6.72%
Total			1,742	99.83%	100%
Missing	97	Not applicable	3	0.17%	
	Total		3	0.17%	

Valid	Invalid	Minimum	Maximum
1742	3	0	1

NDIEL19 - ENTITY AXIS PART/LINE NUMBER, 2019

Type	Code
NDIEL19	Entity-Axis condition codes, Part/line number on certificate, 2019

			Frequency	% of total	% of valid
Valid	1	Part I, line 1 (a)	877	50.26%	50.4%
	2	Part I, line 2 (b)	284	16.28%	16.32%
	3	Part I, line 3 (c)	125	7.16%	7.18%
	4	Part I, line 4 (d)	46	2.64%	2.64%
	5	Part I, line 5 (e)	2	0.11%	0.11%
	6	Part II	406	23.27%	23.33%
Total			1,740	99.71%	100%
Missing	92	Missing in source	3	0.17%	
	97	Not applicable	2	0.11%	
Total			5	0.29%	

Valid	Invalid	Minimum	Maximum
1740	5	1	6

NDIES19 - ENTITY AXIS SEQ IN PART/LINE, 2019

Type	Numeric (Double)
Measurement Unit	numeric
NDIES19	Entity-Axis conditions code, Sequence of condition within part/line code range: 1-7, 2019

			Frequency	% of total	% of valid
Missing	92	Missing in source	3	0.17%	
	97	Not applicable	2	0.11%	
Total			5	0.29%	

Valid	Invalid	Minimum	Maximum	Mean	StdDev
1740	5	1	8	1.4931034...	0.8722009...



Type	Text
NDIEC19	Entity-Axis condition code, 2019

			Frequency	% of total	% of valid
Missing	992	Missing in source	3	0.17%	
	996	Suppressed	51	2.92%	
	997	Not applicable	7	0.4%	
Total			61	3.5%	

Valid	Invalid	Minimum	Maximum	Mean	StdDev
1684	61	1	73	38.932897...	20.163081...



Type	Text
NDIRC19	Record-Axis condition code, 2019

			Frequency	% of total	% of valid
Missing	992	Missing in source	3	0.17%	
	996	Suppressed	119	6.82%	
	997	Not applicable	141	8.08%	
Total			263	15.07%	

Valid	Invalid	Minimum	Maximum	Mean	StdDev
1482	263	1	81	43.371120...	23.234440...